1695

Section **A** for the entry of D
AIR MINISTRY.—

FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090. **REGIST** 1.

1695
TOTNES 21 BRIDGETOWN
1931 — 40

780306

Kept at Walrond House
in the County of Devon
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Leve

THE MORNING MEASURE Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓	✓	✓	·90	✓	✓	✓	✓	·32	·07	✓	✓	1
2	·66	✓	✓	·52	✓	✓	·02	✓	·40	·02	·08	·56	2
3	·36	✓	·95	✓	✓	✓	✓	·05	·15	·03	2·51	·40	3
4	✓	✓	·32	✓	·08	·35	·48	✓	✓	✓	·02	·08	4
5	✓	·43	·65	·02	✓	·51	·22	✓	✓	·04	·02	·60	5
6	✓	·12	✓	·01	·09	·28	✓	✓	✓	·26	·14	·43	6
7	✓	·02	✓	✓	·33	·31	·41	·10	✓	·06	1·10	·13	7
8	✓	·23	✓	·16	✓	·62	·05	✓	✓	✓	·25	·09	8
9	✓	·59	✓	✓	✓	·27	·22	✓	✓	·02	·72	✓	9
10	✓	·04	✓	✓	·05	·19	·01	✓	·19	✓	·54	✓	10
11	·18	·71	✓	✓	✓	·41	·06	✓	✓	✓	·23	✓	11
12	✓	·21	✓	✓	✓	✓	·18	✓	✓	·30	✓	✓	12
13	✓	·08	·02	✓	·05	✓	·18	·12	✓	✓	✓	✓	13
14	✓	·03	✓	✓	·07	·16	·87	·14	✓	✓	·49	✓	14
15	✓	·10	✓	·01	·18	✓	✓	·14	·09	✓	✓	·01	15
16	✓	·21	✓	·01	·09	1·07	✓	·05	·09	✓	✓	·02	16
17	✓	·04	✓	✓	✓	·32	·47	✓	·04	✓	✓	✓	17
18	·06	✓	·01	·04	✓	·46	·08	1·90	✓	✓	·36	✓	18
19	✓	·04	·07	·08	✓	✓	·02	·18	✓	✓	·76	✓	19
20	✓	·21	·01	✓	✓	✓	✓	·45	✓	✓	·38	✓	20
21	·33	✓	·02	✓	·23	✓	✓	✓	✓	·14	·07	✓	21
22	1·00	✓	·03	·24	·15	✓	✓	✓	✓	✓	·02	✓	22
23	·38	✓	✓	·20	·90	✓	·04	·14	✓	✓	·97	✓	23
24	·22	·02	·01	1·05	·17	·09	·73	1·02	✓	✓	·10	✓	24
25	·08	·01	✓	·25	·04	✓	·16	✓	✓	✓	·29	✓	25
26	✓	·19 ~~·20~~	✓	·03	✓	✓	·42	✓	✓	✓	·62	✓	26
27	·18	·32	✓	✓	·26	✓	(·37) ·37	✓	✓	✓	·12	✓	27
28	·07	·23	·20	✓	·02	✓	✓	·11	✓	✓	✓	·08	28
29	✓	✓	·10	✓	·10	✓	·29	·34	✓	✓	✓	·06	29
30	·07	✗	✓	✓	·15	✓	·02	·02	✓	✓	·12	✓	30
31	·83	✗	·10	✗	·10	✗	·04	✓	✗	✓	✗	·28	31
TOTAL	4·42	3·74	2·~~37~~ 49	3·52	3·10	5·04	5·34	4·76	1·28	·94	9·91	2·74	YEAR'S TOTAL 47·28
*Days with ·01 in. or more.	13	20	13	14	18	13	22	14	7	9	22	12	167
*Days with ·04 in. or more.	13	16	7	9	16	13	18	13	7	6	19	~~8~~ 10	147

2.51

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H Brace Hurman
Totnes

P.T.O.

1695

Section A for the entry of D

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Walrond House – Totnes
in the County of Devon – (South)
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 40 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓	✓	✓	·90	✓	✓	✓	✓	·32	·07	✓	✓	1
2	·66	✓	✓	·52	✓	✓	·02	✓	·40	·02	·08	·56	2
3	·36	✓	·95	✓	✓	✓	✓	·05	·15	·03	2·51	·40	3 2·51
4	✓	✓	·32	✓	·08	·35	·48	✓	✓	✓	·02	·08	4
5	✓	·43	·65	·02	✓	·51	·22	✓	✓	·04	·02	·60	5
6	✓	·12	✓	·01	·09	·28	✓	✓	✓	·26	·14	·43	6
7	✓	·02	✓	✓	·33	·31	·41	·10	✓	·06	1·10	·13	7
8	✓	·23	✓	·16	✓	·62	·05	✓	✓	✓	·25	·09	8
9	✓	·59	✓	✓	✓	·27	·22	✓	✓	·02	·72	✓	9
10	✓	·04	✓	✓	·05	·19	·01	✓	·19	✓	·54	✓	10
11	·18	·71	✓	✓	✓	·41	·06	✓	✓	✓	·23	✓	11
12	✓	·21	✓	✓	✓	✓	·18	✓	✓	·30	✓	✓	12
13	✓	·08	·02	✓	·05	✓	·18	·12	✓	✓	✓	✓	13
14	✓	·03	✓	✓	·02	·16	·87	·14	✓	✓	·49	✓	14
15	✓	·10	✓	·01	·18	✓	✓	·14	·09	✓	✓	·01	15
16	✓	·21	✓	·01	·09	1·07	✓	·05	·09	✓	✓	·02	16
17	✓	·04	✓	✓	✓	·32	·47	✓	·04	✓	✓	✓	17
18	·06	✓	·01	·04	✓	·46	·08	1·90	✓	✓	·36	✓	18
19	✓	·04	·07	·08	✓	✓	·02	·18	✓	✓	·76	✓	19
20	✓	·21	·01	✓	✓	✓	✓	·45	✓	✓	·38	✓	20
21	·33	✓	·02	✓	·23	✓	✓	✓	✓	·14	·07	✓	21
22	1·00	✓	·03	·24	·15	✓	✓	✓	✓	✓	·02	✓	22
23	·38	✓	✓	·20	·90	✓	·04	·14	✓	✓	·97	✓	23
24	·22	·02	·01	1·05	·17	·09	·73	1·02	✓	✓	·10	✓	24
25	·08	·01	✓	·25	·04	✓	·16	✓	✓	✓	·29	✓	25
26	✓	~~·20~~ ·19	✓	·03	✓	✓	·42	✓	✓	✓	·62	✓	26
27	·18	·32	✓	✓	·26	✓	·37 ·37	✓	✓	✓	·12	✓	27
28	·07	·23	·20	✓	·02	✓	✓	·11	✓	✓	✓	·08	28
29	✓	✓	·10	✓	·10	✓	·29	·34	✓	✓	✓	·06	29
30	·07	✗	✓	✓	·15	✓	·02	·02	✓	✓	·12	✓	30
31	·83	✗	·10	✗	·10	✗	·04	✓	✗	✓	✗	·28	31
TOTAL	4·42	3·74	2·49	3·52	3·10	5·04	5·34	4·76	1·28	·94	9·91	2·74	YEAR'S TOTAL 47·28
*Days with ·01 in. or more.	13	20	13	14	18	13	22	14	7	9	22	12	177
*Days with ·04 in. or more.	13	16	7	9	16	13	18	13	7	6	19	10	147

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H Brace Harman. Totnes

P.T.O.

1695

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Walrond House – Totnes

in the County of Devon (South)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" Ground " Sea Level 40 ft.

~~days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	✓	✓		✓	✓	·04	·04	·02	✓	✓	✓	1
2	·15	✓	✓	·23	✓	✓	·03	·02	·20	✓	·01	·54	2
3	·02	✓	·15	·36	✓	·61	✓	✓	·71	✓	·04	·02	3
4	·05	✓	·04	✓	✓	·29	✓	·08	✓	✓	·35	✓	4
5	1·28	✓	✓	✓	✓	✓	✓	✓	·22	✓	✓	✓	5
6	1·09	✓	·02	·36	✓	✓	·09	✓	·60	✓	✓	✓	6
7	·05	✓	·02	✓	·18	✓	✓	✓	1·01	2·19	✓	✓	7
8	✓	✓	✓	·29	·13	✓	✓	✓	·25	·20	✓	✓	8
9	1·90	✓	·32	·34	✓	✓	✓	✓	✓	✓	✓	✓	9
10	·48	✓	✓	·30	·03	✓	✓	·02	·13	·24	✓	·05	10
11	·10	✓	✓	·05	·08	✓	✓	✓	·02	·02	✓	·55	11
12	1·84	✓	✓	✓	·91	✓	·01	✓	✓	✓	✓	·05	12
13	·17	✓	✓	·32	✓	✓	·14	·37	✓	1·12	✓	·15	13
14	·44	✓	✓	✓	·51	✓	✓	·02	✓	✓	✓	✓	14
15	·10	✓	✓	·14	·09	✓	·02	✓	✓	✓	✓	·15	15
16	·43	✓	✓	·10	✓	✓	·59	✓	✓	✓	✓	✓	16
17	·07	✓	✓	·04	·02	✓	✓	✓	✓	✓	✓	✓	17
18	·11	✓	✓	✓	·41	✓	✓	✓	·02	·07	·18	✓	18
19	·03	✓	✓	·04	·20	✓	✓	✓	·11	·79	✓	✓	19
20	✓	✓	·01	·13	·93	✓	·03	·09	✓	1·67	·09	·20	20
21	·02	✓	·05	·10	✓	✓	✓	·46	·22	·65	·09	·22	21
22	✓	✓	✓	·02	·05	✓	·10	·23	·87	·68	·56	✓	22
23	✓	✓	✓	✓	✓	✓	·17	✓	·11	·73	✓	·22	23
24	✓	·02	✓	✓	✓	✓	·68	✓	·09	·01	·06	✓	24
25	✓	✓	·43	·02	·05	✓	·07	✓	·15	·39	·26	·03	25
26	✓	✓	·28	✓	✓	✓	·08	✓	✓	·08	·05	✓	26
27	✓	✓	·64	·56	·07	✓	·26	✓	✓	·31 ·39	✓	·31	27
28	✓	✓	·06	·10	·07	✓	·19	✓	✓	✓	✓	·08	28
29	✓		·96	·18	·11	·67	·14	·47	·77	·84	·09	·65	29
30	✓	✕	·14	·07	·01	2·68	·28	✓	·92	·14	1·75	✓	30
31	✓	✕	·15	✕	·24	✕	✓	✓	✕	✓	✕	·94	31
TOTAL	8·41	—·02	3·27	3·75	4·09	4·25	2·92	1·80	6·42	10·13	3·53	4·16	YEAR'S TOTAL 52·75
*Days with ·01 in. or more.	~~3~~19	1	~~3~~14	~~2~~20	~~3~~18	4	~~4~~17	~~3~~10	~~3~~18	~~X~~17	X12	~~X~~15	~~27~~165
*Days with ·04 in. or more.	16	0	11	18	15	4	13	7	15	15	11	~~12~~13	13~~7~~8

40-9999

(Signed)

P.T.O.

*See Instruction 2 (*f*) on other side.

1695

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** ~~1695~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 21 Bridgetown TOTNES

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 15 in.

,, Ground ,, Sea Level 40 ft.

File No 661399/26

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·52	1·30	·14			·05				·01	·03	1·35	1
2	·99	·04	1·47		·79	·67						·24	2
3	·07	·11	·48										3
4	·34	·18			·14								4
5	·08	·02	·57		·42								5
6		·66			·39		·11			·09			6
7		·15			·14		·04			·06		·02	7
8	·01	·05			·01		·07						8
9		·03				·19	·58			·55			9
10		·10					·12			·81			10
11							·03	·13					11
12				·27	·03	·23	·30	·11	·48			·03	12
13					·01		·38	·17		·28	·02		13
14	·22						·34	·16		·05	·36		14
15	·64		·45				·25	·08		·09	·59		15
16			1·28							·02			16
17		·06	·14			·07		·35	·27				17
18	·12		·23								·04		18
19	·43		·22					·08	·06		·53		19
20						·20		·01	·07		·01		20
21		·02				·44		·05	·07	·36			21
22				·19		1·44		·27	·84	·04	·01		22
23		·86		·25		·10			·18	·85			23
24		·73		·47					·28	·04			24
25		1·01		·24		·06			·96			·13	25
26		·36		·20	·07							·01	26
27		·01		·03					·02	·22	·03	·44	27
28		·23		·40	·28		·44			·11		·11	28
29	·04	×			·06				·15			·02	29
30	·10	×	·30	·27			·07		·11			·05	30
31	·57	×	·23	×	·03	×			×	·08	×		31
TOTAL	4·13	5·92	5·51	2·22	2·37	3·45	2·73	1·41	3·49	3·66	1·62	2·40	YEAR'S TOTAL 39·01
*Days with ·01 in. or more.	13	18	11	9	[illegible]	10	12	10	12	16	9	10	~~24~~ 142
*Days with ·04 in. or more.	12	14	11	8	8	10	11	9	11	14	4	6	118

40-9999

2·32

*See Instruction 2 (*f*) on other side.

(Signed) W. J. Hoope Esq.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1695

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 21 Bridgetown Totnes

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 40 ft.

Total days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04					·02		·86	·02	·01	·28	1·40		1
2	·12		·04						·86			·45		2
3	·12								·40	·46		·72		3
4	·26		·28		·44					·14		·63		4
5			·09	·03	·26			·91	·09	·07	·02	·88		5
6	·17		·56	·13	·82	·12			·03	·56	·05	·64		6
7	·11							·09		·36		1·14		7
8					·12				·08		·91	·63		8
9	·02		·46	·05				·02			·46	·25		9
10	·24	·02	·29	·58			·10	·17			·08	·07		10
11	·84		·02	·63				·02				·84		11
12	·02						·05	·16				·48		12
13	·60			·51			·02				·84	·41		13
14	·58		·84							·04	·10	·56		14
15	·26		·15	·04	·08					·18	·09	·25		15
16	·44		·64									·43		16
17	·62		·35	·04	·13		·01		·28	·05		·54		17
18	·12		·35	·84		·05			·06			·70		18
19	·01		·19	·83		·02		·03		·02		·28		19
20			·02	·24								·06		20
21			·19	·02		·24	·17	·02		·61		·21		21
22			·04	·02		·02	·23	·13	·58			·25		22
23	·05			·35		·85		·16	·27	·12		·59		23
24		·06		·02		·17		·34	·04	·06		·07		24
25	·36			·36		·17				·60		·95		25
26	·15	·06	·01	·09		·09			·23	·08		·18		26
27				·03		·01		·02	·09	·04	·01	·39		27
28				·13		·02		·48	·24		·01	1·13		28
29								·02	·04			·08		29
30		×						·08	·29	·03		·67		30
31		×		×	·04	×		·05	×		×	·01		31
TOTAL	5·13	·14	4·52	4·94	1·89	1·78	·58	3·56	3·60	3·43	2·85	15·89	Year's Total 48·31	
* Days with .01 in. or more.	20	3	17	19	7	12	6	17	16	17	11	31	176	
* Days with .04 in. or more.	17	2	14	14	7	7	4	11	14	14	8	30	142	

40-9999

† Spare column, no entries required.

(*Signed*) W J Doope

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1695

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 21 Bridgetown Totnes

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 40 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·68			·23			·17	·03	·16	·18		1
2			·08			·15			·34	·48	·06	·20		2
3			·05		·61	·14			·24	·25	·10	·04		3
4		·04		·03		·20			·14	·03	·08	·35		4
5		·23		·09		·18			·28	·09	·08	·04		5
6				·29		1·39					·05	·17		6
7				·57		·12				·48	·25	·03		7
8				·74					·24	·20	·56			8
9				·86						1·21	·36			9
10	·08		Snow ·44			·07						·03		10
11	·27	·08	·12	·05		·68			·15		·72	·06		11
12		·29				·42		·02	·11		·44			12
13		·17		·47		·09				·07	·35			13
14		·22		·17		·14			·16	·07	1·52	·25		14
15		·16		·93		·23			·12	·06	·37	·02		15
16		·18	·38	·22		·07			·68		·77			16
17				·03	(Snow) ·78	·49		·07	·14		·03			17
18		·09		·64					·93	·12	·04	·26		18
19		·02		·05	·38	·17	·24		·36	·10	·57			19
20		·55		·45	·28	·05					·15			20
21		·94		·13					·03	·02	·04			21
22				·07					·07		·08			22
23		·21	·14	·14	·02			·19	·05	·21		·57		23
24	·07	·92		·13	·16			·16	·69			·21		24
25	·14	·59		·01	·41	·84						·23		25
26		1·25				·05		·36	·19			·19		26
27		·31							·08	·02	·15	·57		27
28		·05			·04			·04	·15		·04	·11		28
29		×						·05	·50	·02		·74		29
30		×				·10		1·59	·03	·36	1·24	·89		30
31		×		×		×		·04	×	1·23	×	·39		31
													Year's Total	
TOTAL	·56	6·30	1·89	6·07	2·68	5·81	·24	2·82	5·85	5·05	8·21	6·13	51·61	
* Days with .01 in. or more.	~~4~~	~~11~~ 18✓	7	20 ~~3~~	~~7~~ 8	20	1	~~3~~ 9	23 ~~7~~	19 ~~5~~	24 ~~7~~	~~3~~ 21	~~21~~	174✓
* Days with .04 in. or more.	4✓	~~16~~ 17✓	7✓	17✓	~~8~~ 7✓	20✓	1✓	~~6~~ 8✓	21✓	14✓	23✓	18✓	~~155~~	157✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1695

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Days

Kept at 21 Bridgetown Totnes

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 40 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.03		.37		.27	.42							1
2	.11			.21		.23	.23	.13			.14			2
3	—		.05	1.43			.02		1.44		.16			3
4	.02		.12		.01				.27		.08	.05		4
5	.63	.16	.06				.13	.03			.03	.18		5
6	.24						.17	.14	.47		.64			6
7	.29		.32			.02	.05				.51			7
8	.55		.49				.54				.75			8
9	.45	1.19	.14				.20		.11		.03			9
10	.18	.91					.02				.12			10
11	.70	.07					.03		.16		1.21	.09		11
12	.10		.02	.30 SNOW		.08	.69		.39		.24			12
13	.12		.02				.03			.02	.16	1.50		13
14	—	.04				.09	1.14		.04		.02	.88		14
15	—						.06		.15		.68	.78		15
16	—	.19			.25		.22					.30		16
17	.12	1.43					.16			.16	.12	1.72		17
18	.44	.31					.72					.29		18
19	.64		.83	.31		.14	.02	.13						19
20	.20	.32	.28	.12		.07			.36					20
21	.02	.45	.14	.58			.13							21
22	.37	.10	.01				.44					.05		22
23	—	.04	.03	.23	.25		.26			.12				23
24	.37		.10	.04	.49				.24	.42		.06		24
25	.23		.48	.31						.40				25
26	.46	.06	.19						.04	.08				26
27	.44	.01	.04				.18		.01	.14				27
28	1.12	.01	.84									.40		28
29	.04	.05	.10				.11			.09	.08	.05		29
30	.28	✗	.02			.21								30
31	.19	✗	.66	✗	.01	✗	.05		✗		✗	.84		31 d
TOTAL	8.38	5.37	4.94	3.90	1.01	1.11	6.02	.43	3.68	1.43	4.97	7.19	Year's Total 48.43	✓
* Days with .01 in. or more.	26	17	21	10	5	8	24	4	12	8	16	14	~~[illegible]~~	165 ✓
* Days with .04 in. or more.	24	14	16	10	3	7	19	3	11	7	13	14	141	~~165~~

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W J Toope [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1695

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at 21 Bridgetown Totnes

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 40 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·04	·01	·67					·11			·84		1
2	·09	1·66	·03	·25					·02					2
3	·02	·23		·13			·03			·11				3
4	·04	1·25			·15							·73		4
5	·48			·02			·14					·06		5
6	·04	·77	·87	·28	·08		·22							6
7		1·37	Snow ·36			·04						·60		7
8		·01			·49							·08		8
9		·04	Snow ·05	·22	·12				·36			·75		9
10	·35		·80	·51	·01	·24	·15							10
11	·03		·31	·30	1·06	·06	·08							11
12	1·25	·24	·06	·01	·05	·39	·04	1·59	·07			·59		12
13			1·34	·27				·49	·17					13
14								·02	·13			·05		14
15	·49	·43	·49	·76					·17			·12		15
16	·20	·07	·42				·08	·04	·86		·38			16
17	·98	·06	·87				·03		·01		1·22			17
18	·10	·13	·13	·02		·30			·13		·11	·07		18
19	·12	·08	·04	·30					·13			·04		19
20	·64		1·42	·20	·21							·68		20
21	1·13	·61	·02		·37				·18		·31	·10		21
22	·31		·04		·44	·97	·01		·12	·86	·77	·25		22
23	·26	·32					·30			·08	·27			23
24	·32	·50	·04		·08					1·31		·13		24
25	·22	·90	·65	·02						·20				25
26		·45			·06									26
27		Snow ·24								·56				27
Snow 28	·54	Snow ·13								·16	·03			28
29	·27	×				·01				·19	·16			29
30	·78	×								·02	·50			30
31	·52	×		×		×			×	·66	×		d	31
TOTAL	9·28	9·53	7·95	3·96	3·12	2·01	1·08	2·14	2·46	4·15	3·75	5·09	Year's Total 54·52	✓ ✓
* Days with .01 in. or more.	2	1	2	4	1	1	3	1	2	1	1		19	} 159 days
* Days with .04 in. or more.	22	20	17	11	11	6	7	3	11	9	8	15	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W J Toope

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1695

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 21 Bridgetown Totnes

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 40 ft.

File No. 66/1399/26

Day

Check

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
1938

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07			·02	·39	·27	·19	·02	·51		·04		1
2							·17			·12		·22		2
3					·07			3·23		1·03	·52			3
4							·24	1·75		·10		·38		4
5							·02			·35				5
6	·31					·24	1·34		·03	·22	·06	·33		6
7	·18					·07	·31		·26	·14	·01	·05		7
8	·42					·01	·01			·65		·02		8
9	·16	·08									·02	·55		9
10	·34						·06				·38	·43		10
11	·32						·07	·05				·97		11
12	·87				·41	·05	·01			·88	1·02			12
13	·29				·25					·65	·41	·85		13
14	·94				·19		·46							14
15	·52				·20			·03		·36	·10	·39		15
16	·60		·06		·10						·26			16
17		·35	·02						·30	·30		·10		17
18	·34				·06			·39	·05	·05	·31			18
19								·26	·50		1·07			19
20	·06										·15			20
21	·06							·35	·07		·34			21
22	·06					·03		·11		·14	·42	·03		22
23				·08							·08			23
24			·09								·84			24
25	·16	·58			·11		·42		·02	·04	2·96	·12		25
26	·38	·31			·60	·13	·06			·14		·02		26
27	·10	·08			·07	·34	·49	·53			·57			27
28	·21	·20			·20	·13		1·00	·06					28
29	·16	X			·42		·02		·22	·33	·59			29
30	·05	×			·04		·07		·05		·30	·03		30
31	·42	×		×	·27	×			×	·42	×	·04		31
TOTAL	6·95	1·67	·17	·08	3·01	1·39	4·02	1·89	1·58	6·43	10·41	4·57	Year's Total 48·17	✓ ✓
* Days with .01 in. or more.	22	7	3	1	15	9 ~~7~~	~~1~~ 16	11	11 ~~8~~	18 +	20	~~4~~ 17	150 ~~17~~	✓ ✓
* Days with .04 in. or more.	22	7	2	1	~~15~~ 14	7	12	10	8	18	18	13	132	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) DJ Hoope

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1695

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at 21 Bridgetown

in the County of Totnes S Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 40 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·52	–	·02	·07	·01	–	–	·02	–		·63	·22		1
2	·04	–	—	·29	–	–	–	·15	·62	–	·10	·10		2
3	·58	–	·09	·71	–	–	–	·02	–	–	·42	·36		3
4	—	–	·81	·06	·40	–	·41	·13	–	–	·18	·11		4
5	—	–	–	·15	–	–	·79	–	–	·75	1·18	–		5
6	·41	–	·10	·18	–	–	1·63	·05	–	·39	·86	–		6
7	·09	1·15	–	–	–	–	·14	·07	–	–	·52	·84		7
8	·12	·38	–	–	·02	–	·22	–	–	1·47	·55	·27		8
9	·05	–	–	–	–	–	–	·27	–	·19	·16	·29		9
10	·35	–	·03	–	–	–	–	·05	–	·32	·06	·05		10
11	–	·11	·02	–	–	–	–	–	–	·35	–	–		11
12	–	–	–	–	–	–	–	–	·14	–	·03	–		12
13	—	–	–	·18	–	·09	·49	–	·06	1·37	·04	·02		13
14	1·14	–	–	–	·04	·04	·49	–	–	–	·40	·05		14
15	·58	–	–	–	·04	1·01	·28	–	–	–	·22	·04		15
16	·37	–	–	·10	·03	–	·50	–	–	–	·24	–		16
17	·77	·12	–	–	·05	·34	·28	–	–	–	–	–		17
18	—	–	–	–	–	–	·98	–	–	–	·68	·12		18
19	·41	–	–	–	–	–	·44	·50	–	–	–	·09		19
20	·74	–	–	–	·02	·27	·54	·64	–	–	–	–		20
21	·03	·45	·05	–	–	1·02	·04	·22	–	–	–	–		21
22	·96	·50	·16	–	–	·65	·31	–	–	–	·59	–		22
23	—	–	·03	–	–	·03	·02	–	–	–	1·88	–		23
24	1·02	–	·22	·24	–	·67	·13	–	–	–	–	–		24
25	·29	·19	–	·34	–	–	–	·08	–	–	1·37	–		25
26	·01	—	–	·08	–	·08	–	·15	–	·11	·47	–		26
27	—	·43	–	–	–	·07	·13	–	–	–	·37	–		27
28	—	·06	–	·31	–	–	·80	–	–	–	·34	–		28
29	—	—	–	·08	–	·02	·15	–	–	·55	·17	–		29
30	—	✕	·03	·29	–	–	–	·06	–	·87	·15	–		30
31	—	✕	–	✕	–	✕	–	·10	✕	·82	✕	–		31
TOTAL	8·48	3·39	1·56	3·01	·61	4·29	8·77	2·51	·82	7·19	11·61	2·56	Year's Total 54·80	
* Days with .01 in. or more.	19 ~~7~~	~~0~~ 9	~~5~~ 11	~~9~~ 14	~~4~~ 8	12 ~~7~~	20 ~~7~~	15 ~~7~~	3 ~~0~~	11 ~~0~~	~~7~~ 24	~~4~~ 13	159 ~~48~~	
* Days with .04 in. or more.	17	9	6	14	4	10	19	13	3	11	23	12	141	

"d"

~~7~~159

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W J Soope

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1695

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at 21 Bridgetown TOTNES

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 40 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·14			·02						·18			1
2		·76		·13			·02				1·04			2
3		1·04								·15	1·44	·35		3
4		·07					·07			·25	·11			4
5	·20	·79								·13	·37	·40		5
6	·32				·21		·07			·70		·36		6
7	·04	·02												7
8		·06					·07		·04	·67	·35			8
9							·55	·07	·02		·66	·54		9
10							·23			·17	·06	·53		10
11				·08			1·00				1·84	·03		11
12			·49			·09	·17		·41		·16			12
13			·45				·40			·68	1·57	·25		13
14			·01		·07		·03		·12	·41	·01	·60		14
15		·10					·30		·10	·33	·58	·08		15
16		1·95	·73	·08			·03		·14	·52	·45			16
17	·10	·45	·75	·13							·23			17
18		·42	·26	·82			·06			·20	·01			18
19	·14		·15	·14			·07		·87		·71			19
20	·9								·03	·16	·19			20
21					·08				·05	·01	·61			21
22			·08	·13	·02	·55			·02					22
23			·22	·11						·15				23
24		·05	·06	~~·04~~			·36				·11			24
25	·24		·20	·04	·20									25
26	·50	·75			·44		·01				·03			26
27	·47	·18		·17	·42									27
28	·72	·17		·04						[illegible]				28
29	·16	·13	·29	1·87						·02		·20		29
30	·20	×		·09						·56		~~1·20 Snow~~		30
31	·18	×	·03	×		×			×	·81	×	1·20 Snow		31
TOTAL	336	7·08	3·72	3·83	1·46	·64	3·44	·07	1·80	5·92	10·71	4·54	Year's Total 46·51	
* Days with .01 in. or more.	13	16 ×	13~~4~~	13	8 ~~8~~	2	16 ~~4~~	1	12~~8~~	17~~2~~	21~~8~~	11 ~~X~~	~~18~~	141
* Days with .04 in. or more.	13	15	11	13	6	2	12	1	7	15	18	10	123	141

11 d snow

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

TOTNES (BERRY POMEROY)

Section **A** for the entry of D
AIR MINISTRY

Station No. ~~1692~~ 1695/2

FALL ORGANIZATION.

FORM 1090.

REGIST

36.

Kept at The Vicarage . Ber

in the County of Devon

Diameter of Funnel of Gauge........5

Height of top of Gauge above Grou

,, Ground ,, Sea L

THE MORNING MEASURE

1695/2
BERRY, POMEROY
1936 — 40

780306

Sta. No. 1692
Vicarage .
670004/26.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·06		·24		·33	·48	·08				tr		1
2	·09			·22		·15	·22		·33		·13			2
3	·01		·05	1·22		tr	·01		·78		·16			3
4			·14		·02	·02	·01		·21		·08	·05		4
5	·65	·14	·04				·11	·03			·02	·14		5
6	·19		·02			·02	·11	·09	·38		·56			6
7	·26		·34				·02				·46	·02		7
8	·38		·54				·43				·72			8
9	·36	1·2	·12				·15		·14		·01			9
10	·15	·76					·02				·16			10
11	·82	·04				·09	·03		·14		·89	·09		11
12	·04		·02	·23			·55		·43		·02			12
13	·11		tr				·08			·07	·16	1·06		13
14	tr	·03	tr			·06	·93		·09			·62		14
15					·05		·04		·09		·42	·5		15
16		·18		·01	·22		·19				·15	·29		16
17	·14	1·24		·02	·01		·14			·11	·09	1·11		17
18	·37	·28	·15			·1	·51					·19		18
19	·68	·35	·64	·22		·05	·06	·08						19
20	·19	·51	·19	·09		·05	·05		·42					20
21	·01		·11	·45			·12			·02				21
22	·25	·07	·02				·39					·11		22
23		·03	·04	·19	·34		·16			·1				23
24	·36	·01	·12	·03	·36				·22	·32		·01		24
25	·12		·46	·21					tr	·32				25
26	·37	·07	·14						·04	·07				26
27	·43	·02	·06				·14		·02	·1				27
28	·97	·1	·69			tr	·03					·32		28
29	·03	·02	·1			·06	·12			·07	·1	·05		29
30	·28	✕	·02			·18				tr		tr		30
31	·14	✕	·62	✕	·07	✕	·06		✕		✕	·63		31
TOTAL	7·56	5·11	4·63	3·13	1·07	1·11	5·16	·28	3·29	1·18	4·13	5·19	Year's Total 41·84	
* Days with .01 in. or more.	26	18	22	12	7	11	27	4	13	9	16	15	180	
* Days with .04 in. or more.	23	13	18	9	5	9	21	3	12	8	13	13	147	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. M. Drake. [P.T.O.

X H M. DRAKE X

N

TOTNES (BERRY POMEROY)

Section **A** for the entry of Daily Observations. Station No. 1695/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ~~The Vicarage~~ : Berry POMEROY

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 160 ? ft.

Moved from Sta. No. 1692 Paignton Vicarage.

f 670004/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·06		·24		·33	·48	·08				tr		1
2	·09			·22		·15	·22		·33		·13			2
3	·01		·05	1·22		tr	·01		·78		·16			3
4			·14		·02	·02	·01		·21		·08	·05		4
5	·65	·14	·04				·11	·03			·02	·14		5
6	·19		·02			·02	·11	·09	·38		·56			6
7	·26		·34				·02				·46	·02		7
8	·38		·54				·43				·72			8
9	·36	1·2	·12				·15		·14		·01			9
10	·15	·76					·02				·16			10
11	·82	·04				·09	·03		·14		·89	·09		11
12	·04		·02	·23			·55		·43		·02			12
13	·11		tr				·08			·07	·16	1·06		13
14	tr	·03	tr			·06	·93		·09			·62		14
15					·05		·04		·09		·42	·5		15
16		·18		·01	·22		·19				·15	·29		16
17	·14	1·24		·02	·01		·14			·11	·09	1·11		17
18	·37	·28	·15			·1	·51					·19		18
19	·68	·35	·64	·22		·05	·06	·08						19
20	·19	·51	·19	·09		·05	·05		·42					20
21	·01		·11	·45			·12			·02				21
22	·25	·07	·02				·39					·11		22
23		·03	·04	·19	·34		·16			·1				23
24	·36	·01	·12	·03	·36				·22	·32		·01		24
25	·12		·46	·21					tr	·32				25
26	·37	·07	·14						·04	·07				26
27	·43	·02	·06				·14		·02	·1				27
28	·97	·1	·69			tr	·03					·32		28
29	·03	·02	·1			·06	·12			·07	·1	·05		29
30	·28	✕	·02			·18				tr		tr		30
31	·14	✕	·62	✕	·07	✕	·06		✕		✕	·63		31
TOTAL	7·56	5·11	4·63	3·13	1·07	1·11	5·16	·28	3·29	1·18	4·13	5·19	Year's Total 41·84	
* Days with .01 in. or more.	26	18	22	12	7	11	27	4	13	9	16	15	180	
* Days with .04 in. or more.	23	13	18	9	5	9	21	3	12	8	13	13	147	

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) H. M. Drake. [P.T.O.

X H M. DRAKE X

X Totnes (Berry Pomeroy Vic.) X

COPY FOR OFFICIAL USE

Station No. 1695/2

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Vicarage Berry Pomeroy Totnes

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 160 ft.

1936 up low

670004/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·04	tr	·72					·07	·11		·92		1
2	·06	1·12	·04	·29	·08				·02					2
3	·02	·16	·01	·09			·03							3
4	·05	·99			·08							·64		4
5	·34			·04			·29					·06		5
6	·03	·68	·95	·23	·06		·02					·23		6
7		1·37	·35	·02							·05	·4		7
8		·01		·18	·58	·03	·09							8
9		·03	·14		·04		·01		·32					9
10	·29		·7	·58	·13	·23		·04				·54		10
11	·08		·34	·33	·95	·05	·17							11
12	·84	·23	·06	tr	·03	·31	·05	1·41	·07			·52		12
13		·01	1·37	·22				·34						13
14							·23	·01	·15			·05		14
15	·42	·35		·65				·02	·33			·13		15
16	·16	·07	·7				·03		·52		·42			16
17	·8	·07	·68								1·12			17
18	·08	·11	·18	tr		·31			·11		·1	·08		18
19	·1	·04	·05	·25	·17				·12		·01	·04		19
20	·41	tr	1·07	·16	·04							·67		20
21	1·1	·46	tr		·38		·01		·23	·07	·27	·1		21
22	·18		·04		·34	·68	·19		·09	·79	·71	·15		22
23	·27	·36			·08		·03			·05	·23	·04		23
24	·38	·38	·04						·05	1·26	·01	·06		24
25		·64	·59	·03					·02	·2				25
26	·01	·43	·03		·05							·05		26
27	·16	·17								·58	·04			27
28	·68	·06								·16				28
29	·18									·17	·12			29
30	·54	✕							·02	·04	·35			30
31	·55	✕		✕		✕			✕	·46	✕			31
TOTAL	7·81	7·78	7·34	3·79	3·01	1·61	1·15	1·82	2·12	3·89	3·43	4·68	Year's Total 48·43	Print.
* Days with .01 in. or more.	25	22	18	14	14	6	12	5	14	11	12	17	170	
* Days with .04 in. or more.	22	19	16	12	13	5	6	3	11	11	10	17	145	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. M. Drake [P.T.O.

X Rev. Preb. H.M. Drake X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1695/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at BERRY POMEROY Vicarage

in the County of S. Devon 14

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 160 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07				·43	·38	·21	·02	·45	·01	·06		1
2		tr		·01			·09			·22		·19		2
3					·09			3·7		·91	·39			3
4						·01	·2	2·24		·14		·29		4
5							·03		·03	·26	tr	tr		5
6	·21					·22	1·27			·25	·06	·23		6
7	·14					·03	·19		·38	·06	·02	·05		7
8	·36						·02		tr	·58		·01		8
9	·15	·06									·02	·54		9
10	·32						·05					·42		10
11	·24	·01				·03	·08				·37	·94		11
12	·59				·37		·01	·04		·79	·98	·04		12
13	·26				·25					·39	·45	·79		13
14	·96				·16		·45					tr		14
15	·44				·17					·31	·11	·37		15
16	·54		·05							·01	·36	·02		16
17		·39	·02		·1			·04	·24	·29		·08		17
18	·28					·02			·05		·26			18
19	·01							·44	·5		1·03			19
20	·03							·05	·11		·14			20
21	·05					·03		·02		tr	·3	·02		21
22	·06							·02		·06	·37			22
23	tr			·09				·34			·08			23
24	·02		·07		·07				·02		·75			24
25	·14	·51	tr		·08		·45			·03	2·99	·03		25
26	·34	·29			·55	·13	·04			·21		·1		26
27	·07	·05			·06	·28	·52			·16	·47			27
28	·2	·2			·2	·14		·45			tr	·01		28
29	·15				·4		·04	1·02	·23	·17	·51			29
30	·05	✗		·03	·05		·08		·04		·31	·05		30
31	·41	✗		✗	·24	✗			✗	·37	✗	·4		31
TOTAL	6·02	1·58	·14	·13	2·79	1·32	3·9	8·57	1·62	5·66	9·98	4·64	Year's Total 46·35	✓
* Days with .01 in. or more.	24	8	3	3	14	10	16	12	10	19	21	20	160	✓
* Days with .04 in. or more.	21	7	2	1	14	5	13	10	7	17	18	15	130	✓

Print Cp 11/4

† Spare column, no entries required.

(Signed) K. Mackworth Drake [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1695/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at BERRY POMEROY Vicarage

in the County of S. Devon |4

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ‸ in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07				·43	·38	·21	·02	·45	·01	·06		1
2		tr		·01			·09			·22		·19		2
3					·09			3·7		·91	·39			3
4						·01	·2	2·24		·14		·29		4
5							·03		·03	·26	tr	tr		5
6	·21					·22	1·27			·25	·06	·23		6
7	·14					·03	·19		·38	·06	·02	·05		7
8	·36						·02		tr	·58		·01		8
9	·15	·06									·02	·54		9
10	·32						·05					·42		10
11	·24	·01				·03	·08				·37	·94		11
12	·59				·37		·01	·04		·79	·98	·04		12
13	·26				·25					·39	·45	·79		13
14	·96				·16		·45					tr		14
15	·44				·17					·31	·11	·37		15
16	·54		·05							·01	·36	·02		16
17		·39	·02		·1			·04	·24	·29		·08		17
18	·28					·02			·05		·26			18
19	·01							·44	·5		1·03			19
20	·03							·05	·11		·14			20
21	·05					·03		·02		tr	·3	·02		21
22	·06							·02		·06	·37			22
23	tr			·09				·34			·08			23
24	·02		·07		·07				·02		·75			24
25	·14	·51	tr		·08		·45			·03	2·99	·03		25
26	·34	·29			·55	·13	·04			·21		·1		26
27	·07	·05			·06	·28	·52			·16	·47			27
28	·2	·2			·2	·14		·45			tr	·01		28
29	·15				·4		·04	1·02	·23	·17	·51			29
30	·05	✕		·03	·05		·08		·04		·31	·05		30
31	·41	✕		✕	·24	✕			✕	·37	✕	·4		31
TOTAL	6·02	1·58	·14	·13	2·79	1·32	3·9	8·57	1·62	5·66	9·98	4·64	Year's Total 46·35	✓
* Days with .01 in. or more.	24	8	3	3	14	10	16	12	10	19	21	20	160	✓
* Days with .04 in. or more.	21	7	2	1	14	5	13	10	7	17	18	15	130	✓

Print
Gp
11/4

† Spare column, no entries required.

(*Signed*) H. Mackworth Drake.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1695/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Berry Pomeroy Vicarage

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 160 ft.

Jan 18th est. from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·05		tr	·01						·22			1
2		·75		·15			·03				1·07	·09		2
3	·22	·95		tr			··			·13	1·43	·23		3
4	tr	·05		·05			·06			·21	·17	·04		4
5	·02									·05	·25	·36		5
6	·27	·76			·10		·07			·69		32		6
7	·02						·08		·05	·08		·01		7
8		·08					·04		·01	·86	·44	·39		8
9		·01					·53	·05	·03	·21	·48	·07		9
10							·12			·01	·08	·30		10
11			·04	·08			·89				1·88	·02		11
12			·48				·16		·38		·13			12
13			·46	·01		·11	·11		tr	·73	1·49	·39		13
14		·01 S	·01	·02	·07		·05		·16	·36		·55		14
15		·04 S					·19		·07	·42	·61	·02		15
16	·05 S	1·46	·64	·08			·04		·13	·46	·41			16
17		·18	·71	·08			·06				·16			17
18	22 (~~·08 S~~)	·55	·26	·81			tr	·01		·25	·02	·09		18
19		·03	·19	·24			·08		·82	·01	·71			19
20			·03	·01			·02		·03	·24	·18	tr		20
21			tr	t	·13				·03	·02	·69			21
22		·03	·07	·19		·53			·04		·01			22
23			·21	·02	·04		·02			·05	·06			23
24			·03		·03		·44							24
25	·22		·26	·07	·35	·03								25
26	·41	·59		·01	·24	·03	·02				·02			26
27	·41	·20	·02	·43	·41									27
28	·61	·24		·08	tr									28
29	·29	·04	·24	1·90		tr				·04		·38		29
30	·09	✗	·03	·02	·03					·68		·32		30
31	·02	✗		✗		✗			✗	·86	✗	1·08		31
TOTAL	2·85 ~~2·71~~	6·02	3·68	4·25	1·41	·70	3·01	·06	1·75	6·36	10·51	4·66	Year's Total ~~45·12~~	45·26
* Days with .01 in. or more.	13	18	16	18	10	4	19	2	11	20	21	17	169	
* Days with .04 in. or more.	10	14	11	12	7	2	15	1	7	17	18	14	128	

S = Snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. M. Drake

[P.T.O.

1695/5

Section **A** for the entry o

AIR MINISTR

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGIS 931.

S.Devon/4

1695/5

TOTNES, DARTINGTON HALL

1931—40

780306

Kept at Dartington Hal

in the County of Devon

[illegible] 1930

30.

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea l

THE MORNING MEAS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·12	NIL	NIL	0·75	TR	0·01	0·02	NIL	0·51	0·01	TR	NIL	1
2	NIL	NIL	TR	1·33	NIL	TR	TR	NIL	0·23	0·03	0·11	0·60	2
3	0·61	NIL	0·81	NIL	NIL	NIL	0·17	TR	0·13	TR	2·45	0·33	3
4	0·19	NIL	0·31	NIL	0·14	0·23	0·30	NIL	TR	TR	0·01	0·05	4
5	NIL	0·39	0·45	0·02	NIL	0·48	0·20	NIL	NIL	0·02	0·03	0·48	5
6	NIL	0·09	0·10	NIL	0·09	0·21	0·05	NIL	NIL	TR	0·18	0·42	6
7	NIL	0·01	TR	NIL	0·33	0·20	0·45	0·06	NIL	0·29	0·97	0·15	7
8	NIL	0·17	NIL	0·13	NIL	0·48	0·05	NIL	NIL	0·03	0·32	0·05	8
9	NIL	0·44	NIL	TR	NIL	0·25	0·19	NIL	NIL	NIL	0·59	TR	9
10	NIL	0·02	NIL	TR	0·05	0·12	0·02	0·01	0·37	NIL	1·00	NIL	10
11	0·14	0·72	NIL	TR	0·01	0·46	0·07	NIL	0·08	NIL	0·27	NIL	11
12	NIL	0·16	NIL	NIL	TR	TR	0·17	TR	0·01	NIL	NIL	NIL	12
13	NIL	0·11	0·03	NIL	0·06	0·01	0·45	0·09	NIL	0·28	TR	NIL	13
14	NIL	0·03	TR	NIL	0·05	0·13	0·53	0·07	NIL	0·01	0·39	NIL	14
15	NIL	0·05	NIL	NIL	0·13	TR	TR	0·31	TR	TR	TR	0·04	15
16	TR	0·20	NIL	0·02	0·10	0·82	TR	0·15	0·13	NIL	NIL	NIL	16
17	TR	0·07	NIL	TR	NIL	TR	0·45	0·01	TR	NIL	NIL	NIL	17
18	NIL	NIL	0·01	0·08	NIL	0·30	0·09	1·64	NIL	NIL	0·31	NIL	18
19	0·05	0·05	0·08	0·04	NIL	0·21	0·01	0·10	NIL	NIL	0·61	NIL	19
20	NIL	0·15	0·38	NIL	NIL	NIL	NIL	0·48	NIL	NIL	0·29	NIL	20
21	0·26	0·30	0·02	NIL	0·21	NIL	NIL	NIL	NIL	TR	0·05	NIL	21
22	0·88	NIL	0·03	0·11	0·17	TR	NIL	NIL	NIL	0·13	0·03	NIL	22
23	0·32	0·01	NIL	0·20	0·86	NIL	0·04	0·34	NIL	NIL	0·82	NIL	23
24	0·25	TR	0·01	1·17	0·09	0·14	0·63	0·80	NIL	NIL	0·12	NIL	24
25	0·15	TR	TR	0·13	0·05	NIL	0·15	NIL	NIL	NIL	0·24	NIL	25
26	0·10	0·08	NIL	0·06	NIL	NIL	0·25	NIL	NIL	NIL	0·57	TR	26
27	0·15	0·27	NIL	NIL	0·25	NIL	0·10	NIL	NIL	TR	0·07	TR	27
28	0·07	0·07	0·19	TR	0·07	NIL	NIL	0·14	NIL	NIL	0·01	0·09	28
29	0·02	—	0·11	NIL	0·02	NIL	0·29	0·31	TR	TR	0·10	0·07	29
30	0·08	X	TR	NIL	0·11	NIL	0·01	0·02	0·04	TR	NIL	NIL	30
31	0·69	X	0·21	X	0·15	X	0·05	TR	X	TR.	X	0·22	31
TOTAL	4·08	3·39	2·74	4·04	2·94	4·05	4·74	4·53	1·50	0·80	9·54	2·50	YEAR'S TOTAL 44·85
*Days with ·01 in. or more.	16	20	14	12	19	15	24	15	8	8	23	11	185
*Days with ·04 in. or more.	15	16	9	10	17	13	20	12	7	3	19	11	152

40-9999

(Signed) J. B. E. Patterson.

[P.T.O.

*See Instruction 2 (*f*) on other side.

1695/5

Section **A** for the entry o

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

S. Devon/4

[illegible] 1930

45273/30.

Kept at Dartington Hall. Totnes.

in the County of Devon.

Diameter of Funnel of Gauge 5. in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 175. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·12	NIL	NIL	0·75	TR	0·01	0·02	NIL	0·51	0·01	TR	NIL	1
2	NIL	NIL	TR	1·33	NIL	TR	TR	NIL	0·23	0·03	0·11	0·60	2
3	0·61	NIL	0·81	NIL	NIL	NIL	0·17	TR	0·13	TR	2·45	0·33	3
4	0·19	NIL	0·31	NIL	0·14	0·23	0·30	NIL	TR	TR	0·01	0·05	4
5	NIL	0·39	0·45	0·02	NIL	0·48	0·20	NIL	NIL	0·02	0·03	0·48	5
6	NIL	0·09	0·10	NIL	0·09	0·21	0·05	NIL	NIL	TR	0·18	0·42	6
7	NIL	0·01	TR	NIL	0·33	0·20	0·45	0·06	NIL	0·29	0·97	0·15	7
8	NIL	0·17	NIL	0·13	NIL	0·48	0·05	NIL	NIL	0·03	0·32	0·05	8
9	NIL	0·44	NIL	TR	NIL	0·25	0·19	NIL	NIL	NIL	0·59	TR	9
10	NIL	0·02	NIL	TR	0·05	0·12	0·02	0·01	0·37	NIL	1·00	NIL	10
11	0·14	0·72	NIL	TR	0·01	0·46	0·07	NIL	0·08	NIL	0·27	NIL	11
12	NIL	0·16	NIL	NIL	TR	TR	0·17	TR	0·01	NIL	NIL	NIL	12
13	NIL	0·11	0·03	NIL	0·06	0·01	0·45	0·09	NIL	0·28	TR	NIL	13
14	NIL	0·03	TR	NIL	0·05	0·13	0·53	0·07	NIL	0·01	0·39	NIL	14
15	NIL	0·05	NIL	NIL	0·13	TR	TR	0·31	TR	TR	TR	0·04	15
16	TR	0·20	NIL	0·02	0·10	0·82	TR	0·15	0·13	NIL	NIL	NIL	16
17	TR	0·07	NIL	TR	NIL	TR	0·45	0·01	TR	NIL	NIL	NIL	17
18	NIL	NIL	0·01	0·08	NIL	0·30	0·09	1·64	NIL	NIL	0·31	NIL	18
19	0·05	0·05	0·08	0·04	NIL	0·21	0·01	0·10	NIL	NIL	0·61	NIL	19
20	NIL	0·15	0·38	NIL	NIL	NIL	NIL	0·48	NIL	NIL	0·29	NIL	20
21	0·26	0·30	0·02	NIL	0·21	NIL	NIL	NIL	NIL	TR	0·05	NIL	21
22	0·88	NIL	0·03	0·11	0·17	TR	NIL	NIL	NIL	0·13	0·03	NIL	22
23	0·32	0·01	NIL	0·20	0·86	NIL	0·04	0·34	NIL	NIL	0·82	NIL	23
24	0·25	TR	0·01	1·17	0·09	0·14	0·63	0·80	NIL	NIL	0·12	NIL	24
25	0·15	TR	TR	0·13	0·05	NIL	0·15	NIL	NIL	NIL	0·24	NIL	25
26	0·10	0·08	NIL	0·06	NIL	NIL	0·25	NIL	NIL	NIL	0·57	TR	26
27	0·15	0·27	NIL	NIL	0·25	NIL	0·10	NIL	NIL	TR	0·07	TR	27
28	0·07	0·07	0·19	TR	0·07	NIL	NIL	0·14	NIL	NIL	0·01	0·09	28
29	0·02	—	0·11	NIL	0·02	NIL	0·29	0·31	TR	TR	0·10	0·07	29
30	0·08	✕	TR	NIL	0·11	NIL	0·01	0·02	0·04	TR	NIL	NIL	30
31	0·69	✕	0·21	✕	0·15	✕	0·05	TR	✕	TR.	✕	0·22	31
TOTAL	4·08	3·39	2·74	4·04	2·94	4·05	4·74	4·53	1·50	0·80	9·54	2·50	YEAR'S TOTAL 44·85
*Days with ·01 in. or more.	16	20	14	12	19	15	24	15	8	8	23	11	185
*Days with ·04 in. or more.	15	16	9	10	17	13	20	12	7	3	19	11	152

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. B. E. Patterson.

P.T.O.

1695/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1695/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dartington Hall. Totnes.
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	—	·07	—	—	·08	·32	·01	—	TR	·02	1
2	·13	TR	·16	·35	—	—	·02	·02	·34	—	TR	·52	2
3	·02	—	—	—	—	·69	—	—	·71	TR	·04	·03	3
4	·03	TR	—	—	—	·21	·02	·06	TR	—	·31	TR	4
5	1·04	—	·05	—	—	—	TR	—	·17	—	—	·01	5
6	·95	TR	·02	·36	—	—	·11	—	·46	—	—	—	6
7	·05	—	·01	·06	·16	—	—	TR	·95	1·93	—	—	7
8	·04	—	·25	·16	·09	—	—	—	·18	·58	TR	—	8
9	1·63	·01	—	·32	·03	—	—	·01	TR	—	—	—	9
10	·56	—	TR	·31	·03	—	—	—	·14	·26	—	—	10
11	·04	—	—	·05	·10	—	TR	—	·01	TR	—	·46	11
12	1·59	—	—	—	·85	—	·04	—	TR	·20	TR	·03	12
13	·08	—	—	·28	·08	—	·10	·33	—	1·04	—	·12	13
14	·43	—	—	·02	·33	—	—	·01	—	·04	—	·04	14
15	·06	—	—	·12	·09	—	·03	—	—	TR	·02	·12	15
16	·38	—	—	·10	—	—	·08	—	—	—	TR	TR	16
17	·05	—	—	·02	·07	—	—	—	TR	·07	—	TR	17
18	·13	—	—	—	·32	—	—	—	·02	TR	·17	—	18
19	·01	—	—	·06	·31	—	—	—	·11	·66	—	—	19
20	·02	—	TR	·08	·78	—	·02	·10	·07	1·63	·10	·15	20
21	·02	—	·05	·20	—	—	·02	·55	·14	·65	·08	·24	21
22	—	—	TR	·03	·05	—	·05	·18	·70	·57	·53	·10	22
23	—	—	—	—	—	—	·14	TR	·06	·77	·01	·24	23
24	—	·05	—	—	TR	—	·63	—	·12	·01	·06	—	24
25	—	—	·42	·09	·07	—	·10	—	·09	·34	·29	·01	25
26	—	—	·23	·19	—	—	·07	—	—	·08	·04	—	26
27	—	—	·55	·44	·07	TR	·18	—	—	·28	·03	·17	27
28	—	—	·12	·10	·08	—	·13	—	—	—	TR	·08	28
29	—	—	·95	·18	·09	} 2·78	·09	·44	·71	·87	·21	·65	29
30	TR	✕	·09	·06	·02		—	TR	·72	·10	1·56	·01	30
31	—	✕	·10	✕	·23	✕	—	TR	✕	·01	✕	·87	31
TOTAL	7·32	·06	3·00	3·65	3·85	3·68	1·91	2·02	5·71	10·09	3·45	3·87	YEAR'S TOTAL 48·61
*Days with ·01 in. or more.	21	2	13	23	20	4	18	10	19	19	14	19	182
*Days with .04 in. or more.	16	1	11	20	16	4	13	7	16	17	11	13	145

40-9999 M

*See Instruction 2 (*f*) on other side,

(*Signed*) J. B. E. Patterson

P.T.O.

1695/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1695/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dartington Hall. Totnes.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·46	1·18	0·16	—	·02	·05	—	—	—	TR	·04	1·17		1
2	1·08	·03	1·20	—	·64	·63	—	—	—	—	·01	·15		2
3	·05	·11	·34	—	—	·01	—	—	—	—	—	—		3
4	·37	·17	TR	—	·14	—	—	—	—	—	—	—		4
5	·04	·02	·56	TR	·54	—	—	—	TR	TR	—	—		5
6	·01	·52	·03	—	·39	—	·05	—	—	·08	TR	—		6
7	TR	·09	·01	—	·06	—	·06	—	—	·07	—	·03		7
8	TR	·03	TR	—	·04	TR	·13	—	—	·02	—	—		8
9	—	·03	—	—	·01	·30	·69	·06	—	·64	TR	—		9
10	—	·07	—	—	—	—	·35	·02	—	1·00	—	—		10
11	—	—	—	·03	TR	—	·13	·05	—	·01	—	—		11
12	TR	—	—	·20	·06	·22	·35	·06	·42	—	—	·03		12
13	—	—	—	—	·01	—	·21	·20	—	·35	·01	—		13
14	·17	—	—	—	—	—	·59	·28	—	·06	·41	—		14
15	·63	—	·47	—	—	—	·11	·06	—	·13	·35	—		15
16	—	—	1·29	—	—	·03	TR	—	·01	·02	—	TR		16
17	TR	·06	·19	—	—	·02	—	·35	·23	—	—	—		17
18	·14	—	·28	—	—	·01	TR	·02	—	TR	·02	—		18
19	·36	TR	·31	—	—	·01	—	·06	·07	TR	·50	·02		19
20	TR	—	—	—	—	·13	—	TR	·03	TR	TR	TR		20
21	—	·02	—	—	TR	·48	—	·15	·01	·28	TR	—		21
22	—	—	—	·24	—	·54	—	·25	·96	·03	TR	—		22
23	—	1·18	—	·25	—	·13	—	—	·17	·86	—	—		23
24	—	·47	—	·53	—	·02	TR	TR	·26	·01	—	—		24
25	—	·69	—	·15	TR	·11	—	TR	·39	·01	—	·13		25
26	—	·35	—	·19	·07	—	—	—	TR	—	—	·01		26
27	—	·02	—	·24	—	—	—	—	TR	·18	·03	·37		27
28	—	·32	—	·42	·40	—	·40	—	—	·15	—	·06		28
29	·04	X	TR	TR	·07	—	·02	—	·11	—	—	·01		29
30	·06	X	·08	·35	—	—	·10	—	·05	·01	—	·05		30
31	·67	X	·26	X	·05	X	TR	—	X	·05	X	—		31
TOTAL	4·08	5·36	5·18	2·60	2·50	2·69	3·19	1·56	2·71	3·96	1·37	2·03	Year's Total 37.23 ✓	
*Days with ·01 in. or more.	13	18	13	10	14	15	13	12	12	19	8	11	158	
*Days with .04 in. or more.	12	12	11	9	11	9	12	10	9	12	4	6	117	

40-9999

*See Instruction 2 (*f*) on other side. D M

† Spare column, no entries required.

(*Signed*) J.B.E. Patterson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1695/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dartington Hall.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	–	·03	–	–	·05	–	·79	·13	·01	·30	1·13		1
2	·09	–	·02	–	–	–	–	·01	·83	·02	·02	·42		2
3	·12	–	–	TR	–	–	–	–	TR	·43	–	·61		3
4	·24	–	·20	·02	·39	–	–	TR	·25	·16	–	·60		4
5	·01	–	·13	·01	·24	·11	–	·68	–	·07	·01	·87		5
6	·17	–	·41	·11	·49	–	–	–	·03	·50	·04	·55		6
7	·08	–	–	TR	–	TR	–	·09	–	·34	·01	·94		7
8	–	TR	–	–	·09	TR	–	–	–	–	·76	·62		8
9	·02	–	·35	·10	–	–	–	·03	–	–	·46	·22		9
10	·30	TR	·34	·46	–	–	·09	·17	–	–	·10	·05		10
11	1·01	·01	TR	·58	–	–	–	·03	TR	–	–	·64		11
12	·03	–	–	–	–	TR	·11	·20	–	–	TR	·28		12
13	·70	–	–	·48	–	TR	TR	–	–	–	·69	·40		13
14	·90	TR	·76	·03	–	TR	–	–	–	·05	·14	·60		14
15	·21		·17	·04	·10	–	TR	–	–	·23	·09	·19		15
16	·57		·64	TR	–	–	–	·02	·26	·02	·01	·40		16
17	·70	–	·21	·29	·05	–	·02	–	·06	·04	–	·47		17
18	·20	–	·39	·54	TR	·06	–	–	·08	–	–	·80		18
19	·02		·17	·21	·02	·03	TR	·05	·05	·02	–	·28		19
20	–	–	·04	·26	·04	–	·06	–	·02	·02	–	·05		20
21	TR	TR	·13	·07	TR	·22	·06	·05	·02	·56	–	·23		21
22	·03	TR	·02	–	–	·02	·02	·14	·48	–	–	·29		22
23	·04	–	TR	·36	–	·82	TR	·31	·30	·07	–	·51		23
24	TR	·09	TR	·03	–	·16	TR	·35	·02	·12	–	·05		24
25	·42	·03	TR	·26	–	·20	·02	–	TR	·53	–	·74		25
26	·12	–	·01	·08	–	·12	–	–	·22	·04	–	·11		26
27	–	–	–	·01	–	·06	–	·03	·09	·05	·01	·44		27
28	–	–	–	·08	–	TR	TR	·34	·23	TR	TR	1·02		28
29	–	×	–	–	–	–	TR	·04	·06	·01	–	·04		29
30	–	×	TR	–	–	–	·01	·18	·25	·03	TR	·66		30
31	TR	×	–	×	·07	×	·06	TR	×	·02	×	·01		31
TOTAL	6·03	0·13	4·02	4·02	1·49	1·85	0·45	3·51	3·38	3·34	2·64	14·22	Year's Total 45·08	✓
*Days with ·01 in. or more.	22	3	17	20	9	11	9	18	18	22	13	31	193	
*Days with ·04 in. or more.	17	1	13	15	8	9	5	13	14	14	8	30	147	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) J. B. E. Patterson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1695/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dartington Hall. Totnes.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	TR	·69	-	-	·26	TR	-	·19	·08	·13	·22		1
2	-	TR	·08	TR	-	·18	·01	-	·14	·57	·02	·10		2
3	TR	TR	·06	TR	·62	·13	TR	-	·05	·24	·11	·07		3
4	TR	·03	-	·03	TR	·16	-	-	·13	·03	·05	·35		4
5	-	·26	TR	·07	-	·13	-	-	·34	·09	·08	·04		5
6	-	·01	-	·35	-	1·29	-	-	-	TR	·07	·15		6
7	-	-	-	·50	-	·25	-	-	-	·43	·26	·03		7
8	-	-	-	·70	·	TR	-	TR	·37	·06	·47	TR		8
9	TR	-	TR	·77	TR	TR	TR	-	·01	1·10	·29	TR		9
10	·07	-	·44	·05	-	·09	-	-	-	TR	TR	·01		10
11	·22	·04	·01	·06	-	·67	-	-	·13	TR	·57	·03		11
12	TR	·30	-	-	-	·29	-	·03	·11	-	·34	-		12
13	TR	·10	-	·51	-	·10	-	-	·01	·07	·40	-		13
14	TR	·22	-	·08	-	·27	-	-	·18	·06	1·58	·24		14
15	-	·10	TR	·79	·01	·05	-	TR	·07	·07	·35	·07		15
16	-	·23	·29	·19	TR	·04	·01	-	·70	TR	·67	TR		16
17	-	TR	-	·08	·73	·43	-	·06	·08	-	·03	-		17
18	-	·09	TR	·50	TR	·05	TR	TR	·94	·10	·03	·22		18
19	-	·01	-	·07	·34	·20	·23	-	·31	·10	·41	·01		19
20	-	·57	TR	·63	·10	·05	·01	-	·02	-	·13	-		20
21	-	·77	TR	·13	-	·01	TR	-	·01	TR	TR	-		21
22	-	TR	·06	·09	-	TR	-	-	·05	·03	TR	-		22
23	-	·17	·11	TR	·01	-	-	·21	·09	·23	-	·39		23
24	·06	·93	-	·03	·24	-	-	·41	·70	·02	-	·14		24
25	·20	·57	-	·01	·20	·69	-	TR	-	TR	-	·17		25
26	-	·72	-	-	-	·05	-	·38	·16	TR	-	·74		26
27	-	·24	TR	-	·03	TR	-	·01	·09	·02	·13	·57		27
28	TR	·04	-	-	-	-	-	·02	·15	TR	·03	·07		28
29	TR	×	-	-	·02	-	-	·01	·41	·02	·09	·64		29
30	TR	×	-	TR	-	·10	-	1·30	·03	·35	1·25	·85		30
31	TR	×	-	×	TR	×	-	·02	×	1·05	×	·33		31
TOTAL	0·57	5·40	1·74	5·84	2·30	5·49	0·26	2·45	5·47	4·72	7·49	5·44	Year's Total. 47·17	
* Days with .01 in. or more.	5	19	8	20	10	22	4	10	26	20	23	22	189	
* Days with .04 in. or more.	4	16	7	17	6	21	1	5	21	15	19	18	150.	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) J. B. E. Patterson.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1695/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]090.

REGISTER OF RAINFALL IN 1936.

Kept at Totnes, Dartington Hall

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 175 ft.

Copy by B.R.O.

Part

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·04	·02	·28	–	·34	·36	·12	-	–	tr	·02		1
2	·09	–	–	·16	–	·23	·24	·01	·70	TR	·16	TR		2
3	tr	–	·05	1·05	–	·02	·01	–	·97	–	·09	·02		3
4	tr	–	·09	·01	tr	tr	·01	–	·27	–	·05	·06		4
5	·48	·14	·06	–	tr	–	·24	·02	-	–	·05	21		5
6	·14	tr	·02	–	–	tr	·34	·10	·57	–	·55	TR		6
7	·26	–	·23	–	–	tr	·02	tr	·02	TR	·51	·02		7
8	·47	–	·57	–	–	–	·66	–	·01	TR	·80	TR		8
9	·39	1·24	·10	–	–	tr	·17	tr	·12	TR	·04	–		9
10	·20	·76	tr	–	–	·01	·01	–	tr.	–	·17	–		10
11	·59	·05	–	–	–	·07	·01	·01	·72	TR	1·07	·05		11
12	·20	tr	tr	·28	–	tr	·74	–	·01	TR	·02	–		12
13	·09	tr	·01	–	–	–	·07	·05	-	·02	·22	1·35		13
14	·01	·06	–	–	–	·14	·92	tr	·03	TR	·04	·93		14
15	tr	tr	–	–	·08	–	·03	–	·13	–	·63	·82		15
16	tr	·14	–	·02	·13	–	·25	–	tr.	–	·27	·35		16
17	·14	·86	–	·01	·03	–	·18	·01	tr.	27	·05	1·58		17
18	·39	·34	·14	–	–	·15	·68	·01	-	TR	tr	·27		18
19	·47	·01	·60	·32	–	·10	·05	·14	-	–	tr	–		19
20	·19	·27	·33	·09	–	·08	tr	–	·37	–	–	TR		20
21	·03	·36	·07	·36	–	–	·22	–	tr.	·01	–	TR		21
22	·20	·12	·01	–	tr	–	·58	–	tr.	TR	–	·10		22
23	·01	·03	tr	·23	·63	–	·15	–	tr.	·11	–	TR		23
24	·31	tr	·08	·10	·07	–	tr	–	·17	49	–	·02		24
25	·16	–	·47	·25	tr	–	tr	–	tr.	48	tr	–		25
26	·37	·08	·18	tr	–	–	tr	–	·05	·11	tr	–		26
27	·50	·04	·09	–	–	–	·15	–	tr.	10	–	–		27
28	·98	·02	·60	–	–	tr	·18	–	-	TR	·01	·45		28
29	·03	·01	·10	–	–	·01	·17	–	-	·10	·02	·09		29
30	·29	✕	·03	–	–	·15	·01	–	-	·01	tr	TR		30
31	·24	✕	·67	✕	·04	✕	·09	–	✕	–	✕	87		31
TOTAL	7·34	4·57	4·52	3·16	·98	1·30	6·54	·47	4·14	1·70	4·75	7·21	Year's Total 46·68	
* Days with .01 in. or more.	27	18	22	13	6	11	27	9	14	10	18	17	192 ✓	
* Days with .04 in. or more.	23	14	17	10	5	8	20	4	10	7	15	13	146 ✓	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. B. E. Patterson [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 1695/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Totnes, Dartington Hall
in the County of S. Devon
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

Copy by DDO

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·03	·01	·68	–	–	–	–	·09	·15	–	·88		1
2	·12	1·56	·03	·28	·15	–	–	–	·02	·04	–			2
3	·01	·24	·01	·16	·01	–	·02	·01	–	–	–			3
4	·05	1·27	~~·06~~		–	–	–	–	–	–	–	·66		4
5	·97	–	~~97~~	·06	–	–	·39	–	–	–	–	·07		5
6	·32	·75	·63	·31	·08	–	·02	–	–	–	–	·29		6
7	–	1·09	·36		–	·05	–	–	·02	–	·04			7
8	–	·02	·04		·60	·03	·14	–	–	–	–			8
9	·06	·03	·15	·22	·03	–	·01	–	·38	–	–			9
10	·40	–	·82	·60	·15	·21	–	·02	–	–	–	·71		10
11	·09	–	·29	·31	·80	·12	·10	–	–	–	–			11
12	1·23	·26	·13	·02	·07	·45	·03	1·10	·08	–	–	·61		12
13	TR	–	1·11	·22	–	–	–	·44	–	–	–			13
14	TR	·01	·01		–	–	–	·03	·12	–	–	·04		14
15	·39	·36	·45	·71	–	–	–	–	·45	–	–	·12		15
16	·23	·08	·52		–	–	·04	·05	·41	–	·36			16
17	·89	·03	·86		–	–	–	–	–	–	1·40			17
18	·08	·15	·13	·01	–	·27	–	–	·09	–	·12	·07		18
19	·13	·07		·36	·17	·02	–	–	·11	–	–	·07		19
20	·57	·01	·51	·29	·09	–	–	–	·01	–	–	·62		20
21	1·09	·62		·02	·39	–	·04	–	·28	·09	·36	·07		21
22	·22	–	·04		·50	·67	·26	–	·06	·76	·72	·27		22
23	·22	·30	·01		·17	–	·03	–	–	·05	·25	·06		23
24	·27	·57	·04		–	–	–	–	·03	1·09	–	·13		24
25	TR	·92	·55	·03	·03	–	–	–	·02	·23	·01			25
26	TR	·43			–	–	–	–	–	–	–	·03		26
27	·26	·22			–	–	–	–	–	·47	·01			27
28	·46	·13			–	–	–	–	–	·12	–	·01		28
29	·24	–			–	–	–	–	–	·29	·17			29
30	·74				–	·01	–	–	–	·03	·43			30
31	·36				–		–	–		·71				31
TOTAL	9·49	9·15	6·70	4·28	3·24	1·83	1·08	1·65	2·17	4·03	3·87	4·71	Year's Total 52·20	✓
* Days with .01 in. or more.	25	23	21	16	14	9	11	6	15	12	11	17	180	✓
* Days with .04 in. or more.	24	17	16	12	11	6	6	3	10	11	9	15	140	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1695/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Totnes, Dartington Hall

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 175 ft.

Circ F sent re June total. 11/7

Cards march to june corrd. by Obsr. 13/7. see file

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·08	tr ~~·17~~	-	·02	·45 ~~·39~~	·27	·22	·01	·57	·02	·09		1
2	-	tr	-	·03	·01	- ~~·44~~	·09	—	-	·13	TR	·27		2
3	-	tr	tr	- ~~·03~~	·06 ~~·05~~	tr	·02	3·90	-	·94	·51	—		3
4	-	-	-	-	tr ~~·04~~	·03	·18	·69	-	·18	TR	·41		4
5	tr	-	-	-	-	·02	·03	tr	·02	·32	·01	·01		5
6	·27	tr	-	-	-	·29 ~~·02~~	1·45	tr	·01	·28	·05	·28		6
7	·19	tr	-	-	tr	·01 ~~·03~~	·15	—	·13	·12	·01	·11		7
8	·45	·02	tr	-	-	-	·04	·08	-	·71	-	·03		8
9	·21	·10	-	-	-	-	tr	tr	-	·01	·02	·56		9
10	·31	tr	-	-	-	tr	·08	tr	-	—	TR	·42		10
11	·36	tr	tr	-	·01	·02	·08	tr	-	tr	·46	1·03		11
12	·84	-	-	-	·42	·01 ~~·03~~	tr	—	TR	·93	1·31	—		12
13	·29	-	tr	-	·32 ~~·04~~	-	tr	—	-	·10	·36	·90		13
14	·97	-	-	-	·21 ~~·43~~	-	·39	—	TR	—	TR	tr		14
15	·57	-	-	-	·32 ~~·34~~	-		·03	-	·37	·13	·41		15
16	·58	-	·08 ~~·06~~	-	tr ~~·04~~	-		·03	-	·02	·19	tr		16
17	tr	·29	·01 ~~·02~~	-	·14	-		—	·31	·32	·01	·14		17
18	·36	-	- ~~·04~~	-	·07 ~~·27~~	·01		·54	·14	·06	·29	—		18
19	tr	tr	-	-	tr	-		·10	·52	tr	·96	—		19
20	·05	-	-	-	-	-		·01	·01	—	·31	—		20
21	·07	-	-	-	-	-		·06	·04	·01	·39	tr		21
22	·08	-	-	tr	tr	·02		·49	—	·13	·43	tr		22
23	tr	-	-	·09 ~~·06~~	-	-		·01	TR	tr	·15	·01		23
24	·02	-	·09	tr ~~·03~~	·03	tr	tr	·04	·02	—	·79	—		24
25	·17	·62	tr ~~·09~~	-	·06 ~~·09~~	-	·35	tr	TR	·03	2·91	·01		25
26	·36	·31	tr	-	·55 ~~·02~~	·29	·11	—	-	·10	·01	·12		26
27	·13	·10	-	-	·04 ~~·03~~	·18 ~~·47~~	·54	·62	-	·13	·57	tr		27
28	·22	·18	-	-	·19 ~~·21~~	·16 ~~·44~~	tr	·79	·07	—	·01	tr		28
29	·17	-	-	tr	·48 ~~·45~~	- ~~·02~~	·03	—	·31	·18	·58	tr		29
30	·07	✕	-	-	·05 ~~·09~~	-	·10	—	·02	tr	·24	·03		30
31	·43	✕	-	✕	·26 ~~·22~~	✕	tr	—	✕	·44	✕	·47		31
TOTAL	7·17	1·70	·18 ~~·35~~	·12	3·14 ~~3·09~~	~~·27~~ 1·54	3·91	7·61	1·61	6·08	10·72	5·30	Year's Total 49·03	
* Days with .01 in. or more.	23	8	3 ~~5~~	2 ~~3~~	18 ~~17~~	12 ~~4~~	16	15	13	22	25	18	175	
* Days with .04 in. or more.	22	7	2 ~~3~~	1	14 ~~11~~	5	13	11	7	18	18	13	131	

† Spare column, no entries required.

(*Signed*) J. B. E. Patterson

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1695/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Totnes, Dartington Hall

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 175 ft.

Copy by D.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.12	-	.03	.06	.01	-	tr	.03	.01	-	.53	.23		1
2	.03	-	tr	.32	-	-	.02	.13	✓.39	-	.12	.10		2
3	.61	-	.10	1.06	-	-	.06	.01	.02	-	.48	.47		3
4	TR	-	.83	.12	.41	-	.33	✓.03	-	.97	.16	.13		4
5	-	-	.01	.12	TR	-	.76	✓-	-	.31	1.78	.01		5
6	.48	TR	.10	.11	-	-	✓1.46	.05	tr	.18	.11	-		6
7	.09	.99	-	-	-	-	.14	.08	-	tr	.66	1.04		7
8	.12	.41	tr	-	.01	-	.26	.02	-	1.40	.29	.16		8
9	.03	.02	.01	-	-	-	tr	.26	-	.12	.22	.25		9
10	.27	TR	.02	-	-	-	-	.07	.02	.16	tr	.13		10
11	TR	.07	.02	-	-	-	-	-	-	.37	tr	.02		11
12	-	.02	-	.04	-	-	✓-	-	.10	.01	.04	-		12
13	.01	TR	-	.18	TR	.03	.55	-	tr	1.23	.08	tr		13
14	1.19	-	-	TR	.04	.06	.58	-	-	.04	.40	.04		14
15	.53	-	-	.03	.04	✓1.18	.19	-	-	tr	.40	.03		15
16	.21	-	-	.08	.02	tr	.87	-	-	tr	.08	tr		16
17	.80	.09	-	TR	.06	.52	.45	-	-	tr	.02	.02		17
18	.05	.01	tr	-	TR	tr	1.31	-	-	-	✓.84	.09		18
19	.47	TR	-	-	-	-	.21	.23	-	tr	tr	.07		19
20	.74	-	-	-	TR	.30	.56	✓.86	-	-	-	tr		20
21	.04	.44	.06	-	-	1.05	.04	.95	-	-	-	-		21
22	.85	.50	.15	TR	-	.47	.26	tr	.03	-	.68	-		22
23	TR	TR	.02	.27	-	.01	.06	-	-	-	1.85	tr		23
24	1.08	.07	.19	.01	-	.61	.09	.01	-	.01	tr	-		24
25	.26	.15	tr	.35	-	tr	.09	.35	-	tr	✓1.37	-		25
26	.01	.02	-	.17	-	.44	.02	.12	-	.10	.18	.01		26
27	-	.32	-	TR	-	.09	.14	.01	-	tr	.34	tr		27
28	-	.07	-	.33	-	.13	✓.20	tr	-	tr	.43	tr		28
29	.02		-	.07	-	.04	.19	tr	-	.72	.15	-		29
30	-		.03	.26	-	✓-	.01	.07	-	.43	.17	-		30
31	-		tr		-		.07	.12		.69		-		31
TOTAL	8.01	3.18	1.57	3.58	.59	4.93	9.42	3.40	.57	6.74	11.38	2.80	Year's Total 56.17	✓
* Days with .01 in. or more.	22	14	13	17	7	13	26	18	6	15	24	16	191	✓
* Days with .04 in. or more.	17	10	6	15	4	11	23	12	2	13	23	11	147	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1695/15 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Totnes, Dartington Hall.

in the County of South Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 175 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
	1	-	.17	-	tr	.01	-	-	-	-	-	.19	-		1
	2	tr	.65	-	.19	-	-	.01	-	-	-	1.66	.19		2
	3	.12	1.02	-	.01	-	-	-	-	-	.10	1.32	.25		3
	4	tr	.18	-	.07	-	-	.06	tr	-	.27	.22	.04		4
	5	.01	tr	-	-	-	-	tr	-	-	.05	.29	.36		5
	6	.40	88	-	-	.12	-	.03	-	-	.70	tr	.39		6
	7	.06	.01	-	tr	-	-	.13	-	tr	.05	-	tr		7
	8	.01	.07	-	-	.01	-	.05	-	tr	.48	.58	.54		8
	9	tr	.01	-	-	-	-	.68	.04	.03	.16	.43	.10		9
	10	-	tr	-	-	-	-	.15	tr	-	.05	.10	.47		10
	11	-	-	.05 ✓	.02	-	-	.97	-	-	-	2.08	.03		11
	12	-	-	.35	-	-	.17	.14	-	.50	-	.17	-		12
	13	-	-	.48	-	-	-	.05	-	tr	.67	1.38	.51		13
	14	-	tr	.02	tr	.10	-	.03	tr	.11	.27	tr	.48		14
	15	tr	.09	-	-	-	-	.41	-	.09	.13	.65	tr		15
	16	.04	1.55	.80	.07	-	tr	.03	-	.15	.59	.37	.03		16
	17	-	.32	.68	.16	-	-	.06	-	-	-	.08	-		17
	18	.22	.53	.32	.70	-	-	.02	-	-	.17	tr	.03		18
	19	-	.03	.22	.15	-	-	.22	-	.93	.03	.72	tr		19
	20	-	tr	tr	.03	-	-	tr	-	tr	.08	.23	-		20
	21	.01	.01	.01	tr	.06	.04	-	-	.08	.03	.67	-		21
	22	-	.02	.11	.20	-	.55	tr	-	.05	-	.03	-		22
	23	tr	tr	.18	.01	.05	-	.02	-	-	.08	.08	tr		23
	24	.01	-	.02	tr	.01	-	.31	-	-	-	.01	-		24
	25	.26	-	.21	.19	.42	.02	tr	-	-	-	-	-		25
	26	.56	.68	-	.02	.14	.02	.04	-	-	-	.03	-		26
2.66	27	.52	.23	.02	.30	.54	-	-	-	-	-	.01	-		27
27	28	.80	.26	tr	.07	.03	-	-	-	-	-	-	-		28
	29	.38	.01	.29	1.82	-	.04	-	-	-	.05	-	.48		29
	30	.04	✕	tr	.01	-	-	-	-	-	.76	-	.32		30
	31	.10	✕	.04	✕	-	✕	-	-	✕	.82	✕	1.03		31
	TOTAL	3.54	6.72	3.80	4.02	1.49	.84	3.41	.04	1.94	5.54	11.30	5.25	Year's Total 47.89	✓
	* Days with .01 in. or more.	16	19	16	17	11	6	19	1	8	20	22	16	171	✓
	* Days with .04 in. or more.	12 ✓	13 ✓	12 ✓	11 ✓	7 ✓	4 ✓	13 ✓	1 ✓	7 ✓	18 ✓	18 ✓	13	129	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. B. E. Patterson

[P.T.O.

1696

Section **A** for the entr

AIR MINIS

AINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REG **1931.**

1696

STAVERTON

1931 — 40

750306

Kept at Staver

in the County of D

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA **US DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·67					0·29				1
2	0·53			0·55		0·02	0·02		0·36	0·03	0·16	0·60	2
3	0·23		0·88				0·11		0·13		2·40	0·35	3
4	0·10		0·32		0·08	0·08	0·43	0·01	0·02	0·02		0·04	4
5		0·43	0·35			0·52	0·23				0·02	0·45	5
6		0·08	0·02		0·08	0·20	0·10			0·31	0·08	0·42	6
7		0·02			0·28	0·29	0·66	0·05		0·02	1·10	0·13	7
8		0·17		0·13		0·45	0·02				0·23	0·04	8
9		0·49				0·38	0·24				0·52		9
10		0·06			0·08	0·02	0·05		0·10		1·12	0·02	10
11		0·74				0·53	0·04		0·02		0·20		11
12	0·05	0·17			0·01		0·30		0·03	0·27			12
13		0·10			0·07		0·23	0·13		0·05			13
14		0·04				0·15	0·70	0·12	0·08		0·34		14
15		0·05			0·18			0·43					15
16		0·22			0·08	0·95		0·12				0·04	16
17		0·04		0·02			0·42	0·03					17
18						0·35	0·10	1·93			0·32		18
19	0·03		0·10	0·10		0·33	0·02	0·05			0·70		19
20	0·03	0·22	0·37					0·60			0·33		20
21	0·26		0·02	0·06	0·13					0·10	0·02		21
22	0·91				0·17								22
23	0·33			0·27	0·81		0·05	0·19			0·95		23
24	0·31			1·26	0·14	0·13	0·72	1·00			0·15		24
25	0·08			0·18	0·09		0·12				0·27		25
26	0·02	0·13		0·06			0·33				0·58		26
27	0·09	0·10			0·28		0·05				0·06		27
28	0·06	0·45	0·22		0·08			0·11				0·10	28
29	0·02		0·08		0·09		0·30	0·35			0·03	0·09	29
30	0·08	×			0·07			0·05	0·04				30
31	0·75	×	0·29	×	0·13	×	0·05		×		×	0·24	31
TOTAL	3·88	3·51	2·65	3·30	2·85	4·40	5·20	5·17	1·07	0·80	9·58	2·52	YEAR'S TOTAL 45·02
*Days with ·01 in. or more.	17	17	10	10	18	14	24	15	9	7	20	12	178
*Days with ·04 in. or more.	13	16	8	9	17	12	22	14	7	4	17	10	149

40-9999

(Signed) J. A. Devenish

[P.T.O.

*See Instruction 2 (*f*) on other side.

1696

Section **A** for the entr

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Staverton
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.67					0.29				1
2	0.53			0.55		0.02	0.02		0.36	0.03	0.16	0.60	2
3	0.23		0.88				0.11		0.13		2.40	0.35	3
4	0.10		0.32		0.08	0.08	0.43	0.01	0.02	0.02		0.04	4
5		0.43	0.35			0.52	0.23				0.02	0.45	5
6		0.08	0.02		0.08	0.20	0.10			0.31	0.08	0.42	6
7		0.02			0.28	0.29	0.66	0.05		0.02	1.10	0.13	7
8		0.17		0.13		0.45	0.02				0.23	0.04	8
9		0.49				0.38	0.24				0.52		9
10		0.06			0.08	0.02	0.05		0.10		1.12	0.02	10
11		0.74				0.53	0.04		0.02		0.20		11
12	0.05	0.17			0.01		0.30		0.03	0.27			12
13		0.10			0.07		0.23	0.13		0.05			13
14		0.04				0.15	0.70	0.12	0.08		0.34		14
15		0.05			0.18			0.43					15
16		0.22			0.08	0.95		0.12				0.04	16
17		0.04		0.02			0.42	0.03					17
18						0.35	0.10	1.93			0.32		18
19	0.03		0.10	0.10		0.33	0.02	0.05			0.70		19
20	0.03	0.22	0.37					0.60			0.33		20
21	0.26		0.02	0.06	0.13					0.10	0.02		21
22	0.91				0.17								22
23	0.33			0.27	0.81		0.05	0.19			0.95		23
24	0.31			1.26	0.14	0.13	0.72	1.00			0.15		24
25	0.08			0.18	0.09		0.12				0.27		25
26	0.02	0.13		0.06			0.33				0.58		26
27	0.09	0.10			0.28		0.05				0.06		27
28	0.06	0.45	0.22		0.08			0.11				0.10	28
29	0.02		0.08		0.09		0.30	0.35			0.03	0.09	29
30	0.08	×			0.07			0.05	0.04				30
31	0.75	×	0.29	×	0.13	×	0.05		×		×	0.24	31
TOTAL	3.88	3.51	2.65	3.30	2.85	4.40	5.29	5.17	1.07	0.80	9.58	2.52	YEAR'S TOTAL 45.02
*Days with ·01 in. or more.	17	17	10	10	18	14	24	15	9	7	20	12	178
*Days with ·04 in. or more.	13	16	8	9	17	12	22	14	7	4	17	10	149

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. A. Devenish

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1696

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at STAVERTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·18			·09	·16	nm			·02	1
2	·10		·15	·32					·19			·53	2
3	tr		·03			·68	·02		·45			·02	3
4	·05					·32	·04	·08	·05		·36		4
5	1·20		·05				·01		·15				5
6	·98		·02	·30			·06		·43				6
7	·07			·06	·10				·90	1·75			7
8	·02		·01	·14					·27	·27			8
9	1·88		·25	25				01	·22	·24			9
10	·55			36	·05				·10	·21			10
11	·10			05	1·01					·95		·42	11
12	1·60				·12				·02	05		·05	12
13	·10			·30	·32		·11	·36				·14	13
14	·35			·05	·09		·03					·10	14
15	·08			·10			·04					·05	15
16	·38			·10			·02					·02	16
17	·03			·01	·05					·04		·04	17
18	·15			·03	·42				·02	02			18
19	·03			·02	·32				·10	·65	·17		19
20	·01			·03	·83			05		1·68	·11	·14	20
21	·08			·12			·01	·39	14	·67	·12	·19	21
22					·01		·06	·01	·79	·60	47	·10	22
23	·15						·13		·02	·81	·01	·27	23
24							·62			02	02		24
25			·38				·11			·40	·29		25
26			·19	·28			·08			·08	·05		26
27			·54	·37	·12		·15			·31	·03	·24	27
28			·14	·11	·08		·15		·20			·04	28
29			·80	·12	·11	·67	·08	·61	·75	·95	·18	·66	29
30		×		·12		2·28	·21		·76	·10	1·70	·70	30
31		×	·18	×	·22	×			×		×	·76	31
													YEAR'S TOTAL
TOTAL	7·93	NIL	2·74	34·2	3·85	3·95	2·02	1·67	5·56	9·80	3·51	4·49	48·94
*Days with ·01 in. or more.	21	NIL	12	22	15	4	19	8	18	19	12	19	169
*Days with .04 in. or more.	17	NIL	9	18	14	4	15	6	15	17	9	17	141

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. K. Devenish

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1696

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Staverton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·35	1·10	0·14			0·09				0·10		1·30		1
2	1·07	0·02	1·22		0·79	0·70						0·17		2
3	0·02	0·11	0·44		0·01									3
4	0·32	0·12	0·02		0·15									4
5	0·01	0·02	0·58		0·36									5
6		0·60	0·01		0·24		0·05			0·12				6
7		0·04	0·01		0·05		0·05							7
8		0·01			0·02		0·17							8
9		0·02				0·14	0·75			0·68				9
10		0·09					0·40	0·08		0·77				10
11						0·21	0·17	0·16						11
12				0·22	0·02		0·33	0·04	0·38					12
13					0·05		0·21	0·13		0·32				13
14	0·12						0·40	0·16		0·01	0·42			14
15	0·66		0·44				0·25			0·10	0·35			15
16			1·25							0·03				16
17		0·03	0·23			0·02		0·41						17
18	0·16		0·30								0·92			18
19	0·36		0·33			0·08		0·03			0·03			19
20						0·35			0·10		0·02			20
21						0·18		0·17	0·03		0·01			21
22				0·20		0·09		0·26	0·87	0·30	0·01			22
23		1·02		0·22					0·15	0·85				23
24		0·42		0·62					0·42	0·01				24
25		1·01		0·18		0·25			0·42					25
26		0·27		0·17	0·05					0·06		0·16		26
27		0·16		0·10						0·15		0·32		27
28		0·24		0·32	0·42		0·36			0·14		0·04		28
29					0·19		0·10		0·10	0·01				29
30	0·04	×	0·05	0·32					0·06	0·02		0·07		30
31	0·69	×	0·24	×	0·09	×			×	0·03	×			31
TOTAL	3·80	5·28	5·26	2·35	2·44	2·21	3·24	1·44	2·53	3·70	1·76	2·06	Year's Total 36·07 ✓	
*Days with ·01 in. or more.	11	17	14	9	13	10	12	9	9	17	7	6	134	
*Days with .04 in. or more.	9	12	11	9	10	9	12	8	8	11	3	6	108	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) J. A. Devenish

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1696

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Staverton
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 11 in.
,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·35	1·10	0·14			0·09				0·10		1·30		1
2	1·07	0·02	1·22		0·79	0·70						0·17		2
3	0·02	0·11	0·44		0·01									3
4	0·32	0·12	0·02		0·15									4
5	0·01	0·02	0·58		0·36									5
6		0·60	0·01		0·24		0·05			0·12				6
7		0·04	0·01		0·05		0·05							7
8		0·01			0·02		0·17							8
9		0·02				0·14	0·75			0·68				9
10		0·09					0·40	0·08		0·77				10
11						0·21	0·17	0·16						11
12				0·22	0·02		0·33	0·04	0·38					12
13					0·05		0·21	0·13		0·32				13
14	0·12						0·40	0·16		0·01	0·42			14
15	0·66		0·44				0·25			0·10	0·35			15
16			1·25							0·03				16
17		0·03	0·23			0·02		0·41						17
18	0·16		0·30								0·92			18
19	0·36		0·33			0·08		0·03			0·03			19
20						0·35			0·10		0·02			20
21						0·18		0·17	0·03		0·01			21
22				0·20		0·09		0·26	0·87	0·30	0·01			22
23		1·02		0·22					0·15	0·85				23
24		0·42		0·62					0·42	0·01				24
25		1·01		0·18		0·25			0·42					25
26		0·27		0·17	0·05					0·06		0·16		26
27		0·16		0·10						0·15		0·32		27
28		0·24		0·32	0·42		0·36			0·14		0·04		28
29					0·19		0·10		0·10	0·01				29
30	0·04	×	0·05	0·32					0·06	0·02		0·07		30
31	0·69	×	0·24	×	0·09	×			×	0·03	×			31
TOTAL	3·80	5·28	5·26	2·35	2·44	2·21	3·24	1·44	2·53	3·70	1·76	2·06	Year's Total 36·07	
*Days with ·01 in. or more.	11	17	14	9	13	10	12	9	9	17	7	6	134	
*Days with ·04 in. or more.	9	12	11	9	10	9	12	8	8	11	3	6	108	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J A Devenish

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1696

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at STAVERTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	004					004		084	015	003	080	1·35		1
2	004		005					001	093		049	039		2
3	010		002							067		071		3
4	032		024		037	010		002	018	012		059		4
5	001		009	003	022			086		001		090		5
6	015		045	011	050			010	004	060		060		6
7	017									035		099		7
8	008				010			002	002		080	053		8
9			033	006				021			012	033		9
10	021		041	042			010					002		10
11	095			052				016				062		11
12	003											036		12
13	064			043			017				063	030		13
14	099		050	005						005	013	060		14
15	024		018	004	008					023	023	014		15
16	059		062	001				001	023			037		16
17	057		019	005	002		002		008			052		17
18	015		040	054					003			065		18
19			014	022		010		006	002			035		19
20			004	022					003	006		004		20
21			012	004			015	006	003	051		024		21
22	008		002	002		023	006	026	043			038		22
23	002			034		088		021	034	015		052		23
24		007	001	003		014		033	005	011		012		24
25	048			029		023				056		072		25
26	009			005		011			022	001		013		26
27				003		004		002	011	003		037		27
28				002		001		033	023			1·11		28
29								011	005			007		29
30		×						037	035			077		30
31		×		×	005	×			×	005	×			31
TOTAL	5·95	0·07	3·81	3·52	1·34	1·88	0·50	3·98	3·52	3.54	3 20	14·79	Year's Total 46·10	
*Days with ·01 in. or more.	21	1	17	21	7	10	5	18	19	16	7	30	172	
*Days with .04 in. or more.	18	1	14	15	6	9	4	13	14	12	7	29	142	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J A Devenish

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1696

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at STAVERTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·58			·29	n.m.		·22	·06		·32		1
2			·03			·11			·13	45	·04	·10		2
3			·08		·60	·15			·04	31	·10	05		3
4		·02		·02		·24			·18	·01		·38		4
5		23		08		12			·33	·10	·24	·04		5
6				·13		1·32					·03	·22		6
7				53		·25				·35	·32			7
8				·67				·05	·28	·04	·40			8
9				·84		·04				1·05	·37			9
10	·07		·10	·06		·10								10
11	0·20	·05				·69			·11		·65			11
12		·33		·62		·30			·10		26			12
13	·01	·15		·12		·11		·02		·05	·39			13
14		·14		·08		·13			·07	·04	1·75	·27		14
15				72		·15			18	·04	·29			15
16		·18		·15	64	·02			·68		·04			16
17			·23	·04		·40			·12		·02			17
18		·12	·01	·60					·87		·51	·25		18
19		·03		·06	·22	·12	·20		·25	·22	·14			19
20		·62		·50	74	·03			·01		·03			20
21		·72		·15		·02					·01			21
22		n.m.	·07	·15					·04	·03		·55		22
23		·28	·11		·03			·27	·09					23
24		78		·11	·20			·42	·62			·20		24
25	·18	44		·02	·19	·60		·01		·28		·15		25
26		·84				·04		·34	·18			·85		26
27		·24							·08	·01	·10	·53		27
28		·03						·02	·18	·02	·02	·04		28
29									·44	·02	·04	·75		29
30		✕			·09	·09		1·25	05	·04	1·34	89		30
31		✕		✕		✕		·03	✕	1·27	✕	·43		31
TOTAL	·48	5·20	1·11	5·65	2·11	5·32	0·20	2·41	5·25	4·39	7·09	6·02	Year's Total 45·23	
* Days with .01 in. or more.	5	17	8	20	8	22	1	9	23	19	22	17	171	
* Days with .04 in. or more.	3	14	6	18	7	20	1	5	22	15	17	17	145	

40-9999.

† Spare column; no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. A. Devenish [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1696

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at STAVERTON ("Goulds")

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·71	·04	—	·32	—	·34	·45	·03	—	—	·02	—		1
2	·08	—	—	·08	—	·06	24	03	·50	—	·18	—		2
3	·01	—	·03	·90	—	—	tr	—	1·11	—	·12	—		3
4	tr	—	·11	—	—	—	tr	—	·34	—	·05	·01		4
5	53	·17	·06	—	—	—	·17	·02	·14	—	02	·14		5
6	·09	—	·05	—	·01	—	·47	·09	·42	—	·07	·01		6
7	·30	—	·25	—	·21	—	·05	—	·10	—	·94	·02		7
8	·41	—	·53	—	·01	—	·46	—	—	—	·77	·01		8
9	·45	1·42	·20	—	—	—	·18	—	—	—	·03	—		9
10	·18	·82	—	—	—	—	—	—	—	—	·16	—		10
11	·83	·02	—	—	—	—	—	·01	·14	—	1·20	—		11
12	·03	—	—	·32	—	·08	·59	—	·53	·01	·03	·03		12
13	·11	—	—	—	—	·11	·04	—	—	—	·18	1·75		13
14	—	—	—	—	—	·12	·88	·02	·10	—	·01	·84		14
15	—	—	—	—	—	·04	·02	—	·11	—	·48	·72		15
16	—	·21	—	·04	—	—	25	tr	·02	—	25	·33		16
17	·13	1·16	—	—	—	—	·16	—		·21	01	1·76		17
18	35	·42	·15	—	—	—	·69	—		—	—	·22		18
19	·61	—	·65	27	—	—	·02	·11		—	—	—		19
20	·08	·35	36	·12	—	—		—	·37	—	—	—		20
21	·03	·25	·09	·53	—	—	·16	—		—	—	—		21
22	21	17	04	—	·04	—	·35	—		—	—	·03		22
23	—	·04	—	17	·24	—	30	—		·09	—	—		23
24	·35	—	·10	·05	·52	—	—	—	·18	·45	—	—		24
25	·31	—	·46	·20	—	—	—	—		·37	—	·03		25
26	·37	·09	·20	—	—	—	—	—		·08	—	—		26
27	·50	·03	·09	—	—	—	·14	—		·03	—	—		27
28	1·10	·02	·72	—	—	—	tr	—		—	—	·40		28
29	·02	·01	·10	—	—	·02	·13	—		·04	03	·12		29
30	·29		·03	—	—	·12	—	—		·02				30
31	·14		·78		·02		·05	—				·81		31
TOTAL	7·63	5·22	5·00	3·08	1·05	·89	5·80	0·31	4·06	1·30	4·55	6·69	Year's Total 45·58	
* Days with .01 in. or more.	26	16	20	11	7	8	21	7	12	9	18	17	172	
* Days with .04 in. or more.	22	12	17	11	4	7	19	2	11	6	11	10	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1696

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at “Goulds” STAVERTON
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ....ft. 11 in.
" Ground " Sea Level 50 ft.

Query sent re June 22nd
Observer claims original entry to be correct.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·18		·56					·06	·09		1·00		1
2	·01	1·42		·26					·03	·15				2
3		·20	·12	·15	·14					·06		·21		3
4		1·10		·01								·40		4
5	·52			·07			·35					·09		5
6		·71	·65	·27	·10		·07					·25		6
7		1·01	·18	·01							·03	·29		7
8		·02		·01	·65	·05	·11							8
9	·03	·03	·17	·20	·03	·04	·03		·34					9
10	·32	·02	·67	·62				·01				·70		10
11	·24		·31	·34	·98	·14	·01							11
12	1·10	·24	·14	·10	·17	·05	·09	·66	·05			·58		12
13		·01	1·06	·11		·41		·43				·05		13
14		·01						·01	·15					14
15	·37	·33	·40	·69					·46			·13		15
16	·22	·20	·47	·03			·04	·04	·41		·32			16
17	·77	07	·99	·02							1·00			17
18	·04		·66						·10		·08	·04		18
19	·11		·05	·16	76	·26						·04		19
20	·54		·69	·16	·42				·20			·52		20
21	·92	·47	·01	·01	·42		·01		·23	·08	·21	·07		21
22	·18		·01		·14	(01	·20		·12	·70	·85	·31		22
23	·27	29	·01				·02			·06	·17	05		23
24	·33	·52	·04		·02					1·10		·09		24
25		·88	57		·01				·02	·30		·01		25
26		·46										·02		26
27	·20	·18								·44				27
28	·41	·08								·13				28
29	·10									·28	·17			29
30	·52	✕									·45			30
31	·15	✕		✕		✕			✕	·50	✕			31
TOTAL	7·50	8·43	6·51	3·78	3·24	·96	·93	1·15	2·17	3·89	3·28	4·85	Year's Total 46·69	✓
* Days with .01 in. or more.	22	22	19	19	12	7	10	5	12	12	9	19	168	✓
* Days with .04 in. or more.	20	17	16	14	9	6	6	3	10	12	8	17	138	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. A. Devenish [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1696

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at TOTNES STAVERTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 11 in.

,, Ground ,, Sea Level 50 ft.

? Dec 18-25th entered

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07			·05	·46	·22	·21		·39		·07		1
2				·01	·01		·13			·22	·76	·16		2
3							·10	3·33		1.02	01			3
4							·06	1·23		·11	01	32		4
5							1·30			·25	04	03		5
6	·25					24	·19			·29		35		6
7	·20						·03		·13	·12		·12		7
8	·40	·03								·75		·04		8
9	·22	·04						·17				·47		9
10	38						·05				·02	·33		10
11	·30						·07	·01			·10	·88		11
12	·93				·40					·72	1·37	·12		12
13	26				·26					·35	0·48	·73		13
14	·89				·16		·38							14
15	·55				·21					·36	·11	·35		15
16	·69	·30	·07		·15						·17			16
17			·01		·01				·27	26	01	08		17
18	·34				·06			·44	·19	·07	·29			18
19								·16	·43	·01	1·07			19
20	·03		·01					·03			·34			20
21	·05							·03	·05		·24			21
22	·06							·29		·01	·40			22
23	·01			·06				·02		·11	·04			23
24	·06				·02			02	·02		·64			24
25	·07	·50	·01		·05		·35	·41			2·30			25
26	·35	·29			·43		·04	·82		·17	0.01	·11	✓	26
27	·11	·06			·07	·31	·51			·11	·52			27
28	·19	·15			·04	·15	·07			·17		·01		28
29	·15				·44		·10		·31	·05	·56			29
30	·05	×			·01				·22		·18			30
31	54	×		×	·24	×			×		×	·49		31
TOTAL	7·08	1·44	0.10	0·07	2·61	1·06	3·60	7·33	1·62	5·54	9·67	4·66	Year's Total 44·78	
* Days with .01 in. or more.	24	8 ~~7~~	4	2	17	4	15	14	8	20	23	17	156	
* Days with .04 in. or more.	22	7 ~~8~~	1 ~~3~~	1	13	4	15	9	7	18	18	15	130	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1696

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

file 937992 / 29

Kept at STAVERTON
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16		·04	·08				·04			·50	·25		1
2				29			·03		·38		·18	·12		2
3	·59			1·02			05	·10			·45	·42		3
4			·13	·07	·33		·28	·04		·76	·18	·15		4
5			·70	·07			76			25	1·39			5
6	·47		·13	·12			1·36	·04		18	·17			6
7		83	·01	·01			·13	08			·52	·85		7
8	·18	·40	·02					·02		1·24	·36	·16		8
9	·02		·01				·24			·10	·22	·19		9
10	·24	·10						·26		·22	·08	·13		10
11			·03							·32				11
12											·02	·10		12
13				·14		·01	·41		·10	1·10	·06	·10		13
14	1·12			·01	·03	·03	·56				·33			14
15	·38			·01	·03	1·15	08				·33			15
16	20			·05			50				·09	·05		16
17	·57	·06			·06	·41	50				01			17
18	·02						1·45				·66			18
19	·44						·07	·20				·01		19
20	·57					·30	·05	78				·02		20
21		·35	·02			·94	·06	1·50						21
22	·87	·49	·12			·43	·19				·53			22
23			·02	·21		·02	·03				1·96			23
24	·83		·23			·63	·14			·03				24
25	·20	·15		·35			·10	·07		·01	1·05			25
26	·02	·02		·12		·03		·26		·10	·63			26
27		·25				·07	·11	·06			·22			27
28		05		35		·11	·17			·02	35			28
29	·01			·06		·03	·22			·43	·07			29
30		✕		·26			03	·18		·45	·12			30
31		✕		✕		✕			✕	·81	✕			31
TOTAL	6·89	2·70	1·46	2·22	0·45	4·16	7·52	3·63	0·48	6·02	10.48	2·55	Year's Total 48·56	
* Days with .01 in. or more.	18	10	12	17	4	13	24	14	2	15	25	13	167	
* Days with .04 in. or more.	14	9	6	14	2	8	21	18	2	12	24	11	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations   Station No. 1696
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at STAVERTON
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ... ft. 11 in.
,, Ground ,, Sea Level 50 ft.

Jan 6th. corr. for snow.

Acks

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·15		·19	·02		·01				·23			1
2		·52		·22			·07				1·06	·20		2
3	·05	·93		·01						·10	1·72	·22		3
4		·16		·07						·29	·20	04		4
5										06	26	·31		5
6	(·36) ~~·46~~	·88			·32					82		·31		6
7	05	·01					·01			·03				7
8		·07					·14			·42	·34	45		8
9		·01					·62	·03		·20	·52	·10		9
10							·12			·04	·08	40		10
11		001					·54		·36		2·04	·04		11
12				·01		·22	·15				·13			12
13			·82	·01			·01			·49	1·40	·38		13
14		·01			·05		·20		·22	·28	·65	·45		14
15		·02					·21		·07	·09	·53	·01		15
16	✓	1·30	·68	·06					·17	·51	·32	·01		16
17	·16	·32	·63	·10			·12				·06			17
18	snow equivalent	·42	·34	·71			·19			·13	·01	03		18
19		·03	·28	·13					·81	·02	·64			19
20										·08	·20			20
21			·01	·03	·08				·02	·02	·61			21
22		·02	·10	·19		·55			·01	·01	·01			22
23			·15	·02	·08						08			23
24			·01				·29							24
25	·31		·20	·13	·30		·02							25
26	·45	·45		·02	26	·02								26
27	·40	·18	·02	·51	·57									27
28	·61	·13		·03	·06									28
29	·41	·11	·22	1·80						05		·39		29
30	·03	×	·01	·03						·75		·27		30
31		×	·25	×		×			×	·78	×	·84		31
TOTAL	2·83 ~~2·93~~	5·73	3·72	4·27	1·74	·79	2·70	·03	1·66	5·17	11·09	4·45	Year's Total ~~4348~~	44·18
* Days with .01 in. or more.	11	20	14	19	9	3	15	1	7	20	21	17	157	
* Days with .04 in. or more.	10	13	10	11	8	2	11		5	16	19	14	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. A. Devenish

[P.T.O.

1697/5

Section **A** for the entry c

AIR MINISTI

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION. Auth.

FORM 1090.

REGIS

933.

S/pewang

1697/5
BROADHEMPSTON
(SNEYDHURST)
1933 —— 40
78r306

Kept at "SNEYDHURST," B

in the County of DEVC

ion C. received 14/2/33

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

4

3.

Snowdon pattern 9 from March 9!

THE MORNING MEAS… DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓	✓	·18	Trace	·04	·11	—	—	—	Trace	·03	1·41	1
2	✓	✓	1·20	—	·89	·6	—	—	—	—	Trace	·14	2
3	✓	✓	·34	—	Trace	Trace	—	—	—	—	—	—	3
4	✓	✓	·08	—	·13	—	—	—	—	—	—	—	4
5	✓	✓	·57	Trace	·54	—	—	—	Trace	·01	—	—	5
6		✓	Trace	Trace	·31	—	·06	—	—	·11	—	—	6
7		✓	·02	—	·05	—	·05	—	—	·06	—	·02	7
8		✓	—	—	·01	—	·11	—	—	Trace	—	—	8
9		✓ (2·00)	—	—	·05	·26	·7	·04	—	·73	Trace	—	9
10		·11	—	—	—	—	·31	·02	—	Trace	·02	—	10
11		—	—	·03	—	—	·19	·12	—	·01	—	—	11
12		—	—	·19	·06	·2	·36	·07	·39	—	—	·03	12
13		—	—	—	·01	·02	·14	·26	—	·27	·01	—	13
14	✓	—	—	—	—	—	·37	·2	—	·06	·38	—	14
15	✓	—	·45	—	—	—	·14	·04	Trace	·07	·32	—	15
16		—	1·24	—	—	·01	—	Trace	·01	·02	Trace	—	16
17		·08	·14	—	—	·04	—	·16	·19	—	—	—	17
18	✓	—	·22	—	—	Trace	Trace	·01	Trace	—	·03	—	18
19	✓	Trace	·37	—	—	·02	—	·03	·1	Trace	·53	·01	19
20		Trace	Trace	—	·01	·12	—	Trace	·03	—	—	Trace	20
21		·01	—	—	—	·5	—	·08	·03	·33	Trace	Trace	21
22		—	—	·18	—	1·57	—	·26	·93	·02	Trace	—	22
23		1·09	—	·28	—	·17	—	—	·01	·71	—	—	23
24		·26	—	·57	—	Trace	Trace	—	·3	·02	—	—	24
25		·93	—	·16	Trace	·22	Trace	Trace	·5	—	—	·12	25
26		·27	—	·13	·07	—	—	—	Trace	·13	—	·01	26
27		·02	—	·14	—	—	—	—	Trace	·06	·01	·31	27
28		·37	—	·26	·26	—	·32	—	—	·15	—	·11	28
29			Trace	Trace	·01	—	·02	—	·11	—	—	·03	29
30	✓	×	·28	·45	—	—	·11	—	·08	—	—	·06	30
31	✓	×	·17	×	·08	×	—	—	×	·02	×	—	31
TOTAL	(4·00)	(5·14)	5·26	2·39	2·52	3·84	2·88	1·29	2·68	2·78	1·33	2·25	YEAR'S TOTAL (36·36)
*Days with ·01 in. or more.	(17)	(18)	13	10	15	13	13	12	12	17	8	11	(153)
*Days with ·04 in. or more.	(9)	(12)	12	9	11	10	12	9	8	11	3	6	(112)

40-9999

(Signed) H. S. Burbery Esq

[P.T.O.

*See Instruction 2 (f) on other side.

N

1607/5

Section **A** for the entry

COPY FOR OFFICIAL USE. Aut.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

S/pence

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Sneydhurst," Broadhempston

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 200 ft.

C§ 1698 1696

C1933.

Jan & Part Feb'y estimated by Ipplepen & Staverton Observer informed 7/3/34

230269/33.

Section C. received 14/2/33

(Snowdon pattern g from tracing)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓	✓	·18	Trace	·04	·11	—	—	—	Trace	·03	1·41	1
2	✓	✓	1·20	—	·89	·6	—	—	—	—	Trace	·14	2
3	✓	✓	·34	—	Trace	Trace	—	—	—	—	—	—	3
4	✓	✓	·08	—	·13	—	—	—	—	—	—	—	4
5	✓	✓	·57	Trace	·54	—	—	—	Trace	·01	—	—	5
6		✓	Trace	Trace	·31	—	·06	—	—	·11	—	—	6
7		✓	·02	—	·05	—	·05	—	—	·06	—	·02	7
8		✓	—	—	·01	—	·11	—	—	Trace	—	—	8
9		✓ (2·00)	—	—	·05	·26	·7	·04	—	·73	Trace	—	9
10		·11	—	—	—	—	·31	·02	—	Trace	·02	—	10
11		—	—	·03	—	—	·19	·12	—	·01	—	—	11
12		—	—	·19	·06	·2	·36	·07	·39	—	—	·03	12
13		—	—	—	·01	·02	·14	·26	—	·27	·01	—	13
14	✓	—	—	—	—	—	·37	·2	—	·06	·38	—	14
15	✓	—	·45	—	—	—	·14	·04	Trace	·07	·32	—	15
16		—	1·24	—	—	·01	—	Trace	·01	·02	Trace	—	16
17		·08	·14	—	—	·04	—	·16	·19	—	—	—	17
18	✓	—	·22	—	—	Trace	Trace	·01	Trace	—	·03	—	18
19	✓	Trace	·37	—	—	·02	—	·03	·1	Trace	·53	·01	19
20		Trace	Trace	—	·01	·12	—	Trace	·03	—	—	Trace	20
21		·01	—	—	—	·5	—	·08	·03	·33	Trace	Trace	21
22		—	—	·18	—	1·57	—	·26	·93	·02	Trace	—	22
23		1·09	—	·28	—	·17	—	—	·01	·71	—	—	23
24		·26	—	·57	—	Trace	Trace	—	·3	·02	—	—	24
25		·93	—	·16	Trace	·22	Trace	Trace	·5	—	—	·12	25
26		·27	—	·13	·07	—	—	—	Trace	·13	—	·01	26
27		·02	—	·14	—	—	—	—	Trace	·06	·01	·31	27
28		·37	—	·26	·26	—	·32	—	—	·15	—	·11	28
29			Trace	Trace	·01	—	·02	—	·11	—	—	·03	29
30	✓	×	·28	·45	—	—	·11	—	·08	—	—	·06	30
31	✓	×	·17	×	·08	×	—	—	×	·02	×	—	31
TOTAL	(4·00)	(5·14)	5·26	2·39	2·52	3·84	2·88	1·29	2·68	2·78	1·33	2·25	YEAR'S TOTAL (36·36)
*Days with ·01 in. or more.	(17)	(18)	13	10	15	13	13	12	12	17	8	11	(153)
*Days with ·04 in. or more.	(9)	(12)	12	9	11	10	12	9	8	11	3	6	(112)

40-9999

*See Instruction 2 (*f*) on other side.

D N

(Signed) H. S. Burbery Esq

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1697/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SNEYDHURST, BROADHEMPSTON.
in the County of DEVON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	·04	—	—	·03	—	·78	·32	—	·29	1·27		1
2	·08	—	Trace	—	—	—	—	·06	·9	·04	·05	·18		2
3	·09	—	—	—	—	—	—	—	—	·62	—	·58		3
4	·11	—	·21	·02	·38	—	—	·02	·14	·21	—	·63		4
5	Trace	—	·16	·01	·24	·03	—	·77	—	·05	·04	·82		5
6	·17	—	·36	·17	·4	—	—	—	·04	·44	·02	·58		6
7	·03	—	—	—	—	Trace	—	·1	—	·27	—	1·02		7
8	Trace	—	—	—	·07	—	—	—	·02	—	·72	·72		8
9	·01	—	·35	·1	—	—	—	·01	—	—	·45	·17		9
10	·3	·01	·35	·55	—	—	·12	·11	—	—	·06	·11		10
11	·9	·01	Trace	·55	—	—	—	Trace	—	—	—	·52		11
12	·03	—	—	—	—	Trace	·44	·11	—	—	—	·35		12
13	·69	—	—	·43	—	Trace	Trace	—	—	—	·81	·4		13
14	·67	—	·6	·06	—	—	—	—	—	·06	·11	·58		14
15	·19	Trace	·16	·03	·06	—	—	—	—	·21	·1	·21		15
16	·45	—	·55	—	—	—	—	·01	·22	·03	—	·4		16
17	·38	—	·16	·32	·04	—	·02	—	·06	·02	—	·49		17
18	·14	—	·37	·51	Trace	—	—	—	·03	—	—	·5		18
19	·17	—	·13	·06	·01	·09	—	·05	·05	·01	—	·22		19
20	—	—	·03	·12	—	—	·08	—	·07	·01	—	·06		20
21	—	—	·15	·06	—	·14	·04	·07	·02	·49	—	·31		21
22	·05	·01	·01	—	—	·02	·07	·21	·37	—	—	·3		22
23	·05	—	Trace	·23	—	·86	Trace	·31	·37	·1	—	·56		23
24	—	·07	·01	Trace	—	·16	—	·46	·01	·09	—	·09		24
25	·44	·03	—	·28	—	·09	—	—	—	·52	—	·77		25
26	·08	—	Trace	·05	—	·22	—	—	·2	·01	—	·19		26
27	—	—	—	Trace	—	·06	—	·02	·11	·02	·01	·49		27
28	—	—	—	·04	—	—	—	·33	·25	·01	Trace	·91		28
29	—	×	—	—	—	—	—	·1	·09	·01	Trace	·09		29
30	—	×	—	—	—	—	·01	·11	·26	·04	Trace	·62		30
31	—	×	—	×	·1	×	Trace	Trace	×	·02	×	·02	4	31
TOTAL	5·07	·13	3·64	3·59	1·30	1·70	·78	3·63	3·53	3·28	2·66	14·16	Year's Total 43·67	
*Days with ·01 in. or more.	21	5	16	18	8	10	7	18	19	22	11	31	186	
*Days with ·04 in. or more.	18	1	13	15	7	7	5	14	15	13	9	30	147	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. S. Burbery.

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** **for the entry of Daily Observations.** **Station No.** 1697/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SNEYDHURST, BROADHEMPSTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Trace	—	·56	—	—	·29	—	—	·22	·07	·1	·25		1
2	—	Trace	·1	—	—	·13	·01	—	·11	·47	·03	·09		2
3	—	—	·07	Trace	·62	·15	—	Trace	·12	·21	·13	·05		3
4	—	·04	Trace	·02	·01	·15	—	Trace	·17	·02	·11	·39		4
5	—	·17	—	·08	—	·13	—	—	·23	·11	·07	·05		5
6	—	—	—	·34	—	1·32	—	—	—	—	·07	·1		6
7	—	—	—	·44	—	·23	—	—	—	·38	·23	·03		7
8	—	—	—	·75	—	—	—	—	·3	·04	·39	·01		8
9	—	—	—	·69	—	Trace	—	—	·01	1·11	·27	—		9
10	·09	—	·46	·14	Trace	·1	—	—	—	—	Trace	·05		10
11	·22	·05	—	—	—	·65	Trace	—	·13	—	·62	·01		11
12	—	·29	—	Trace	—	·27	—	·03	·1	—	·26	—		12
13	Trace	·04	—	·58	—	·11	—	—	·01	·03	·27	—		13
14	—	·18	—	·06	—	·22	—	—	·24	·03	1·71	·18		14
15	—	·01	—	·75	Trace	·03	—	Trace	·01	·02	·25	·05		15
16	—	·1	·25	·12	—	·04	—	—	·6	—	·73	—		16
17	—	Trace	Trace	·09	·78	·35	Trace	·08	·05	—	·02	—		17
18	—	·07	·01	·38	—	—	·04	—	·8	·05	·04	·25		18
19	—	·04	Trace	·07	·34	·09	·19	Trace	·18	·12	·42	Trace		19
20	—	·65	—	·6	·17	·03	—	—	·01	—	·1	Trace		20
21	—	·72	·01	·1	—	Trace	—	—	·01	·02	—	·01		21
22	—	—	·13	·18	—	—	—	—	·03	·03	—	Trace		22
23	—	·34	·07	—	·03	—	—	·42	·12	·11	—	·55		23
24	·03	·8	—	·01	·28	—	—	·49	·56	·04	—	·17		24
25	·18	·6	—	·01	·19	·27	—	Trace	—	—	—	·15		25
26	—	·79	—	—	—	·04	—	·27	·16	—	Trace	·88		26
27	—	·24	·01	—	Trace	—	—	—	·07	·03	·06	·57		27
28	—	·03	Trace	—	—	—	—	·01	·15	—	·01	·05		28
29	—	×	—	—	·02	—	—	·05	·4	—	·13	·72		29
30	—	×	—	—	—	·11	—	1·14	·02	·3	1·08	·88		30
31	—	×	—	×	—	×	—	·02	×	1·1	×	·32		31
TOTAL	·52	5·16	1·67	5·42	2·44	4·71	·24	2·51	4·81	4·29	7·1	5·81	Year's Total 44·68	
*Days with ·01 in. or more.	4	18	10	19	9	20	3	9	26	20	23	23	184	
*Days with .04 in. or more.	3	16	7	16	6	18	2	6	19	13	20	19	145	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. S. Burbery ✓

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1697/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at SNEYDHURST, BROADHEMPSTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·07	·02	·24	—	·29	·32	·05	—	—	Trace	Trace		1
2	·04	Trace	—	·29	—	·12	·42	Trace	·66	—	·12	—		2
3	·02	—	·05	1·00	—	·02	·02	Trace	1·07	—	·13	Trace		3
4	·02	—	·1	—	Trace	Trace	Trace	—	·2	—	·06	·09		4
5	·53	·19	·06	—	Trace	—	·25	·05	·01	—	·05	·12		5
6	·11	—	·03	—	—	·01	·35	·05	·35	—	·43	—		6
7	·34	—	·21	—	—	Trace	·03	—	Trace	—	·4	·02		7
8	·35	—	·62	—	—	—	·43	—	·01	—	·57	—		8
9	·54	1·74	·11	—	—	·01	·24	—	·09	—	·05	—		9
10	·16	·87	Trace	—	—	Trace	Trace	—	Trace	—	·21	Trace		10
11	·68	·03	—	—	—	·08	·04	Trace	·58	—	1·14	·05		11
12	·04	—	—	·25	—	Trace	·34	—	·1	—	·02	·01		12
13	·11	—	—	—	—	—	·05	·01	·04	·05	·14	1·43		13
14	Trace	·05	—	—	—	·07	·79	—	·11	—	—	·69		14
15	Trace	Trace	—	—	·08	—	·02	—	·2	—	·32	·73		15
16	—	·17	—	Trace	·18	—	·26	—	·01	—	·12	·54		16
17	·12	1·22	—	Trace	·02	Trace	·21	—	—	·06	·01	1·58		17
18	·28	·41	·3	—	—	·3	·61	·01	—	Trace	—	·09		18
19	·61	Trace	·63	·29	—	·08	·04	·03	—	—	—	—		19
20	·11	·37	·3	·08	—	·03	·03	—	·35	—	—	—		20
21	·02	·45	·13	·53	—	Trace	·18	—	Trace	·01	—	—		21
22	·17	·04	·02	—	Trace	—	·45	—	Trace	—	—	·04		22
23	Trace	·05	·02	·19	·43	—	·14	—	—	·09	—	Trace		23
24	·45	Trace	·09	·04	·41	—	Trace	—	·19	·37	—	Trace		24
25	·19	—	·51	·19	—	—	·04	—	—	·3	—	—		25
26	·37	·08	·2	Trace	—	—	·02	—	·03	·02	—	—		26
27	·56	·1	·13	—	—	—	·18	—	·02	·1	—	—		27
28	1·12	·02	·75	—	—	·01	·14	—	—	—	·01	·35		28
29	·03	·01	·06	—	—	·2	·3	—	—	·04	·03	·12		29
30	·33		·04	—	Trace	·09	—	—	—	·01	—	Trace		30
31	·11		·79		·07		·02	—		—		·74		31
TOTAL	7·65	5·87	5·17	3·1	1·19	1·31	5·92	·2	4·02	1·05	3·81	6·6	Year's Total 45·89	
* Days with .01 in. or more.	27	17	22	10	6	12	27	6	17	10	17	15	186	
* Days with .04 in. or more.	23	14	18	10	5	7	21	3	12	7	13	13	146	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. S. Burbery

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1697/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at SNEYDHURST, BROADHEMPSTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·06	·02	·66	—	—	Trace	—	·07	·13	Trace	·83		1
2	·02	1·53	·05	·22	—	—	—	—	·04	·02	Trace	Trace		2
3	Trace	·12	·01	·18	·14	—	·02	Trace	—	—	—	—		3
4	·06	1·05	Trace	Trace	·01	—	—	—	—	—	—	·51		4
5	·31	—	Trace	·07	—	—	·3	Trace	—	—	—	·04		5
6	·01	·74	·67	·29	·07	Trace	·06	—	—	—	—	·12		6
7	—	·9	·29	·01	Trace	·05	—	—	—	·01	·04	·33		7
8	Trace	·02	Trace	—	·69	·02	·16	—	—	—	—	Trace		8
9	·08	·02	·21	·18	·03	—	·1	Trace	·37	—	Trace	Trace		9
10	·45	·01	·79	·35	·12	·2	—	Trace	—	—	—	·62		10
11	·12	—	·28	·33	·82	·06	·11	—	—	—	—	Trace		11
12	1·05	·29	·1	Trace	·27	·38	·02	·59	·13	—	—	·59		12
13	—	·01	1·24	·24	—	—	—	·53	·03	—	—	Trace		13
14	Trace	Trace	Trace	Trace	—	—	·02	·01	·07	—	—	·03		14
15	·39	·27	·43	·55	—	—	Trace	—	·37	—	—	·15		15
16	·2	·08	·56	—	—	—	·05	·02	·37	—	·49	—		16
17	·78	·05	·87	—	—	—	—	—	·01	Trace	·79	—		17
18	·05	·08	·09	Trace	—	·29	—	—	·16	—	·12	·05		18
19	·1	·05	·04	·22	·16	Trace	—	—	·26	—	Trace	·06		19
20	·61	·02	·78	·12	·1	—	Trace	—	Trace	Trace	—	·58		20
21	1·08	·43	·02	Trace	·34	—	Trace	—	·23	·11	·46	·06		21
22	·11	Trace	·04	—	·4	·01	·13	—	·07	·67	·9	·22		22
23	·32	·45	—	—	·12	—	·01	—	—	·06	·2	·05		23
24	·19	·36	·01	—	Trace	—	—	—	·03	·98	—	·03		24
25	Trace	·89	·62	·03	·05	—	—	—	·02	·22	Trace	—		25
26	Trace	·41	·04	—	—	—	—	—	Trace	·01	—	·02		26
27	·29	·18	—	—	—	—	—	—	Trace	·51	·01	—		27
28	·62	·06	—	—	—	—	—	—	—	·15	—	·01		28
29	·1	✕	—	—	—	—	—	—	—	·17	·13	—		29
30	·52	✕	—	—	—	—	—	—	Trace	·01	·29	—		30
31	·47	✕	—	✕	—	✕	—	—	✕	·38	✕	—		31
													Year's Total	
TOTAL	8·01	8·08	7·25	3·45	3·32	1·01	·92	1·15	2·21	3·43	3·43	4·3	46·56	✓ ✓
* Days with .01 in. or more.	24	24	21	14	14	7	11	4	15	14	10	18	176	✓ ✓
* Days with .04 in. or more.	22	19	17	12	12	5	6	2	11	10	9	14	139	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. S. Burbery. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1697/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at SNEYDHURST, BROADHEMPSTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·13	—	—	·04	·33	·14	·24	Trace	·46	·01	·08		1
2	—	Trace	—	·01	Trace	—	·04	—	—	·14	·05	·11		2
3	—	—	—	—	·08	—	—	5·06	—	·91	·4	Trace		3
4	—	—	—	—	—	·02	·1	·66	—	·19	Trace	·27		4
5	—	—	Trace	—	—	·02	·03	—	·01	·27	Trace	·02		5
6	·22	Trace	—	—	—	·23	1·25	—	Trace	·34	·02	·22		6
7	·12	—	—	—	—	·02	·27	—	·2	·08	·01	·11		7
8	·39	·02	—	—	—	—	·07	·03	—	·67	—	·08		8
9	·22	·02	—	—	—	Trace	—	Trace	—	Trace	·02	·45		9
10	·34	Trace	—	—	—	—	·04	Trace	—	—	Trace	·36		10
11	·17	·01	—	—	·02	·02	·07	·11	—	—	·4	·9		11
12	·9	—	—	—	·37	·02	·02	—	Trace	·47	1·39	Trace		12
13	·25	—	—	—	·26	—	Trace	Trace	Trace	·2	·24	·75		13
14	·93	—	—	—	·17	—	·44	—	—	Trace	Trace	—		14
15	·72	—	—	—	·12	—	—	·01	—	·31	·14	·35		15
16	·45	·02	·03	—	·03	—	—	Trace	—	Trace	·2	·01		16
17	—	·28	·01	—	·12	—	Trace	—	·24	·28	Trace	·1		17
18	·3	—	—	—	·09	·02	—	·48	·12	·05	·28	—		18
19	Trace	—	—	—	—	—	—	·02	·4	Trace	·96	—		19
20	Trace	—	—	—	—	—	—	·05	·01	—	·25	Trace		20
21	·01	—	—	—	—	—	Trace	·09	·05	·02	·24	Trace		21
22	·05	—	—	·01	Trace	·02	—	·3	—	·08	·35	·01		22
23	Trace	—	—	·06	Trace	—	—	·02	—	Trace	·08	—		23
24	·08	—	·04	Trace	·06	—	Trace	·03	·03	—	·56	—		24
25	·05	·53	·01	—	·03	—	·33	—	Trace	·02	2·24	·12		25
26	·34	·28	—	—	·54	·22	·09	—	Trace	·17	Trace	·02		26
27	·07	·02	—	—	·03	·07	·49	·53	—	·14	·43	—		27
28	·18	·12	—	—	·04	·13	—	·71	·03	—	Trace	Trace		28
29	·11	X	—	—	·46	Trace	·06	—	·31	·19	·52	Trace		29
30	·02	✕	—	Trace	·05	—	·49	—	·62	—	·25	·03		30
31	·41	✕	—	✕	·19	✕	Trace	—	✕	·32	✕	·35		31
TOTAL	6·33	1·43	·09	·08	2·78	1·12	3·53	8·34	2·12	5·31	9·04	4·34	Year's Total 44·41	✓
* Days with .01 in. or more.	22	10	4	3	18	12	16	15	11	20	22	19	172	✓✓
* Days with .04 in. or more.	20	5	1	1	14	5	14	10	7	18	18	14	127	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. S. Burbery

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1697/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SNEYDHURST, BROADHEMPSTON

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12	—	·05	·05	·01	—	—	·08	·01	—	·5	·17		1
2	·09	—	Trace	·3	—	—	·01	·12	·45	—	·17	·11		2
3	·58	—	·18	·99	—	—	·05	·02	·02	—	·37	·42		3
4	·01	—	·65	·1	·36	—	·26	·02	—	·92	·15	·11		4
5	—	—	·02	·09	—	—	·5	—	—	·24	1·47	·01		5
6	·52	—	·12	·11	—	—	1·37	·05	—	·15	·07	—		6
7	·04	·7	—	—	—	—	·14	·06	—	Trace	·56	·92		7
8	·09	·42	—	—	·04	—	·2	·04	—	1·25	·41	·08		8
9	·01	·01	·01	—	—	—	—	·2	—	·07	·16	·21		9
10	·26	—	·03	—	—	Trace	—	·05	Trace	·25	Trace	·15		10
11	—	·05	·03	—	—	—	—	—	—	·35	Trace	·01		11
12	—	·02	—	·04	—	—	—	—	·09	·01	·03	—		12
13	Trace	—	—	·13	Trace	·03	·39	—	·01	1·2	·06	·04		13
14	1·13	—	—	·01	·03	·04	·48	—	—	·04	·31	·03		14
15	·44	Trace	—	·01	·05	·98	·22	—	—	—	·28	·05		15
16	·15	—	—	·09	·02	—	·5	—	—	Trace	·03	—		16
17	·71	·04	—	—	·07	·35	·34	—	—	—	·01	·02		17
18	Trace	·02	Trace	—	Trace	—	1·54	—	—	—	·63	·13		18
19	·41	—	—	—	—	—	·24	·1	—	—	—	·08		19
20	·57	—	—	—	·01	·25	·45	·91	—	—	—	·01		20
21	·1	·36	·06	—	·01	1·06	·05	·1	—	—	—	—		21
22	·68	·39	·08	Trace	—	·51	·41	—	·01	—	·46	—		22
23	·02	—	·04	·28	—	·01	·04	—	—	Trace	1·72	—		23
24	1·08	·05	·22	Trace	—	·62	·27	·03	—	Trace	—	·01		24
25	·17	·04	—	·37	—	Trace	·08	·33	—	·01	·75	Trace		25
26	·02	Trace	—	·3	—	·1	·01	·03	—	·11	·54	—		26
27	—	·26	—	Trace	—	·11	·06	·07	—	Trace	·05	—		27
28	·01	·05	—	·24	—	·08	·61	Trace	—	—	·24	—		28
29	·01	×	—	·1	—	·02	·22	—	—	·41	·07	—		29
30	—	×	·04	·32	—	—	—	·08	—	·53	·08	—		30
31	—	×	—	×	—	×	·01	·12	×	·7	×	Trace		31
TOTAL	7·22	2·41	1·53	3·53	·6	4·16	8·45	2·41	·59	6·24	9·12	2·56	Year's Total 48·82	✓
* Days with .01 in. or more.	23	13	13	17	9	13	25	18	6	15	24	18	194	✓
* Days with .04 in. or more.	17	10	9	15	4	10	22	14	2	13	21	12	149	✓

† Spare column, no entries required

(*Signed*) H. S. Burberry

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1697/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at SNEYDHURST, BROADHEMPSTON
in the County of DEVON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·11	—	Trace	·01	—	—	—	—	—	·16	Trace		1
2	—	·47	—	·22	—	—	·02	—	—	—	1·27	·21		2
3	·11	·83	—	·01	—	—	—	Trace	—	·15	1·03	·19		3
4	·01	·1	—	·05	—	—	·1	Trace	—	·25	·2	·02		4
5	·02	—	—	—	—	—	—	—	—	·06	·36	·28		5
6	·37	·76	—	—	·02	—	·01	—	—	·65	·02	·29		6
7	·05	—	—	—	—	—	·09	—	—	·03	—	·02		7
8	·01	·11	—	—	·02	—	·03	—	Trace	·45	·49	·28		8
9	—	·01	—	—	—	—	·67	·08	·02	·19	·38	·12		9
10	—	·01	—	—	—	—	·21	—	Trace	·03	·09	·36		10
11	—	—	·07	·03	—	—	·38	—	—	—	1·79	·03		11
12	—	—	·31	—	—	[illegible]	·07	—	·34	—	·14	Trace		12
13	—	—	·4	Trace	—	—	·09	—	·01	·51	1·44	·52		13
14	—	·03	·01	·03	·09	—	·07	Trace	·19	·46	·02	·29		14
15	—	·03	—	·01	—	—	·38	—	·08	·1	·63	·01		15
16	·06	1·25	·64	·08	—	—	·03	—	·16	·74	·3	·01		16
17	—	·27	·65	·1	—	—	·08	—	Trace	Trace	·04	—		17
18	·22	·34	·44	·75	Trace	—	—	·01	Trace	·19	·02	·03		18
19	—	·05	·17	·07	—	—	·25	—	·82	·02	·56	—		19
20	—	Trace	·01	·03	—	—	·01	—	·01	·14	·15	—		20
21	—	·01	·01	Trace	·17	·09	—	—	·05	·01	·67	—		21
22	—	·03	·07	·19	—	·5	Trace	—	·01	Trace	·02	—		22
23	Trace	·01	·14	·01	·08	—	·03	—	—	·02	·07	—		23
24	Trace	—	·02	Trace	·03	—	·29	—	—	—	Trace	Trace		24
25	·28	—	·2	·06	·45	·04	Trace	—	—	—	—	—		25
26	·45	·61	—	·05	·2	·01	·02	—	—	—	Trace	—		26
27	·46	·21	·01	·48	·51	—	·01	—	—	—	·01	—		27
28	·59	·17	—	·09	·06	—	—	—	—	—	—	—		28
29	·35	·01	·28	1·83	—	·01	—	—	—	—	—	·22		29
30	·04	×	·02	·03	—	—	—	—	—	·81	—	·27		30
31	·07	×	·06	×	—	×	—	—	×	·76	×	·94		31
TOTAL	3·09	5·42	3·51	4·12	1·64	·75	2·84	·09	1·69	5·57	9·8	4·09	Year's Total 42·61	
* Days with .01 in. or more.	15	21	18	19	11	6	20	2	10	19	23	18	182	
* Days with .04 in. or more.	12	13	12	12	7	4	12	1	6	14	18	12	123	

† Spare column, no entries required.

(*Signed*) H. S. Burbery. [P.T.O.

* See Instruction 3 (f) on other side.

1697

280

Section **A** for the entry of
AIR MINISTR

FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM No.

REGIS 931.

Kept at Dean Pr
in the County of Devon

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea l

1697
DEAN PRIOR
1931

7P0306

THE MORNING MEASU DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1.42									1
2													2
3			1.32										3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11		1.25											11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29		×											29
30		×											30
31	1.51	×		×		×			×		×		31
TOTAL	7.07	6.51	4.42	6.09	incomplete								YEAR'S TOTAL
*Days with ·01 in. or more.	20	23	17	14	–								
*Days with ·04 in. or more.	17	18	13	13	–								
40-9999	128.8	165.4	112.3	154.7	–								

Station moved to Hoeshaw (283/5)

*See Instruction 2 (*f*) on other side.

(*Signed*) [P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1697

FORM No.

REGISTER OF RAINFALL IN 1931.

280

Kept at Dean Prior

in the County of Devon

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 331 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1.42									1
2													2
3			1.32										3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11		1.25											11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31	1.51	×		×		×			×		×		31
TOTAL	7.07	6.51	4.42	6.09	incomplete								YEAR'S TOTAL
*Days with ·01 in. or more.	20	23	17	14	–								
*Days with ·04 in. or more.	17	18	13	13	–								
	128.8	165.4	112.3	154.7	–								

Station moved to Noeshaw (283/5)

40-9999

(Signed)..........

[P.T.O.

*See Instruction 2 (*f*) on other side.

165

1698

Section **A** for the entry of Da
AIR MINISTRY.-

FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REGISTE

1.

1698
IPPLEPEN VICARAGE
1931 — 39
780306

Kept at Ipplepen Vicarage
in the County of S. Devon

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·71	03				·44				1
2	·64			·53					·30		·13	·53	2
3	09		·84				·20	·04	·08		2·00	·17	3
4			28		·05	·14	·32		·03				4
5		·34	·62			·46	·15				·03	·38	5
6		·09			08	·20	·05			·30	·10	·46	6
7		·02			·27	19	·74	07			·90		7
8		·13		·12		·48	·04			·07	17	·03	8
9		·46				·25	·21				·53		9
10		·05			·06	·11	·02		·06		·78		10
11	·14	58				·50	07		·07		15		11
12		·10				·11	17		·05	·22			12
13			·04		·08	·10	~~44~~	·18					13
14	·02	·05	·09		·05		·93	·13	·01		·38		14
15		·09			·11			·43				·07	15
16		·18		·02	·11	·59		·06	·19				16
17		·09				·07	32						17
18				·06		·29	·07	1·93			·34		18
19		·16	·09	·03		·19		·07			·60		19
20		·10	·37					·37			·40		20
21	·25	·05			·18					·13	·01		21
22	·77		·02	·19	·17						·02		22
23	·28			·21	1·04	·01	·08	·38			·72		23
24	·42	·03		1·14	·05	·06	·62	·80			·13		24
25	·05			·27	·03		·27				·20		25
26				·07			·20				·53		26
27	·11	·26			·28		·05			01	·09		27
28	·08	·18	·23		·09			·19				·07	28
29	·03		·08		·03		·09	·36			·10		29
30	·11	X			·09		·02	·02	·04				30
31	·61	X	·33	X	·13	X	·04		X		X	·25	31
TOTAL	3·60	2·96	2·99	3·35	2·93	3·75	5·10	5·03	1·27	·73	8·31	1·96	YEAR'S TOTAL 41·98
*Days with ·01 in. or more.	14	18	11	11	19	16	22	14	10	5	21	8	169
*Days with ·04 in. or more.	12	16	10	9	16	15	20	13	8	4	18	7	148

40-9999 M

*See Instruction 2 ( ) on other side.

(*Signed*) Rev. R. D. Cooke

[P.T.O.

165

1698

Section A for the entry of Da

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ipplepen Vicarage

in the County of S. Devonshire

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·71	03				·44				1
2	·64			·53					·30		·13	·53	2
3	·09		·84				·20	·04	·08		2·00	·17	3
4			·28		·05	·14	·32		·03				4
5		·34	·62			·46	·15				·03	·38	5
6		·09			·08	·20	·05			·30	·10	·46	6
7		·02			·27	·19	·74	·07			·90		7
8		·13		·12		·48	·04			·07	·17	·03	8
9		·46				·25	·21				·53		9
10		·05			·06	·11	·02		·06		·78		10
11	·14	·58				·50	·07		·07		·15		11
12		·10				·11	·17		·05	·22			12
13			·04		·08	·10	~~44~~	·18					13
14	·02	·05	·09		·05		·93	·13	·01		·38		14
15		·09			·11			·43				·07	15
16		·18		·02	·11	·59		·06	·19				16
17		·09				·07	·32						17
18				·06		·29	·07	1·93			·34		18
19		·16	·09	·03		·19		·07			·60		19
20		·10	·37					·37			·40		20
21	·25	·05			·18					·13	·01		21
22	·77		·02	·19	·17						·02		22
23	·28			·21	1·04	·01	·08	·38			·72		23
24	·42	·03		1·14	·05	·06	·62	·80			·13		24
25	·05			·27	·03		·27				·20		25
26				·07			·20				·53		26
27	·11	·26			·28		·05			·01	·09		27
28	·08	·18	·23		·09			·19				·07	28
29	·03		·08		·03		·09	·36			·10		29
30	·11	×			·09		·02	·02	·04				30
31	·61	×	·33	×	·13	×	·04		×		×	·25	31
TOTAL	3·60	2·96	2·99	3·35	2·93	3·75	5·10	5·03	1·27	·73	8·31	1·96	YEAR'S TOTAL 41·98
*Days with ·01 in. or more.	14	18	11	11	19	16	22	14	10	5	21	8	169
*Days with ·04 in. or more.	12	16	10	9	16	15	20	13	8	4	18	7	148

40-9999 M

*See Instruction 2 ( ) on other side.

(Signed) Rev. R. D. Cooke

P.T.O.

											in.	in.	in.	
													–	1
2													·53	2
3													·17	3
4													–	4
5													·38	5
6													·46	6
7													–	7
8													·03	8
9													–	9
10													–	10
11													–	11
12													–	12
13													–	13
14													–	14
15													·07	15
16													–	16
17													–	17
18													–	18
19													–	19
20													–	20
21													–	21
22													–	22
23													–	23
24													–	24
25													–	25
26													–	26
27													–	27
28													·07	28
29													–	29
30		×											–	30
31		×		×		×			×		×		·25	31
TOTAL													1·96	YEAR'S TOTAL
*Days with ·01 in. or more.													8	
*Days with ·04 in. or more.													7	

already sent

M.O. 7
2 JAN 1932

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. D. Cooke [P.T.O.

~~1698~~

Form 1090. **B** Monthly Summary. **C** Particulars of Station.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Ipplepen Vicarage

In the County of Devon

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* · *in.*
Height of Ground above Sea Level 266 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	3·69	·77	22	14	12
FEB.	2·96	·58	11	18	16
MAR.	2·99	·84	3	11	10
APRIL	3·35	1·14	24	11	9
MAY	2·93	1·04	23	19	16
JUNE	3·75	·59	16	16	15
JULY	5·10	·93	14	22	20
AUG.	5·03	1·9[illegible]	19	14	13
SEPT.	1·27	·44	1	10	8
OCT.	·73	·30	6	5	4
NOV.	8·31	2·00	3	21	18
DEC.	1·96	·53	2	8	7
Total	41·98			169	148

Signature Robert D Cooke

M.

Jan 1. 1932

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am Summer

Nearest Railway Station Newton Abbot Distance 4 Direction from gauge N.E.

Nearest Parish Church at Ipplepen Distance 100 y Direction from gauge E.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1698

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ipplepen Vicarage

in the County of S. Devonshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	–		·10			·17	·12					1
2	·01		·04	·28			·04		·15			·34	2
3			·07			·77			·42		·05	·01	3
4						·20		·05			·27		4
5	·79		·05				·03		·14				5
6	·77			·19			·03		·38				6
7	·07		·02	·05	·24		·02		·85	1·75			7
8			·19	·08	·11				·18	·18	·03		8
9	1·41			·21									9
10	·45			·16	·05				·04	·20		·04	10
11	1·23			·05	·15							·61	11
12					·75		·05			·22		·04	12
13	·04			·22	·06		·08	·39		·96		·18	13
14	·31			·15	·30					·03	·01	·03	14
15	·06				·08							·08	15
16	·27			·14			·14						16
17	·04			·01	·05		·08						17
18	·07				·36				·02		·16		18
19					·32				·09	·43			19
20				·02	·80			·08		1·48	·12	·12	20
21			·05	·10			·02	·79	·24	·63	·04	·22	21
22				·02	·03		·04	·28	·95	·50	·28	·08	22
23					·04		·11		·02	·75		·19	23
24		·09			·02		·69		·10	·04	·04		24
25			·55				·09		·09	·28	·24	·03	25
26			·20	·08	–		·05			·09	·05		26
27			·45	·32	·08		·07			·26		·15	27
28			·12	·10	·19		·08	·49	·01			·08	28
29			·56	·14	·12	·76			·78	·75	·26	·57	29
30		✕	·05	·09	·02	2·16	·30		·73		1·35	·01	30
31		✕	·15	✕	·30	✕	·04		✕	·06	✕	·82	31
TOTAL	5·54	·09	2·50	2·51	4·07	3·89	2·13	2·20	5·19	8·61	2·90	3·60	YEAR'S TOTAL 43·23
*Days with ·01 in. or more.	14	1	13	20	20	4	19	7	17	17	13	18	163
*Days with ·04 in. or more.	12	1	12	17 ~~18~~	17	4	15	7	14	16	11	14	140

40-9999

(Signed) Rev R. D. Cooke

P.T.O.

*See Instruction 2 (*f*) on other side.

1698

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ipplepen Vicarage

in the County of S. Devon

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·70	·68	·19	√	·04	·07					·03	1·35	1
2	·94	·05	1·25		·64	·56							2
3	·05	·06	·39		·01					-			3
4	·36	·08	·04		·10								4
5		·01	·47		·37								5
6	·05	·48	·01		·43		·10			·11			6
7		·04			·08		·05			·05		·01	7
8		·03					·10						8
9		·02			·10	·17	·70	·04		·62	·01		9
10		·23					·15			·82	·01		10
11	·02						38	·05		·01			11
12				·25	·08	·19	·27	·06	·50	·23			12
13					·01		·17	·20		·09	·02		13
14	·13						·35	·26			35		14
15	·52		·46				·21	·03		·03	·33		15
16			1·17			·01			·02	·04			16
17		·09	·15			·07		·15	·17				17
18	·14		·21					·02			·02		18
19	·44		·40					·03	·13		·54	·04	19
20						·22			·08				20
21		·02				·30		·12	·02	·38	·01		21
22				·15				·27	·75	·03			22
23		1·14		·28		·77			·10	·52			23
24		·38		·51		·13			·25	·08			24
25		·92		·18		·12			·45			·10	25
26		·35		·14	·07							·01	26
27		·02		·07						·19	·02	·45	27
28		·21		·45	·09		·28		-	·17		·12	28
29	·03	×			·02		·03		·12				29
30	·04	×	·27	·45			·12		·09			·10	30
31	·59	×	·23	×	·06	×			×	·03	×		31
TOTAL	4·01	4·81	5·24	2·48	2·10	2·61	2·91	1·23	2·68	3·40	1·34	2·18	YEAR'S TOTAL 34·99
*Days with ·01 in. or more.	13	18	13	9	14	11	13	11	12	16	10	8	148
*Days with ·04 in. or more.	11	13	12	9	11	10	12	8	10	12	3	6	117

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) Rev R. D. Cooke [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1658

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ipplepen Vicarage

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 266 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1												1·35		1
2												—		2
3												—		3
4												—		4
5												—		5
6												—		6
7												.01		7
8												—		8
9												—		9
10												—		10
11												—		11
12												—		12
13												—		13
14												—		14
15												—		15
16												—		16
17												—		17
18												—		18
19												.04		19
20												—		20
21												—		21
22												—		22
23												—		23
24												—		24
25												.10		25
26												.01		26
27												.45		27
28												.12		28
29												—		29
30		×										.10		30
31		×		×		×			×		×	—		31
TOTAL			Supplied Monthly									2.18	Year's Total	
*Days with ·01 in. or more.												8		
*Days with .04 in. or more.												6		

† Spare column, no entries required.

(*Signed*) R. D. Cooke

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1698

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ipplepen Vicarage

in the County of S. Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03		·03			·02		·79	·09		·32	·97		1
2	·08								·84	·02	·04	·21		2
3	·08									·73		·57		3
4	·13		·18	·01	·36			·03	·21	·19		·61		4
5			·13		·26	·19		·74		·11	·02	·77		5
6	·15		·44	·11	·41				·04	·39	·03	·52		6
7	·07							·12		·26		·90		7
8					·09				·10		·60	·57		8
9	·02		·45	·11				·01			·56	·30		9
10	·29		·30	·58			·13	·15			·08	·04		10
11	·77	·02	·03	·53								·58		11
12	·03					·02	·58	·09				·35		12
13	·67			·45							1·06	·34		13
14	·56		·58	·03						·03	·13	·51		14
15	·15		·16	·03	·07					·20	·10	·24		15
16	·46		·48		·04				·20			·43		16
17	·40		·15	·19					·02	·05		·48		17
18	·17		·43	·58		·05						·45		18
19	·05		·12	·07		·04		·04	·07	·01		·22		19
20			·02	·14			·17		·13	·01		·04		20
21			·15	·06		·11		·06	·02	·47		·24		21
22	·03		·04			·02	·13	·11	·34			·25		22
23	·04			·19		·83		·11	·29	·04		·56		23
24		·07				·20		·50	·04	·08		·07		24
25	·32	·05		·27		·06			·16	·47		·76		25
26	·07		·01	·07		·16			·07		·02	·13		26
27						·06		·01	·29	·05		·38		27
28				·05		·03		·31	·07	·01		1·05		28
29									·20			·07		29
30		×						·16		·05		·61		30
31		×		×	·09	×		·01	×	·01	×	·01		31
													Year's Total	
TOTAL	4·57	·14	3·70	3·47	1·32	1·79	1·01	3·24	3·18	3·18	2·96	13·23	41·79	
*Days with ·01 in. or more.	21	3	17	17	7	13	4	16	18	19	11	31	177	
*Days with .04 in. or more.	17	2	13	14	7	9	4	13	16	13	8	30	145	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) Rev. R. D. Cooke

[P.T.O.

Kept at Ipplepen Vicarage
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 266 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												·97		1
2												·21		2
3												·57		3
4												·61		4
5												·77		5
6												·52		6
7												·90		7
8												·57		8
9												·30		9
10												·04		10
11												·58		11
12												·35		12
13												·34		13
14												·51		14
15												·24		15
16												·43		16
17												·48		17
18												·45		18
19												·22		19
20												·04		20
21												·24		21
22												·25		22
23												·56		23
24												·07		24
25												·76		25
26												·13		26
27												·38		27
28												1·05		28
29												·07		29
30		×										·61		30
31		×		×		×			×		×	·01		31
TOTAL												1323	Year's Total	
*Days with ·01 in. or more.												31		
*Days with ·04 in. or more.												30		

M.O. 7
2-JAN

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Robert D. Cooke

[P.T.O.

1698

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Ipplepen Vicarage

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* - *in.*
Height of Ground above Sea Level 266 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more*	·04 in. or more*
	Inches	Inches	Date.		
JAN.	4·57	·77	11	21	17
FEB.	·14	·07	24	3	2
MAR.	3·70	·58	18	17	13
APRIL	3·47	·58	{10 18	17	14
MAY	1·32	·41	6	7	7
JUNE	1·79	·83	23	13	9
JULY	1·01	·58	12	4	4
AUG.	3·24	·79	1	16	13 2
SEPT.	3·18	·84	2	18	16
OCT.	3·18	·73	3	19	13
NOV.	2·96	1·06	13	11	8
DEC.	13·23	1·05	28	31	30
Total	41·79			177	5 146

Signature Robert D. Cooke

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Rev R. D. Cooke
Ipplepen Vicarage, Devon

Hour of observation by the clock—in Winter 9 am in Summer 10 am Summer Time

Nearest Railway Station Newton Abbot Distance 4 m. Direction from gauge N.E.

Nearest Parish Church at Ipplepen Distance 100 yds Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

get daily values from cards.

M

M.O.
25 JAN 1935

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1698

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ipplepen Vicarage

in the County of S. Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·59			·21			·17	·05	·16	·23		1
2			·05			·12	·02		·10	·45	·02	·09		2
3			·09		·63	·12			·09	·09	·10	·05		3
4		·05		·02	·01	·25			·19	·03	·11	·40		4
5		·16		·06		·20			·22	·08	·07	·03		5
6				·31		1·24				·35	·05	·15		6
7				·41		·21					·20	-		7
8				·57					·37		·40	·04		8
9				·71		·01				1·15	·25	-		9
10	·07		·42	·10		·08						·04		10
11	·21	·05		·02		·60			·12		·62	·02		11
12	·01	·21				·29		·07	·09		·30	-		12
13		·09		·68		·09			·02	·03	·23	-		13
14		·07		·10		·18			·16	·03	1·30	·18		14
15		·09		·75		·06			·03	·04	·27	·06		15
16		·11	·21	·15		·04			·68		·73	-		16
17		·08		·07	·81	·34	·01	·09	·04		·06	-		17
18		·08		·36		·01	·04		·75	·06	·04	·26		18
19		·02		·07	·31	·08	·16		·19	·08	·43	-		19
20		·58		·25	·17	·05			·02		·13	-		20
21		·59	·01	·22		·02			·03			-		21
22		·08	·09	·11					·03			-		22
23		·23	·07		·02			·34	·09	·28		·57		23
24	·02	·89			·33			·43		·04		·19		24
25	·18	·61			·20	·18						·19		25
26		·76				·04		·25	·62			·82		26
27		·22								·02	·05	·60		27
28		·03			·02			·02	·19			·05		28
29					·04				·35		·09	·69		29
30		×				·10		1·10	·02	·31	·96	·78		30
31		×		×	·03	×		·02	×	·98	×	·33	Year's Total	31
TOTAL	·50	5·00	1·53	4·96	2·57	4·52	·23	2·32	4·57	4·07	6·57	5·77	42·61	
*Days with ·01 in. or more.	6	20	8	18	11	23	4	8	23	17	22	21	181	
*Days with ·04 in. or more.	3	18	7	16	7	20	2	6	18	13	21	19	149	

† Spare column, no entries required.

(*Signed*) R. D. Cooke

40-9999

*See Instruction 2 (*f*) on other side.

P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. Station No. 1698

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ipplepen Vicarage
in the County of S. Devon

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·07		·27		·28	·28	·02	—	—	—	·01		1
2	·05			·18		·21	·41		·52	—	·12	—		2
3	·01		·05	1·22		·04	·01		·93	—	·17	—		3
4			·16	·01		·02			·20	—	·08	·10		4
5	·59	·20	·05				·16	·02	-	—	·03	·11		5
6	·11		·03				·03	·08	-	—	·38	—		6
7	·22		·25				·12		·41	—	·39	·03		7
8	·42		·52				·49		·02	—	·47	—		8
9	·54	1·32	·19			·01	·22		·08	—	·06	—		9
10	·17	·65				·01			—	—	·10	—		10
11	·45	·15				·10	·06	·02	·46	—	1·02	·07		11
12	·30			·11			·31		·16	—	·02	—		12
13	·10						·06		·03	·02	·10	1·16		13
14		·06				·07	·69		·06	—	·01	·70		14
15					·14		·12		·26	—	·28	·58		15
16		·20			·21		·11		-	—	·20	·33		16
17	·08	1·28					·23		-	·06	—	1·43		17
18	·30	·31	·14			·40	·52		-	—	—	·16		18
19	·65		·51	·21		·02	·03	·08	-	·01	—	—		19
20	·12	·36	·37	·10		·01	·03		·60	—	—	—		20
21		·38	·11	·52			·14		-	·07	—	—		21
22	·19	·13	·08		·09		·43		-	—	—	—		22
23	·01	·03	·02	·20	·28		·12		-	·10	—	·04		23
24	·34	·01	·16	·05	·52				·21	·34	—	—		24
25	·22		·49	·23			·01		-	·28	—	—		25
26	·36	·08	·16				·02		·05	·05	—	—		26
27	·47	·07	·07				·17		-	·09	—	—		27
28	1·01	·02	·72			·01			-	—	—	·33		28
29	·04	·03	·08			·72	·04		-	·04	·06	·06		29
30	·27	X	·03			·11	·01		-	—	—	·01		30
31	·15	X	·65	X	·04	X	·02		X	—	X	·58		31
TOTAL	7·24	5·35	4·84	3·10	1·28	2·01	4·84	·22	3·99	1·00	3·44	5·70	Year's Total 43·01	
* Days with .01 in. or more.	26	18	21	11	6	14	27	5	14	10	16	16	184	
* Days with .04 in. or more.	24	14	18	10	6	8 ~~9~~	19	2	12	7	13	13	146	

40-9999 † Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Rev. R. D. Cooke [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1698

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Ipplepen Vicarage

in the County of S. Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Entry of March 20th is correct
Aw
11.8.37

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·02		·68	–	–	–	–	·06	·12	–	·83		1
2	·02	1·16	·06	·22	–	–	–	–	·03	·02	–			2
3	–	·11		·17	·10	·01	·02	–	–	–	–			3
4	·04	·91			·02	–	–	–	–	–	–	·47		4
5	·23	–		·06	–	–	·27	–	–	–	–	·02		5
6	–	·62	·86	·24	·06	–	·03	–	–	–	–	·27		6
7	–	1·08	·16	·02	–	·03	–	–	–	–	·04	·34		7
8	–	·01	·11		·61	·01	–	–	–	–	–			8
9	·03	·02	·11	·17	·06	–	·07	–	·39	–	–			9
10	·39	·01	·78	·64	·16	·20	~~·02~~	–	–	–	–	·72		10
11	·07	–	·27	·31	·83	·04	·02	–	–	–	–			11
12	·89	·26	·10	·05	·17	·33	·12	·59	·08	–	–	·47		12
13	–	·02	1·30	·26	–	–	·03	·59	·05	–	–			13
14	–	–	·02		–	–	–	·07	·02	–	–	·02		14
15	·44	·21	·39	·43	–	–	·15	–	·32	–	–	·11		15
16	·20	·09	·43		–	–	·01	·03	·33	–	·40			16
17	·78	·06	·71		–	–	·03	–	·01	–	·97			17
18	·04	·06	·11		–	·32	–	–	·12	–	·16	·06		18
19	·07	·05	·02	·18	·13	–	–	–	–	–	–	·06		19
20	·49	·02	2·81	·11	·04	–	–	–	–	–	–	·62		20
21	·98	·34	·01		·34	–	–	–	·40	·09	·31	·07		21
22	·20	·01	·05		·37	·17	·12	–	·12	·63	·62	·20		22
23	·29	·33			·07	–	–	–	–	·08	·40	·05		23
24	·33	·35	·04		–	–	–	–	·03	1·28	–	·05		24
25	·02	·80	·66	·02	·06	–	–	–	–	·14	–			25
26	·01	·36	·04		–	–	–	–	–	–	–			26
27	·17	·12			–	–	–	–	–	·50	·03			27
28	·45	·19			–	–	–	–	–	·19	–			28
29	·02	–			–	–	–	–	–	·19	·09			29
30	1·08	✕			–	–	–	–	–	·01	·26			30
31	·51	✕		✕	–	✕	–	–	✕	·27	✕			31
TOTAL	7·83	7·21	9·04	3·56	3·02	1·11	·87	1·28	1·96	2·48	3·28	4·36	Year's Total 47·00	
* Days with .01 in. or more.	25	25	21	15	14	8	11	4	13	12	10	16	174	
* Days with .04 in. or more.	20	8 ~~19~~ 18	18	13	13	5	5	3	9	10	9	15	138	

40-9999.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1698

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Ipplepen Vicarage

in the County of S Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 266 ft.

Copy by B.R.O.

November total corrected for arithmetic.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·10				·33	·30	·15	—	·36	—	·07		1
2							·11	—	—	·19	—	·13		2
3					·10		—	3·30	—	·78	·43	—		3
4							·08	·67	—	·16	—	·25		4
5						·03	·09	—	—	·23	—	·03		5
6	·23					·18	1·35	—	—	·28	·04	·21		6
7	·18					·03	·16	—	·22	·09	—	·07		7
8	·42						·05	·03	—	·66	—	·02		8
9	·13	·03					—	—	—	—	·04	·50		9
10	·29						·03	—	—	—	—	·53		10
11	·25					·06	·09	—	—	—	·31	·86		11
12	·84				·33	·01	—	—	—	·42	·89	·02		12
13	·25				·21		—	·08	—	·23	·49	·68		13
14	·82				·16		·44	—	—	—	—	·01		14
15	·52				·21		—	—	—	·27	·14	·32		15
16	·60		·05		·02		—	—	—	·03	·45	·09		16
17		·34	·02		·09		—	—	·19	·25	—	—		17
18	·30				·06	·02	—	·37	·15	·06	·24	—		18
19	·01						—	·08	·36	—	·83	—		19
20							—	·08	—	—	·26	—		20
21	·01						—	·06	·10	—	·24	—		21
22	·05					·02	—	·31	—	·03	·33	—		22
23				·07	·04		—	·01	—	—	·08	—		23
24			·02		·03		·01	—	·02	—	·49	—		24
25	·14	·47			·68		·38	—	—	—	2·26	—		25
26	·29	·27			·03	·20	·04	—	—	·19	·01	·23		26
27	·07	·02			·05 {·05	·08	·43	·41	—	·19	·41	—		27
28	·15	·16			{·45	·12	—	1·05	—	—	·02	·02		28
29	·11						·04	—	·27	·17	·46	—		29
30	·03	✕					·11	—	·41	—	·22	·05		30
31	·42	✕		✕	·25	✕	—	—	✕	·29	✕	·35		31
TOTAL	6·11	1·39	·09	·07	2·76	1·08	3·71	6·60	1·72	4·88	8·6~~2~~4	4·44	Year's Total 41·49	
* Days with .01 in. or more.	22	7	3	1	16	11	16	13	8	19	21	19	156	
* Days with .04 in. or more.	19	5	1	1	13	6	14	11	7	17	19	14	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. D. Cooke

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1698

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ipplepen Vicarage

in the County of S. Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 266 ft.

Dec. estimated W.S.R.

Inc

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	—	·04	·06	·01	—	—	·09	—	—	·88			1
2	·18	—	—	27	—	—	·03	·16	✓·57	—	·10			2
3	·53	—	·04	·83	—	—	·05	·02	—	—	·36			3
4	—	—	·89	·08	32	—	·29	✓·05	—	·92	·06			4
5	·01	—	·02	·11	—	—	·66	✓—	—	·30	1·38			5
6	·45	—	·11	·11	—	—	✓1·21	·05	—	·23	·10			6
7	·07	·61	—	—	—	—	·15	·05	—	—	·63			7
8	·11	·35	·02	—	·03	—	·20	·08	—	1·30	·30			8
9	—	·02	—	—	—	—	—	·21	—	·09	·09			9
10	·26	—	·05	—	—	—	—	·08	—	·25	·10			10
11	—	—	·04	—	—	—	—	—	—	·20	·01			11
12	—	·06	—	·01	—	—	✓—	—	·09	—	—			12
13	—	—	—	·11	—	·04	·08	—	—	1·34	·07			13
14	1·12	—	—	·01	·05	·03	·80	—	—	·02	·31			14
15	·47	—	—	·02	·04	✓·81	·15	—	—	—	·22			15
16	·19	—	—	·13	—	—	·50	—	—	—	·04			16
17	·67	—	—	—	·07	·45	·33	—	—	—	·60			17
18	·04	·03	—	—	—	—	·68	—	—	—	—			18
19	·35	—	—	—	—	·01	·41	·50	—	—	—			19
20	·56	—	—	—	·01	·22	·48	✓·86	—	—	—			20
21	·61	·30	·06	—	—	1·06	06	·08	—	—	—			21
22	—	·44	·10	—	—	·50	39	—	—	—	·32			22
23	—	—	·03	·40	—	—	·05	—	—	—	·62			23
24	1·05	·04	·22	—	—	·64	·19	—	—	—	—			24
25	·30	·08	—	·21	—	·05	·06	·16	—	—	·59			25
26	—	·02	—	·20	—	·09	—	·08	—	·12	·43			26
27	—	·27	—	—	—	—	·06	—	—	—	·18			27
28	—	·04	—	20	—	·09	✓·52	·04	—	—	·20			28
29	—		—	10	—	·02	·17	—	—	·40	·08			29
30	—	✕	·03	·31	—	—	—	·09	—	·48	·09			30
31	—	✕	—	✕	—	✕	02	·08	✕	·72	✕			31
TOTAL	7·02	2·26	1·65	3·16	·53	4·01	7·54	2·68	·66	6·37	8·76	# (2·50)	Year's Total	(47·14)
* Days with .01 in. or more.	18	12	13	17	7	15	24	17	2	13	24	(16)		(178)
* Days with .04 in. or more.	16	9	9	14	4	10	22	16	2	12	23	(12)		(149)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

1699

Section **A** **for the entry**

AIR MINIST

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGIS

1931 .

1699

HOLNE

1931 — 40

780306

Kept at Holne

in the County of Dev

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS **S DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	1·27	·04				·67	·01			1
2	·45		·02	·51					·40	·04	·58	·79	2
3	·40		1·04				·15		·28	·02	4·52	·63	3
4	·03		·49		·07	·16	·35	·01	·05	·01	·03	·13	4
5		·91	·46	·07		·60	·13		·02		·02	·96	5
6		·09		·01	·06	·28	·24			·45	·11	·47	6
7		·03				·29	·24	·10		·14	1·03	·14	7
8	·02	·41		·20		·45	·09	·02			·48	·05	8
9		·89				·32	·15	·01		·02	·85	·02	9
10		·09			·13	·19	·11	·05	·06		1·68		10
11	·30	1·08			·02	·62	·16		·02		·72		11
12		·38			·01		·37		·02	·35			12
13		·12	·05		·19	·02	·62	·18		·03			13
14	·03	·11	·03		·08	·11	·59	·28			·66		14
15	·01	·17		·02	·39	·03	·02	·54	·02			·01	15
16	·07	·23		·05	·29	1·54	·03	·04	·12			·03	16
17	·03	·08		·05		·02	·43	·01					17
18	·03	·01	·01	·17		·38	·16	1·91			·54		18
19	·10	·05	·15	·08		·12	·07	·11			·47		19
20	·03	·18	·46					·89			·23		20
21	·73	·07	·07		·23					·13	·01		21
22	1·67	·05	·05	·08	·36						·06		22
23	·59	·05		·93	1·48		·03	·31			1·89		23
24	·72	·01	·02	1·58	·03	·36	1·05	·76			·23		24
25	·13	·01	·01	·27	·03		·20				·55		25
26	·03	·20		·10			·37				1·06		26
27	·26	·37		·01	·73		·16			·02	·13	·02	27
28	·16	·31	·23		·09			·08		·03	·01	·39	28
29	·06	×	·15	—	·10		·20	·30	·01	·01	·03	·17	29
30	·16	×	·01	—	·09		·03	·03	·15				30
31	1·65	×	·41	×	·10	×	·12		×		×	·41	31
TOTAL	7·66	5·90	3·67	5·40	4·52	5·49	6·07	5·63	1·82	1·26	15·89	4·22	YEAR'S TOTAL ✓ 67·53
*Days with ·01 in. or more.	23	24	18	16	20	16	25	18	12	13	23	14	222
*Days with ·04 in. or more.	15	20	11	13	16	13	21	13	7	5	18	10	162

M O 7
2 JAN 1932

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*)

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Holne

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	1·27	·04				·67	·01			1
2	·45		·02	·51					·40	·04	·58	·79	2
3	·40		1·04				·15		·28	·02	4·52	·63	3
4	·03		·49		·07	·16	·35	·01	·05	·01	·03	·13	4
5		·91	·46	·07		·60	·13		·02		·02	·96	5
6		·09		·01	·06	·28	·24			·45	·11	·47	6
7		·03				·29	·24	·10		·14	1·03	·14	7
8	·02	·41		·20		·45	·09	·02			·48	·05	8
9		·89				·32	·15	·01		·02	·85	·02	9
10		·09			·13	·19	·11	·05	·06		1·68		10
11	·30	1·08			·02	·62	·16		·02		·72		11
12		·38			·01		·37		·02	·35			12
13		·12	·05		·19	·02	·62	·18		·03			13
14	·03	·11	·03		·08	·11	·59	·28			·66		14
15	·01	·17		·02	·39	·03	·02	·54	·02			·01	15
16	·07	·23		·05	·29	1·54	·03	·04	·12			·03	16
17	·03	·08		·05		·02	·43	·01					17
18	·03	·01	·01	·17		·38	·16	1·91			·54		18
19	·10	·05	·15	·08		·12	·07	·11			·47		19
20	·03	·18	·46					·89			·23		20
21	·73	·07	·07		·23					·13	·01		21
22	1·67	·05	·05	·08	·36						·06		22
23	·59	·05		·93	1·48		·03	·31			1·89		23
24	·72	·01	·02	1·58	·03	·36	1·05	·76			·23		24
25	·13	·01	·01	·27	·03		·20				·55		25
26	·03	·20		·10			·37				1·06		26
27	·26	·37		·01	·73		·16			·02	·13	·02	27
28	·16	·31	·23		·09			·08		·03	·01	·39	28
29	·06	×	·15		·10		·20	·30	·01	·01	·03	·17	29
30	·16	×	·01		·09		·03	·03	·15				30
31	1·65	×	·41	×	·10	×	·12		×		×	·41	31
TOTAL	7·66	5·90	3·67	5·40	4·52	5·49	6·07	5·63	1·82	1·26	15·89	4·22	YEAR'S TOTAL 67·53
*Days with ·01 in. or more.	23	24	18	16	20	16	25	18	12	13	23	14	222
*Days with ·04 in. or more.	15	20	11	13	16	13	21	13	7	5	18	10	162

M O 7
2 JAN 1932

40-9999

(Signed) ....

P.T.O.

NM

*See Instruction 2 (*f*) on other side.

1699

Section **A** for the entry of Daily Observations. — COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Holne, Church Park Cottage

in the County of S. Devon

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan. 41	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25			·31	·01		·15	·04	·07		·01	·06	1
2	·18		·14	·14	·01		·03	·01	·53		·01	·77	2
3	·02					·81		·01	·47	·04	·05	·03	3
4	·13					·18	·14	·01			·40		4
5	1·89		·08						·25				5
6	1·41		·06	·56			·03		·52	·09			6
7	·19		·15	·02	·23				1·54	2·08			7
8	·03		·58	·15	·11				·11	·15	·01		8
9	4·15	·03		·54	·12			·01	·04	·01			9
10	1·06			·60	·05				·15	·58		·03	10
11	·07			·15	·15				·03	·02		·47	11
12	2·87			·01	1·37		·05		·01	·39	·02	·07	12
13	·17			·62	·14		·09	·20		1·13	·02	·44	13
14	·64			·17	·33					·05	·06	·09	14
15	·11			·11	·06		·69			·01	·02	·13	15
16	·81			·08			·25			·01	·01	·01	16
17	·02			·01	·22					·11		·03	17
18	·05				·70				·02	·01	·20	·02	18
19	·05			·05	·56				·15	·82			19
20	·04			·02	·77		·01	·13	·07	1·88	·15	·29	20
21	·02		·01	·27				·65	·16	·90	·10	·38	21
4·57 22				·07	·07		·15	·31	·80	·66	·70	·29	22
23		·01					·13	·02	·09	·98	·08	·37	23
24							·79		·32	·16	·11		24
25			·53	·01	·06		·30		·12	·79	·38		25
26			·54	·23	·04		·26			·22	·25	·01	26
27			·89	1·14	·09		·14			·67	·03	·29	27
28			·13	·15	·10	·01	·42			·01		·11	28
29			1·50	·24	·04	1·04	·10	·67	1·01	1·31	·35	1·08	29
30		×	·21	·34	·05	3·28	·29	·02	·92	·20	2·50	·03	30
31		×	·24	×	·26	×	·16		×	·01	×	·98	31
TOTAL	14·16	·04	5·06	5·99	5·54	5·32	4·18	2·08	7·38	13·29	5·46	5·98	YEAR'S TOTAL 74·48
*Days with ·01 in. or more.	21	2	13	24	23	5	19	12	21	27	21	22	210
*Days with ·04 in. or more.	17	0	12	19	21	4	16	6	18	20	13	15	161

40-9999

(Signed) S. W. Frost

P.T.O.

*See Instruction 2 (*f*) on other side.

1699

✓ Ck

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Church Park Cottages, Holne,

In the County of Devon

Rain Gauge

Diameter of Funnel 5" in.

Height of Top above Ground 1 *ft* 6 *in.*

Height of Ground above Sea Level 620 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	14·16	4·15	9th	21	17
FEB.	·04	.03	9th	2	
MAR.	5.06	1·50	29th	13	12
APRIL	5·99	1·14	27th	24	19
MAY	5.54	1·37	12th	23	21
JUNE	5·32	3·28	30th	5	4
JULY	4·18	·79	24th	19	16
AUG.	2·08	·67	29th	12	6
SEPT.	7·38	1·54	7th	21	18
OCT.	13·29	2·08	7th	27	20
NOV.	5·46	2·50	30th	21	13
DEC.	5·98	1·08	29th	22	15
Total	74.48 ✓			210 ✓	161

Signature L. W. FROST

M

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

L. W. Frost. Church Park Cottages, Holne
Newton Abbot

Hour of observation by the clock—in Winter 9. A. M in Summer 10. A. M

Nearest Railway Station Buckfastleigh Distance 3½ to 4 M Direction from gauge S.E

Nearest Parish Church at Holne Distance 100 yds Direction from gauge N

Nature of objects nearest to gauge				
Heights of objects	Same as	previous	Report	
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

100

M.O. 7
3 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1699

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Church Park Cottages, Holne
in the County of Devon
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 620 ft.

100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·70	1·43	·32		·09	·16					·20	2·10	1
2	2·55	·05	1·77		·86	1·03						·11	2
3	·10	·14	·94		·06	·02							3
4	·50	·21	·17		·26								4
5	·09	·02	1·55		·45				·02				5
6	·03	·85	·07		·47		·25			·16			6
7	·02	·10	·05		·27		·13			·16		·01	7
8	·02	·03	·01		·06		·40			·02			8
9		·04			·13		·65	·03		1·31	·01		9
10	·02	·12					·43	·03		2·06	·04		10
11	·01			·07			·07	·17		·08			11
12				·20	·06	·30	·37	·05	·56			·01	12
13					·05	·01	·37	·10		·69	·03		13
14	·44						·33	·05		·05	·45		14
15	·77		·81				·60	·15		·05	·20		15
16			1·79			·06			·03	·08			16
17	·04	·07	·33			·06		·28	·39				17
18	·26		·40			·07				·01	·03		18
19	·44	·02	·67			·14		·04	·06	·02	·60	·02	19
20		·04	·02			·18		·03			·01		20
21		·11				·16		·18		·35			21
22				·41				·52	1·11	·01			22
23		1·52		·37		·04		·01	·06	1·10			23
24		·35		·67					·42	·04			24
25		·94		·26	·06	33			·76			·22	25
26		·27		·23	·12					·15			26
27		·07		·15						·40	·06	·66	27
28		·42		·58			·54		·01	·23		·11	28
29	·02	X					·04		·08			·04	29
30		X	·33	·18			·27		·12	·02		·04	30
31	·92	X	·36	X	·28	X			X	·24	X	·01	31
TOTAL	6·93	6·80	9·59	3·12	3·22	2·56	4·45	1·64	3·62	7·23	1·63	3·33	YEAR'S TOTAL 54·12
*Days with ·01 in. or more.	17	20	16	10	14	13	13	13	12	21	10	11	170
*Days with .04 in. or more.	11	17	14	10	14	11	13	9	9	16	6	7	137

40-9999
*See Instruction 2 (*f*) on other side.

DM

(*Signed*)

P.T.O.

Exc. by cards

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1699

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Holne

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 620 ft.

100

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10		·02			·03		1·55	·21		·62	2·22		1
2	·09		·06					·03	1·38	·15	·10	·51		2
3	·13			·02					·01	1·23		1·05		3
4	·35		·29	·02	·70			·20	·11	·47		1·09		4
5	·01		·12	·02	·64	·11		1·79		·18	·02	1·60		5
6	·61		·41	·18	·97			·09	·10	·60	·03	·86		6
7	·21							·10		·57	·05	1·90		7
8					·01						·98	1·00		8
9	·06		·65					·07		·01	·48	·33		9
10	·80		·70	·37			·07	·18			·10	·02		10
11	1·64		·02	·72				·05				1·36		11
12	·09	·01		·01	·01		·03	·26				·28		12
13	1·15			·76						·03	·62	·63		13
14	1·28		1·19	·13		Tr.				·15	·05	·68		14
15	·29		·25	·08	·19					·19	·10	·51		15
16	·52		1·02	·01	·02				·38	·02	·01	·41		16
17	·70		·12	·26	·04		·01		·26	·05		·93		17
18	·17		·52	·89	·01	·14			·03			1·37		18
19	·01		·28	·06	·02	·02		·17	·18	·01		·58		19
20			·01	·29	·01		·06		·26	·02		·05		20
21			·20			·27	·09	·11	·03	1·03		·31		21
22	·09		·03	·01		·02	·33	·26	·47			·49		22
23	·08			·47		·88		·02	·53	·16		·54		23
24		·27	·01	·07		·48	·01	·02	·03	·29		·20		24
25	·56	·05		·56		·08			·06	1·11		1·56		25
26	·14			·11		·34			·58	·02		·36		26
27				·02		·11		·16	·37	·09	·01	·47		27
28							·03	·65	·42	·01	·03	1·99		28
29		×						·08	·04	·06	·01	·25		29
30		×					·03	·11	·58	·10	·02	1·41		30
31		×		×	·02	×	·02	·02	×	·05	×	·07		31
TOTAL	9·08	·33	5·90	5·06	2·64	2·48	·68	5·92	6·03	6·60	3·23	25·03	72·98	✓
* Days with .01 in. or more.	22	3	18	21	12	11	10	20	20	24	16	31	208	✓
* Days with .04 in. or more.	20	2	13	14	5	8	4	16	16	16	9	30	153	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

M

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1699

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Holne, Church Park Cottage

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 620 ft.

100 TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·08	·65			·25			·35	·22	·03	·49		1
2		·05	·08		·63	·27			·07	·57	·02	·26		2
3		·02	·09	·03	·02	·30			·16	·62	·16	·13		3
4		·22		·12		·18			·20	·08	·26	·39		4
5		·47	·01	·17		·19			·15	·15	·03	·03		5
6		·01		·60		2·19				·01	·15	·19		6
7				·82		·14				·60	·17	·10		7
8				·73		·03		·01	·12	·09	·59	·01		8
9				1·15		·07				1·92	·67			9
10	·16		·30	·20		·15				·01	·03	·02		10
11	·57	·09	·03			·92			·30	·01	1·05	·02		11
12	·04	·35				·42		·02	·16		·25			12
13	·04	·25		·38		·07			·08	·10	·53			13
14		·20		·24		·25			·45	·05	2·26	·34		14
15		·29		1·36	·05	·08			·07	·02	·36	·17		15
16		·28	·53	·25		·05	·01		·72		·70	·01		16
17				·64	1·02	·48	·01	·14	·10		·08			17
18		·34		·86	·06		·03	·01	1·02	·16	·05	·24		18
19		·12		·22	·72	·05	·44		·28	·28	·91			19
20		1·43		·65	·11		·01		·03	·01	·07			20
21		1·24		·35		·02	·01		·02	·05				21
22		·03	·10	·12					·06	·03				22
23		·23	·27		·01			·40	·25	·26		·75		23
24	·14	1·17		·25	·19			·48	·73	·06		·47		24
25	·41	·34		·01	·34	·73						·24		25
26		·65				·15		·56	·22		·02	1·13		26
27		·26						·05	·11	·18	·20	·56		27
28		·18			·04			·09	·13	·07	·08	·03		28
29		X			·02			·12	·66	·07	·19	1·31		29
30		✕				·13		1·23	·17	·27	2·21	1·48		30
31		✕		✕	·17	✕		·09	✕	1·44	✕	·60	Year's Total	31
TOTAL	1·47	8·30	2·06	9·15	3·38	7·12	·51	3·20	6·61	7·33	11·07	8·97	69·17 ✓	
* Days with .01 in. or more.	7	23	9	20	13	22	6	12	25	26	25	23	211 ✓	
* Days with .04 in. or more.	7	20	7	18	10	20	1	9	23	20	20	17	172 ✓	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1699

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 0.

REGISTER OF RAINFALL IN 1936.

T.L 100

400

Copy by B.R.O.

Kept at Holne, Church Park Cottage

in the County of S. Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·18	·09	·60	–	·42	·66	·11		–	03	·06		1
2	·01	–	–	·27	–	·25	·49	·02	52	–	·05	·02		2
3	·02	–	·06	·86	–	·05	·03	·01	84	–	·06	·04		3
4	·05	·01	·16	·01	·01	·14	–	–	·44	–	·12	·31		4
5	·78	·32	·23	–	·01	–	·32	·06	·05	–	·02	·42		5
6	·11	–	·10	–	–	·02	·87	·09	·92	–	·76	·02		6
7	·42	–	·37	–	–	–	·04	–	·15	–	1·11	·02		7
8	·98	–	·87	–	–	–	·38	–	·04	–	1·07	–		8
9	·91	1·16	·37	–	–	–	·32	–	·05	–	·25	–		9
10	·35	·79	–	–	–	–	·02	tr		–	·29	·01		10
11	·68	·10	–	–	·01	·07	·02	·05	·70	–	1·51	·08		11
12	·07	–	–	·16	–	–	·67	–	·05	–	·13	·01		12
13	·16	–	–	tr	–	–	·11	·01	·02	·11	·27	2·32		13
14	·01	·06	–	–	–	·11	·83	–	·19	·04	·01	1·19		14
15	–	–	–	–	·10	–	·10	–	·08	–	·58	1·41		15
16	–	·30	–	–	·10	–	·36	–	·16	–	·62	·47		16
17	·32	2·02	–	–	·07	–	·81	–		·17	·08	3·55 ✓		17
18	·67	·64	·17	–	–	·18	1·33	·03		·03	-	·35		18
19	1·24	–	·67	·41	–	·14	·20	·14		–	-	–		19
20	·24	·70	·17	·13	–	·06	–	–	·52	–	-	·05		20
21	·08	·17	·15	·96	–	–	·22	–		·01	-	–		21
22	·31	·12	·07	–	·03	–	·92	–		–	-	·04		22
23	–	·13	·03	·41	·25	–	·33	–		·10	-	–		23
24	·77	–	·11	·10	·55	–	·03	–	·14	·76	-	·02		24
25	·55	–	·38	·48	–	·01	·10	–	·01	·56	-	–		25
26	·61	–	·29	–	–	–	·17	–	·03	·24	-	–		26
27	·80	·05	·14	–	–	·04	·47	–	·03	·26	-	–		27
28	1·26	–	1·45	–	–	·02	·78	–		·01	-	·94		28
29	·05	·02	·17	–	–	·60	–	–		·04	·02	·19		29
30	·37	✕	·03	–	·05	·19	·03	–		·02	–	·02		30
31	·46	✕	1·17	✕	·10	✕	·17	–	✕	–	✕	1·55		31
TOTAL	12·43	6·77	7·25	4·39	1·28	2·30	10·74	·52	4·94	2·35	6·98	13·09	Year's Total 73·04 ✓	
* Days with .01 in. or more.	28	16	22	11	11	15	28	9	19	13	18	23	213 ✓	
* Days with .04 in. or more.	25	14	20	10	7	12	23	5	15	9	14	16	170 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1699

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Holne, Church Park Cottage

in the County of S. Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

100 T.L.

Copy by B.R.O. 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·46	·02	·07	1·00	–		–	–	·11	·15	–	1·05		1
2	·36	3·25	·02	38	·05		–	–	·03	·04	–	·02		2
3	–	·65	·08	·11	·11		·14	–	–	–	–	–		3
4	·17	1·71	–	–	·03		–	–	–	–	–	1·12		4
5	·83	–	–	·24	–		·35	–	–	–	–	·29		5
6	·33	·88	·74	·47	·02		·01	–	–	–	–	·08		6
7	–	1·06	·40	·13	–	·15	–	–	·01	–	·16	·16		7
8	–	·04	–	·01	1·00	·27	·16	–	–	–	–	–		8
9	·21	·07	·41	32	·07		–	–	·48	·02	–	–		9
10	·76	·03	·88	·75	·08	·13	·01	·01	–	–	–	1·08		10
11	·25	–	·41	·41	·70	·12	·26	–	–	–	–	·07		11
12	2·50	·33	·24	·06	·40	·83	·03	·42	·21	–	–	1·04		12
13	·02	·02	·95	·20	–		–	·30	·08	–	–	·03		13
14	–	·01	·04	TR	–		·16	·02	·10	–	–	·15		14
15	·07	·47	·48	·76	–		·01	–	·24	–	–	·30		15
16	·31	·24	·51	·07	–		·06	·14	·45	–	·64	–		16
17	1·53	·04	·77	–	–		–	–	·05	–	2·58	–		17
18	·22	·31	·43	·03	–	·17	–	·01	·23	–	·18	·04		18
19	·34	·24	·05	·49	·24	·01	–	–	·36	–	·03	·08		19
20	1·02	·03	·63	·36	·10		·02	–	·02	–	–	1·15		20
21	1·83	1·15	–	·08	·69		·07	–	·32	·05	·17	·06		21
22	·30	·01	·07	–	·91		·25	–	·16	·84	·91	·44		22
23	·41	·44	·01	–	·23		–	–	–	·20	·13	·06		23
24	·31	·93	·11	–	·02		·01	–	·02	1·43	–	·14		24
25	·01	1·59	·51	–	·03		–	–	·05	·27	–	–		25
26	TR	·63	–	–	–		–	–	–	·01	–	·05		26
27	·30	·50	–	–	–		–	–	–	·43	·02	–		27
28	·26	·33	–	–	–	·03	–	–	–	·11	–	–		28
29	·12		–	–	–	·01	–	–	–	·24	·20	·01		29
30	·53		–	–	–	·06	–	–	·10	·03	·50	–		30
31	·30		–		–		–	–		·82		–		31
TOTAL	14·35	14·98	7·81	5·87	4·68	1·78	1·54	·90	3·02	4·64	5·52	7·42	Year's Total 72·51	
* Days with .01 in. or more.	26	26	21	18	16	10	14	6	18	14	11	21	201	
* Days with .04 in. or more.	24	20	19	16	12	7	8	3	14	11	9	18	161	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1699

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Copy by B.R.O.

100

400

Kept at Holne, Church Park Cottage.

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 620 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·31	–			·86	·17	·31	·02	·60	·04	·25		1
2	–	·04	–	·06	·01	·02	·01	–	–	·36	·12	·25		2
3	–	–	–		·06	·01	·04	3·90	–	1·55	·61	–		3
4	–	–	–			·02	·34	·56	–	·48	–	·62		4
5	·01	–	–				·06	–	·04	·73	–	·10		5
6	·48	–	–			·41	2·21	·02	·02	·56	·01	·48		6
7	·48	–	–				·53	–	·12	·34	·01	·23		7
8	1·15	·01	–				·15	·26	–	1·16	–	·05		8
9	·47	·28	–			·01	–	·02	–	·02	·05	1·25		9
10	·72	·01	–			·01	·15	·02	–	–	–	·43		10
11	·49	·01	–		·05	·01	·07	–	–	–	·93	1·23		11
12	1·45	–	–		·75	·09	–	–	–	·86	1·46	·02		12
13	·40	–	–		·73		·01	·01	–	·37	·66	1·69		13
14	1·82	–	–		·47		·27	–	–	–	·03	–		14
15	·87	–	–		·44		–	·04	–	·43	·65	·69		15
16	1·31	·01	·17				–	·03	–	–	·25	–		16
17	–	·21	·02		·24		–	–	·50	·53	–	·26		17
18	·67	–	–		·35	·01	–	·59	·16	·05	·74	–		18
19	–	–	–				–	·11	·53	–	1·04	–		19
20	·09	–	·01				–	·29	–	–	·48	–		20
21	·10	–	–				–	·14	·21	·05	·26	·06		21
22	·06	–	–	·03		·04	–	·74	–	·10	·65	·63		22
23	·02	–	–	·13	·01		–	·02	·01	–	·25	·02		23
24	·04	–	·16		·08		–	–	·03	–	·79	–		24
25	·38	1·17	·03		·07		·27	–	–	·05	2·35	·01		25
26	·71	·83	·05		·71	·48	·05	–	tr	·16	·03	·06		26
27	·35	·19	–		·03	·10	·80	·53	–	·10	·86	–		27
28	·63	·28	–		·06	·54	·01	·87	·06	–	–	·01		28
29	·43	✕	–		·89		·03	–	·33	·21	·79	·02		29
30	·13	✕	–		·06	·19	·07	–	·11	–	·34	·08		30
31	1·05	✕	–	✕	·53	✕	–	–	✕	·49	✕	·74		31
TOTAL	14·31	3·35	·44	·22	5·54	2·80	5·24	8·46	12·14	9·20	13·40	8·58	Year's Total 73·68	✓
* Days with .01 in. or more.	25	12	6	3	18	15	18	18	13	21	24	23	196	✓
* Days with .04 in. or more.	23	8	3	2	15	8	14	12	9	20	20	17	151	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

J.01

(*Signed*) L. W. Frost [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1699

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Holne, Church Park Cottage

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 620 ft.

Copy by B.R.O.

100

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·49	-	·21	·09	·01	-	·02	·22	-	-	·67	·56		1
2	·06	-	-	·74	-	-	·01	·24	·73	-	·25	·18		2
3	·67	-	·14	1·14	-	-	·06	·05	-	-	·56	·88		3
4	·04	-	·90	·32	·67	-	·41	-	-	1·50	·36	·42		4
5	-	-	·03	·08	-	-	·80	-	-	·52	1·60	·05		5
6	·62	-	·08	·20	-	-	2·86	·03	-	·14	·14	-		6
7	·18	·77	-	-	-	-	·12	·07	-	-	·66	1·42		7
8	·36	1·00	·09	-	·03	-	·39	·03	-	1·82	·62	·38		8
9	·12	·02	·02	-	-	-	-	·35	-	-	·41	·59		9
10	·38	-	·03	-	-	·01	-	·05	10	·47	·04	·41		10
11	-	·11	·04	-	-	·01	-	·02	-	·19	·01			11
12	·05	·15	-	·15	-	-	-	-	10	·01	·05			12
13	-	-	-	·35	-	·03	·80	-	-	·92	·25			13
14	2·07	-	-	·08	·05	·08	·87	-	-	·05	·54	·02		14
15	·69	-	-	·07	·02	1·28	·30	-	-	-	·43	·04		15
16	·30	·01	·02	·23	-	-	·30	-	-	-	·45	-		16
17	1·89	·16	-	-	-	·48	·80	-	-		·11	-		17
18	·05	·04	·01	-	-	·01	·42	-	-	-	1·11	·09		18
19	·68	-	-	-	-	·03	·68	25	-	-	-	·14		19
20	·68	-	-	-	-	·44	·46	·89	-	-	-	-		20
21	·05	·73	·25	·02	-	·81	·03	·16	-	-	-	-		21
22	1·80	·50	·24	·04	TR	·54	·10	-	01	-	·77	-		22
23	·01	·02	·02	·70	-	·03	·13	-	-	·03	2·23	-		23
24	1·02	·08	·21	·01	-	·72	·11	-	-	·08	-	-		24
25	·36	·23	-	·27	-	-	·05	1·36	-	·03	1·50	-		25
26	·07	·03	-	·02	-	·04	·02	·09	-	·18	1·08	-		26
27	-	·63	-	-	-	·18	·04	·25	-	-	·38	-		27
28	·01	·17	-	·17	-	·21	·45	-	-	-	·48	·01		28
29	·04		·01	·10	-	·17	·40	·02	-	·26	·14	-		29
30	-		·02	·21	-	-	·05	·07	-	·52	·22	-		30
31	-		-		-		·06	·38		·79		-		31
TOTAL	12·69	4·65	2·32	4·99	·78	5·07	10·74	4·53	·94	7·51	15·06	5·19	Year's Total 74·47	✓
* Days with .01 in. or more.	25	16	17	20	5	17	27	18	4	16	26	14	205	✓
* Days with .04 in. or more.	23	12	9	17	2	11	23	14	3	13	25	12	164	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1699

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Holne, Church Park Cottage

in the County of South Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 620 ft.

100

4 00

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.19	–	.05	.15	–	–	–	–	–	.17	–		1
2	–	.65	–	.32	–	–	.01	–	–	–	2.11	.16		2
3	.08	1.62	–	.03	–	–	–	–	–	.18	1.83	.30		3
4	.05	.29	–	.20	–	–	.05	–	–	.36	.36	.07		4
5	.05	.02	–	–	–	–	.04	–	–	.25	.63	.45		5
6	.81	1.44	–	–	–	–	.12	–	–	1.29	.02	.50		6
7	.07	.04	–	–	–	–	.07	.01	.01	.08	–	.05		7
8	–	.10	–	–	–	–	.06	–	–	.60	1.04	.72		8
9	–	.01	–	–	–	–	.95	.06	.01	.60	.59	.38		9
10	–	.01	–	–	–	–	.63	–	.01	.13	.18	.70		10
11	–	–	.10	.02	–	–	.70	–	–	–	2.46	.04		11
12	–	–	.48	–	–	–	.83	–	.65	–	.32	–		12
13	–	–	.50	–	–	–	.07	–	.03	.68	1.42	1.16		13
14	–	.03	.03	.08	.03	–	.01	–	.20	.52	.06	.66		14
15	–	.06	–	.06	.02	–	.14	–	.11	.15	.80	.01		15
16	.07	1.60	.92	.10	–	–	.07	–	.56	.51	.22	.07		16
17	–	.36	.80	.07	–	–	.15	–	.01	–	.05	–		17
18	.51	.80	.84	.90	–	–	–	–	.11	.23	.03	.11		18
19	–	.04	.57	.30	–	–	.36	–	.76	.10	.88	–		19
20	–	–	.02	.09	–	–	.02	.07	.01	.08	.39	–		20
21	–	.02	.05	–	.05	.06	–	–	.13	.02	1.14	–		21
22	–	.05	.14	.17	–	.52	–	–	.05	.03	.01	–		22
23	.01	.09	.30	.01	.15	–	.02	–	–	.03	.11	–		23
24	.03	–	.05	.01	.02	–	.23	–	–	–	.01	–		24
25	.35	–	.20	.12	.47	.10	–	–	–	–	.01	–		25
26	.78	1.48	–	.04	.32	–	.06	–	–	–	.03	–		26
27	.63	.75	.03	.70	.90	–	–	–	–	–	–	–		27
28	1.07	.18	–	.04	.03	–	–	–	–	–	–	–		28
29	.52	.04	.53	1.29	–	.06	–	–	–	.20	–	.46		29
30	.11	✕	.03	.02	.01	–	–	–	–	1.62	–	.24		30
31	.06	✕	.18	✕	–	✕	–	–	✕	1.33	✕	1.00		31
													Year's Total	
TOTAL	5.20	9.87	5.77	4.62	2.15	.74	4.59	.14	2.65	8.99	14.87	7.08	66.67	
* Days with .01 in. or more.	16	23	18	21	11	4	20	3	14	21	25	18	194	
* Days with .04 in. or more.	14	18	14	16	6	4	16	2	8	18	19	17	152	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) R. W. Frost

[P.T.O.

Section **A** for the entry
AIR MINIST

Station No. 1699/5

NFALL ORGANIZATION.

FORM 1090.

REGIS

932.

S Devon | 4

1699/5

ASHBURTON, WEST STREET

1932 — 40

> 80306

Kept at Ashburton
in the County of Deve

a greement with Hele Co.

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·20			·09	·28	·01		·02		1
2	·04		·11	·17				·01	·12		~~·02~~	·51	2
3			·05			·75	·02		·56	·04	·04	·04	3
4	·10					·24	·09	·06			·41		4
5	1·18		·06						·17			·01	5
6	1·23		·05	·39			·07		·37	·01			6
7	·12		·03	·09	·20		·04		·98	1·79			7
8	·03		·32	·08	·09				·43	·15			8
9	3·02			·28	·07			·01	·02		·02		9
10	·72	·01		·36	·05				·04	·37		·03	10
11	·08		·02	·15	·13				·07	·02		·50	11
12	2·07				·98				·02	·24	·02	·04	12
13	·10			·42	·21		·14	·28		1·09	·02	·30	13
14	·50			·05	·33			·01		·05	·02	·03	14
15	·05			·15	·08		·10				·01	·08	15
16	·64			·12			·31				·01	·01	16
17	·02			·02	·03					·05		·03	17
18	·05				·74				·02		·19	·01	18
19				·03	·41				·12	·48			19
20	·08				·91			·06	·06	1·43	·15	·25	20
21	·03		·01	·16			·01	·85	·12	·57	·01	·28	21
22				·01	·03		·06	·20	·72	·67	·55	·17	22
23							·09	·02	·07	·83	·06	·29	23
24		·01					·71		·19	·08	·08		24
25			·46		·05		·15		·07	·49	·29	·03	25
26			·23	·11	·04		·22			·08	·10		26
27			·74	·64	·10	·01	·10			·49	·09	·24	27
28			·03	·13	16	·01	·17		·01			·11	28
29			1·07	·25	·03	·74	·01	·64	·96	·91	1·0	·72	29
30	·01	×	·06	·11	·03	2·78	·22	·01	96	·21	2·03	·02	30
31		×	·32	×	·22	×			×		×	·94	31
TOTAL	10·17	·02	3·56	3·92	4·89	4·53	2·60	2·43	6·09	10·05	4·15	4·64	YEAR'S TOTAL 57·05
*Days with ·01 in. or more.	20	2	15	21	21	6	18	12	22	21	20	22	200
*Days with ·04 in. or more.	16	0	11	18	17	4	15	7	17	19	12	14	150

40-9999
*See Instruction 2 (*f*) on other side.

(*Signed*) W. T. HANNAFORD.

P.T.O.

Section **A** for the entry of Daily Observations.

Station No 1699/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

S Devon | 4

Kept at Ashburton (WEST STREET)
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 260 ft.

Excellent record . good agreement with [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·20			·09	·28	·01		·02		1
2	·04		·11	·17				·01	·12		~~·02~~	·51	2
3			·05			·75	·02		·56	·04	·04	·04	3
4	·10					·24	·09	·06			·41		4
5	1·18		·06						·17			·01	5
6	1·23		·05	·39			·07		·37	·01			6
7	·12		·03	·09	·20		·04		·98	1·79			7
8	·03		·32	·08	·09				·43	·15			8
9	3·02			·28	·07			·01	·02		·02		9
10	·72	·01		·36	·05				·04	·37		·03	10
11	·08		·02	·15	·13				·07	·02		·50	11
12	2·07				·98				·02	·24	·02	·04	12
13	·10			·42	·21		·14	·28		1·09	·02	·30	13
14	·50			·05	·33			·01		·05	·02	·03	14
15	·05			·15	·08		·10				·01	·08	15
16	·64			·12			·31				·01	·01	16
17	·02			·02	·03					·05		·03	17
18	·05				·74				·02		·19	·01	18
19				·03	·41				·12	·48			19
20	·08				·91			·06	·06	1·43	·15	·25	20
21	·03		·01	·16			·01	·85	·12	·57	·01	·28	21
22				·01	·03		·06	·20	·72	·67	·55	·17	22
23							·09	·02	·07	·83	·06	·29	23
24		·01					·71		·19	·08	·08		24
25			·46		·05		·15		·07	·49	·29	·03	25
26			·23	·11	·04		·22			·08	·10		26
27			·74	·64	·10	·01	·10			·49	·09	·24	27
28			·03	·13	·16	·01	·17		·01			·11	28
29			1·07	·25	·03	·74	·01	·64	·96	·91	1·0	·72	29
30	·01	×	·06	·11	·03	2·78	·22	·01	96	·21	2·03	·02	30
31		×	·32	×	·22	×			×		×	·94	31
TOTAL	10·17	·02	3·56	3·92	4·89	4·53	2·60	2·43	6·09	10·05	4·15	4·64	YEAR'S TOTAL 57·05
*Days with ·01 in. or more.	20	2	15	21	21	6	18	12	22	21	20	22	200
*Days with .04 in. or more.	16	0	11	18	17	4	15	7	17	19	12	14	150

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. T. HANNAFORD

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1699/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ashburton

in the County of Devon.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·59	·88	·19		·06	·22					·10	1·95	1
2	1·94	·03	1·54		·97	·83					·03	·33	2
3	·07	·12	·65		·04	06							3
4	·38	·05	·10		·19								4
5	·05	·02	1·01		·32					·01			5
6	·01	·60	·03		·37		·18		·01	·13			6
7	·02	·07	·03		·10		·08			·14		·02	7
8		·03			·06		·42			·01			8
9		·02			·12		·37	·02		·94	·01		9
10	·01	·14					·28	·03		1·58	·04		10
11	·03			·01			·19	·22		·03			11
12	·01			·23	·06	·20	·16	·07	·37			·01	12
13					·05	·01	·34	·18		·30	·05		13
14	·14						·18	·06		·19	·32		14
15	·69		·44				·41	·07		·06	·23		15
16			1·52			01				·09			16
17	·06	·14	·17			·10		·13	·32				17
18	·20		·27			·05					·02		18
19	·42	·01	·53			·10		·04	·20	·02	·67	·03	19
20		·03	·02		·01	·30		·02	·08	·01			20
21		·13				·29		·11		·23			21
22				·18		·05		·35	·72	·03	·02		22
23				·40		·11			·11	·67			23
24		1·56		·54					·20	·14			24
25		·90		·20	·02	·27			·59	·01		·16	25
26		·24		·13	·15					·04			26
27		03		·02						·41	·04	·34	27
28	·01	·33		·72	·09		·40		·01	·21		·12	28
29	·03	5·33					·01		·11			·03	29
30	·04	×	·23	·28			·16		·08			·07	30
31	·61	×	·21	×	·15	×			×	·11	×		31
TOTAL	5·31	5·33	6·94	2·71	2·76	2·60	3·18	1·30	2·80	5·36	1·53	3·06	YEAR'S TOTAL 42·88 ins.
*Days with ·01 in. or more.	19	19	15	10	16	14	13	12	12	22	11	10	173
*Days with .04 in. or more.	12	12	12	8	14	12	12	9	10	15	7	6	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. T. Hannaford.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1699/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ashburton

in the County of Devon

Diameter of Funnel of Gauge 5 ins.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 280 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07		·03			·05		1·23	·09		·43	1·40		1
2	·11		·03					·03	1·36	·03	·09	·38		2
3	·06									·69		·63		3
4	·20		·18		·50			·07	·11	·61		·85		4
5			·05	·05	·35	·10		1·42		·18	·03	1·25		5
6	·29		·47	·19	·64			·08	·07	·40	·06	·69		6
7	·14							·11		·43		1·41		7
8					·06				·06		·49	·73		8
9	·04		·44							·01	·56	·35		9
10	·55		72	·47			·11	·13			·07	·03		10
11	1·45			·57				·01				·90		11
12	·05				·18		·01	·20				·26		12
13	·89			·56		·01	·02				·68	·58		13
14	·85		·75	·11						·11	·10	·54		14
15	·27		·14	·06	·10				·03	·52	·11	·29		15
16	·35		·72	·02	·03			·01			·02	·41		16
17	·41		·10	·10	·03		·01		·40	·05		·72		17
18	·13		·29	·88		·08			·05			·81		18
19	·02		·28	·03		·05		·12	·07	·01		·37		19
20				·14	·03		·05		·21	·03		·06		20
21			·17	·01		·16	·08	·07		·73		·28		21
22	·07		·05	·01		·05	·29	·14	·38			·63		22
23	·09			·22		·88	·01	·01	·20	·03		·59		23
24		·18	·02	·05		·17		1·53	·25	·12		·14		24
25	·43			·30		·23			·03	·80		1·21		25
26	·07	·06	·02	·08		·20			·34	·02		·05		26
27				·02		·13		·04	·34	·05	·02	·60		27
28						·04		·53	·27	·03	·02	1·46		28
29								·07	·10	·04	·02	·15		29
30		×					·01	·08	·26	·09	·02	·87		30
31		×		×	·01	×		·06	×	·07	×	·03		31
TOTAL	6·54	·24	4·46	3·87	1·93	2·15	·59	5·94	4·72	5·05	2·72	18·67	Year's Total 56·89 ins.	
*Days with ·01 in. or more.	21	2	17	19	10	13	9	20	19	22	15	31	198	
*Days with .04 in. or more.	20	2	13	14	6	12	4	16	17	15	9	29	157	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. T. Hannaford.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1699/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ashburton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·01	·71	—	—	·27	·03	—	·31	·12	·05	·42		1
2	—	·02	·05	—	—	·22	·01	—	·09	·54	·04	·26		2
3	—	—	·14	—	·49	·33	—	—	·06	·41	·20	·11		3
4	—	·10	—	·10	·11	·23	—	—	·18	·07	·12	·48		4
5	·01	·34	Trace	·16	—	·17	—	—	·16	·18	—	·02		5
6	—	·04	—	·48	—	1·71	—	—	—	—	·11	·21		6
7	—	—	—	·44	—	·21	—	—	—	·45	·11	·05		7
8	—	—	—	·55	—	—	·01	—	·15	·08	·48	·04		8
9	—	—	—	1·16	—	·03	—	—	—	1·43	·50	—		9
10	·11	—	—	·04	—	·14	—	—	·02	—	—	—		10
11	·39	·03	—	·10	—	·64	—	—	·20	—	·73	·03		11
12	·02	·19	Snow ·39 48hrs	—	—	·30	—	·10	·12	—	·20	—		12
13	·02	·23	— 24hrs	·26	—	·07	—	—	—	·03	·38	—		13
14	—	·08	—	·20	—	·22	—	—	—	·02	1·99	·14		14
15	—	·21	—	1·16	·02	·43	—	—	·32	·02	·36	·14		15
16	—	·16	·27	·24	—	·04	—	—	·58	—	·68	·01		16
17	—	—	—	·10	·78	·34	·03	·16	·06	—	·06	—		17
18	—	·19	·02	·44	—	·02	·02	—	·72	·06	—	·24		18
19	—	·07	—	·12	·41	·05	·25	—	·11	·22	·70	—		19
20	—	·93	—	·76	·32	·02	—	—	—	·05	·09	—		20
21	—	1·03	—	·35	—	·01	—	—	·03	·04	—	—		21
22	—	·15	·08	·16	—	—	—	—	·03	·04	—	—		22
23	—	·16	·17	·02	·04	—	—	·26	·11	·28	—	·58		23
24	·05	1·11	—	·05	·11	—	—	·48	·53	05	—	·55		24
25	·44	·41	—	·05	·49	·26	—	·02	—	—	—	·19		25
26	—	·51	—	—	—	·11	—	·32	·15	—	·02	1·03		26
27	—	·28	—	—	—	—	—	·03	·08	·13	·09	·53		27
28	·01	·10	—	—	—	—	—	·03	·12	·06	·02	·04		28
29	—	×	—	—	·03	—	—	·02	·45	·03	·05	·98		29
30	·01	×	—	—	—	·09	—	1·13	·09	·23	1·53	1·05		30
31	—	×	—	×	·18	×	—	·07	×	1·17	×	·50		31
TOTAL	1·10	6·35	1·83	6·94	2·98	5·91	·35	2·62	4·67	5·71	8·51	7·60	Year's Total. 54·57 ins.	
* Days with .01 in. or more.	10	22	9	21	11	23	6	11	24	23	22	22	204	
* Days with .04 in. or more.	5	19	8	20	9	19	1	7	20	19	20	19	166	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. T. Hannaford.

[P.T.O.

File number 232378/133.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 16995

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Ashburton.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·10	·12	·42		·36	·40				·01	·03		1
2	·01			·16		·22	·28	·08	·12		·07	·02		2
3	·02		·06	·79		·01	·11	·02	1·08		·12	·02		3
4	·02		·05	·01		·05			·22		·04	·09		4
5	·59	·25	·11		·02		·11	·02	·07		·01	·31		5
6	·13		·08			·03	·65	·07	·58		·46	02		6
7	·17		·28			·01	·15		·07		·71	·03		7
8	·90		·54				·38				·83			8
9	·85	1·28	·41			·04	·31		·07		·13			9
10	·46					·01	·01		·01		·12	·01		10
11	·42	2 days fall. 1·03				·07		·02	·22		1·53	·05		11
12	·30			·21			·43	·01	·52		·06			12
13	·16		·01	·04			·12			·12	·18	1·91		13
14	·01	·07				·06	·74		·23	·04	·01	1·04		14
15							·08		·29		·32	1·07		15
16		·21			·24		·28		·07		·19	·40		16
17	·16	1·38			·04		·40			·05	·03	2·25		17
18	·43	·36	·15				·90					·28		18
19	·92		·57	·16		·37	·13	·09		·05				19
20	·11	·56	·50	·09		·04			·57			·05		20
21	·06	·12	·05	·93			·22			·01				21
22	·19	·27	·13		·02		·45					·03		22
23		·05	·02	·24	·14		·41			·09				23
24	·49		·12	·03	·56		·03		·17	·56		·02		24
25	·53		·46	·24			·13			·34				25
26	·48	·09	·22				·06		·02	·19				26
27	·71	·05	·14				·24		·02	·21				27
28	1·14		1·03			·02	·44					·52		28
29	·04	·03	·09			·09	·06			·02	·02	·23		29
30	·23	×	·02			·06				·02				30
31	·31	×	·89	×		×	·06		×		×	1·00		31
TOTAL	9·94	5·85	6·05	3·32	1·02	1·44	7·58	·31	4·33	1·70	4·84	9·38	Year's Total 55·76	
* Days with .01 in. or more.	28	16	23	12	6	15	27	7	17	12	18	21	202	
* Days with .04 in. or more.	24	15	20	10	4	10	26	3	14	9	13	13	161	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. T. Hannaford. [P.T.O.

File number 232378133.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1699/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ashburton.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 280 ft.

250 changes every year

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	·03	·03	·54	—	—	—	—	·07	·24	·01	·84		1
2	·11	2·28	·02	·32	—	—	—	—	·06	·02	—	Trace		2
3	—	·52	·07	·14	·23	—	·07	—	—	—	—	—		3
4	·11	1·44	—	—	·02	—	—	—	—	—	—	·61		4
5	·43	—	—	·15	·12	—	·22	—	—	—	—	·03		5
6	·12	·68	·69	·34	—	—	·09	—	—	—	—	·05		6
7	—	·98	·38	·09	—	·13	—	—	—	—	·09	·38		7
8	—	·02	—	—	—	·05	·04	—	—	—	—	·02		8
9	·15	·05	snow ·30	·25	48hrs ·92	—	·06	—	·50	·04	—	—		9
10	·57	·04	·86	·74	24hrs. ·02	·15	—	·04	—	—	—	·80		10
11	·12	—	·20	·34	·74	·06	·10	—	—	—	—	·04		11
12	1·73	·28	·11	·08	·41	·71	·03	·55	·12	—	—	·83		12
13	·02	·01	1·21	·20	—	—	—	·55	·02	—	—	—		13
14	—	—	·05	—	—	—	—	—	·08	—	—	·12		14
15	·53	·31	·23	·53	—	—	·01	—	·22	—	—	·20		15
16	·24	·18	·63	·02	—	—	·05	·07	·27	—	·60	—		16
17	1·10	·04	·66	—	—	—		—	·18	—	1·22	—		17
18	·30	·12	·18	·01	—	·22	·04	—	·04	—	·11	·04		18
19	·19	·13	·06	·25	·05	·01	—	—	·31	—	·01	·04		19
20	·71	·04	·63	·21	·91	—	—	—	·04	—		·86		20
21	1·15	·66	—	·02	·51	—	·03	—	·29	·13	·13	·09		21
22	·30	—	·10	—	—	·15	·05	—	·08	·68	·70	·33		22
23	·37	·33	—	—	48hrs ·78	—	·08	—	—	·24	·35	·06		23
24	·34	·72	·10	—	24hrs ·01	—	—	—	·03	1·05	—	·04		24
25	—	1·08	·62	—	—	—	—	—	·03	·10	—	Trace		25
26	—	·65	·02	—	·04	—	—	—	·01	—	—	·04		26
27	·20	·11	—	—	—	—	—	—	—	·62	—	—		27
28	·35	·59	—	—	—	·01	—	—	—	·06	·03	—		28
29	—	—	—	—	—	—	—	—	—	·30	·11	·02		29
30	48hrs ·67	✕	—	—	—	·02	—	—	—	·05	·27	—		30
31	24hrs ·34	✕	—	✕	—	✕	—	—	✕	·45	✕	—		31
TOTAL	10·35	11·29	7·15	4·23	4·06	1·51	·87	1·21	2·35	3·98	3·63	5·44	Year's Total 56·07	ins. ✓
* Days with .01 in. or more.	25	24	21	17	15	10	13	4	17	13	12	20	191	✓
* Days with .04 in. or more.	24	21	18	14	12	7	10	4	13	12	9	17	161	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. T. Hannaford. [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1699/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ashburton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	†	
1	—	·25	—	—	·01	·55	·23	·20	·02	·54	·02	·14		1
2	—	·03	—	·02	Trace	—	·09	—	—	·28	·02	·18		2
3	—	—	—	—	·11	—	—	+ —	—	1·41	·48	—		3
4	Trace	—	—	—	Trace	·06	·15	+ 5·57	—	·20	—	·42		4
5	·02	—	—	—	—	·04	·07	—	Trace	·59	—	·05		5
6	·25	—	—	—	—	·21	1·61	—	·01	·40	Trace	·35		6
7	·33	—	—	—	—	·04	·49	—	·09	·34	·01	·21		7
8	·84	·03	—	—	—	—	·08	·02	—	·83	Trace	·03		8
9	·23	·10	—	—	—	—	—	·37	—	Trace	·04	1·02		9
10	·57	·01	—	—	—	—	·05	—	—	—	—	·41		10
11	·25	·01	—	—	—	—	·08	·01	—	—	·55	1·00		11
12	1·32	—	—	—	·65	·01	·01	—	—	·42	1·38	·01		12
13	·17	—	—	—	·43	—	—	Trace	—	·21	·45	1·00		13
14	1·67	—	—	—	·23	—	·36	—	—	—	Trace	—		14
15	·86	—	—	—	·37	—	—	Trace	—	·32	·24	·51		15
16	·95	Trace	·11	—	—	—	—	·02	—	Trace	·24	—		16
17		·26	·01	—	·25	—	—	—	·38	·35	·01	·18		17
18	·46	—	—	—	·20	·01	—	·25	·21	·06	·51	—		18
19		—	—	—	—	—	—	·28	·47	—	·80	—		19
20	·02	—	—	—	—	—	—	·20	Trace	—	·30	—		20
21	·04	—	—	—	—	—	—	—	·16	—	·27	—		21
22	·03	—	—	·03	—	·02	—	·46	—	·12	·48	·09		22
23	·01	—	—	·11	—	—	—	·04	—	—	·17	·01		23
24	·02	—	·05	—	·02	—	·03	·04	·05	—	·61	—		24
25	·21	·89	·02	—	·08	—	·98	—	·01	·03	2·37	Trace		25
26	·34	·47	Trace	—	·52	·10	·10	—	—	·21	·04	·08		26
27	·14	·07	—	—	·15	·22	·75	·49	—	·10	·61	—		27
28	·38	·18	—	—	·02	·39	—	·88	·02	—	Trace	Trace		28
29	·29	×	—	—	·76	—	·06	—	·21	·20	·76	·01		29
30	·05	✕	—	—	·05	·07	·12	—	·16	—	·35	·04		30
31	·67	✕	—	✕	·28	✕		—	✕	·33	✕	·56		31
TOTAL	10·12	2·30	·19	·16	4·13	1·72	4·56	8·83	1·79	6·94	10·71	6·30	Year's Total 57·75 ins.	
* Days with .01 in. or more.	25	11	4	3	16	12	17	~~14~~ 15	12	19	23	20	~~176~~ 177	
* Days with .04 in. or more.	20	7	2	1	13	9	15	~~11~~ 12	8	18	19	16	~~139~~ 140	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W.T. Hannaford. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 169915.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Ashburton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·24	—	·13	·08	Trace	—	—	·22	—	—	·55	·35		1
2	·10	—	Trace	·42	—	—	·04	·13	·44	—	·16	·10		2
3	·51	—	·08	·79	—	—	—	·03	·02	—	·45	·61		3
4	·02	—	1·25	·27	·45	—	·30	Trace	—	1·15	·27	·33		4
5	—	—	·01	·11	—	—	·53	—	—	·33	1·44	·04		5
6	·56	—	·08	·11	—	—	2·38	·06	—	·08	·24	—		6
7	·07	·64	Trace	—	—	—	·07	·05	—	—	·51	1·01		7
8	·15	·62	·07	—	·03	Trace	·27	·01	—	1·63	·55	·28		8
9	·05	·01	·01	—	—	—	—	·13	—	·11	·22	·40		9
10	·31	—	·05	—	—	Trace	—	·16	·03	·28	·06	·29		10
11	—	·05	·03	—	—	Trace	—	—	—	·19	—	·03		11
12	·01	·07	—	·06	—	—	—	—	·04	Trace	·05	Trace		12
13	—	—	—	·28	—	·03	·54	—	·07	1·03	·15	—		13
14	2·15	—	—	·02	·03	·06	·39	—	—	·08	·46	·07		14
15	·93	—	—	·04	·04	1·05	·38	—	—	—	·20	·08		15
16	·27	—	Trace	·11	—	—	·23	—	—	—	·30	—		16
17	1·18	·06	—	—	·01	·29	·37	—	—	—	·05	·01		17
18	Trace	Trace	·02	—	—	·01	·46	—	—	—	·91	·09		18
19	·58	·02	—	—	—	—	·35	·25	—	—	Trace	·14		19
20	·52	—	—	—	·01	·19	·62	·72	—	—	—	·01		20
21	·06	·61	·15	—	—	·69	·07	·02	—	—	—	—		21
22	1·40	·44	·16	·01	—	·66	·29	—	·02	—	·41	—		22
23	·02	·01	·02	·43	—	·03	·07	—	—	·02	2·05	—		23
24	1·05	·03	·24	·05	—	·59	·26	·01	—	·02	—	—		24
25	·68	·15	—	·25	—	Trace	·05	·09	—	·03	·98	—		25
26	·07	·03	—	·02	—	·05	·02	·44	—	·20	70	02		26
27	—	·31	—	·01	—	·13	·03	·23	—	—	·34	—		27
28	·02	·15	—	·28	—	·15	·39	—	—	—	·31	Trace		28
29	·05	×	—	·09	—	·13	·47	—	—	·25	·03	—		29
30	—	×	·04	·28	—	·01	·01	·19	—	·53	·10	—		30
31	—	×		×	—	×	·04	·28	×	·82	×	·02		31
TOTAL	11·00	3·20	2·34	3·71	·57	4·07	9·63	3·02	·62	6·75	11·49	3·88	Year's Total 60·28 ins.	
* Days with .01 in. or more.	24	15	15	20	6	15	25	17	6	16	25	18	[illegible] days.	
* Days with .04 in. or more.	20	10	10	16	2	11	22	13	3	13	24	13	157. (202 days)	

† Spare column, no entries required.

(*Signed*) W. T. Hannaford

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 169915.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Ashburton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·13	—	·02	·12	—	—	—	—	—	·15	—		1
2	—	·47	—	·29	—	—	—	—	—	—	1·47	·13		2
3	·08	1·04	—	·01	—	—	—	—	—	·12	1·21	·10		3
4	—	·23	—	·11	—	—	·04	—	—	·28	·26	·02		4
5	·02	—	—	—	—	—	Trace	—	—	·15	·61	·29		5
6	·77	1·13	—	—	—	—	·07	—	—	1·00	·03	·36		6
7	·04	·02	—	—	—	—	·01	—	Trace	·06	—	·05		7
8	—	·10	—	—	—	—	·04	—	—	·49	·41	·39		8
9	—	Trace	—	—	—	—	·85	·05	Trace	·37	·78	·30		9
10	—	·01	—	—	—	—	·20	Trace	·01	·06	·11	·55		10
11	—	—	·03	·02	—	—	·34	—	—	—	2·05	·07		11
12	—	—	·55	—	—	·10	·35	—	·39	—	·29	—		12
13	—	—	·34	·01	—	—	·04	—	·04	·55	1·68	·54		13
14	—	·02	·05	·08	·05	—	·27	—	·23	·58	·02	·87		14
15	Trace	·04	—	·05	—	·02	·19	—	·08	·05	·55	·01		15
16	·11	1·54	·76	·07	—	Trace	·06	—	·35	·27	·37	·02		16
17	—	·39	·71	·03	—	—	·07	—	—	—	·04	—		17
18	4 ins snow ·44	·49	·95	·88	—	—	—	—	·02	·16	·03	·07		18
19	—	·04	·38	·25	—	—	·15	—	·73	Trace	·78	—		19
20	—	—	·01	·05	—	—	Trace	·02	—	·18	·22	—		20
21	—	·01	—	Trace	·12	Trace	—	—	—	·01	1·18	—		21
22	—	·05	·16	·10	—	·54	—	—	·11	·02	·01	—		22
23	—	·07	·28	·11	·10	—	Trace	—	—	·06	·05	—		23
24	·01	—	·08	—	Trace	Trace	·32	—	—	—	—	—		24
25	·24	—	·22	·12	·41	·06	—	—	—	—	—	—		25
26	·74	1·15	—	·03	·27	·01	·04	—	—	—	·01	—		26
27	·56	·35	·01	1·12	·71	—	—	—	—	—	·02	—		27
28	·80	·10	·01	·05	·05	—	—	—	—	—	—	—		28
29	·42	·13	·43	1·26	—	·01	—	—	—	·13	—	·31		29
30	—	×	—	·16	Trace	—	—	—	—	1·09	·01	·21		30
31	04	×	·20	×	—	×	—	—	×	1·34	×	1·30		31
TOTAL	4·27	7·51	5·17	4·82	1·83	·74	3·04	·07	1·96	6·97	12·34	5·59	Year's Total 54·31 ins.	
* Days with .01 in. or more.	13	21	17	21	8	6	16	2	9	20	25	18	176	
* Days with .04 in. or more.	11	17	13	17	8	3	15	1	7	18	18	15	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. T. Hannaford.

[P.T.O.

ASHBURTON (T

1699/9
ASHBURTON, THE VICARAGE
1939. 1940
780306

Section **A** for the entry of I

AIR MINISTRY

Station No. 1699/9

ALL ORGANIZATION

FORM 1090

REGIS

39

Kept at The Vicarage, ash

in the County of Devon

Diameter of Funnel of Gauge.........

Height of top of Gauge above Grou

,, Ground ,, Sea I

4/39

THE MORNING MEASURE US DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	-	·15	·08	-	-	-	·24	-	-	·57	·29		1
2	·08	-	-	·43	-	-	·05	·13	·44	-	·17	·06		2
3	·51	-	·09	·79	-	-	·02	-	·03	-	·45	·60		3
4	·01	-	1·20	·27	·43	-	·29	·04	-	1·10	·26	·32		4
5	-	-	-	·11		-	·56	-	-	·34	1·36	·25		5
6	·55	-	·11	·11	-	-	2·10	·05	-	·09	·18	-		6
7	·08	·70	-	-	-	-	·08	·05	-	-	·44	·95		7
8	·16	·40	·09	-	·03	-	·25	·03	-	1·63	·50	·15		8
9	·04	·06	·03	-	-	-	-	·16	-	·07	·22	·34		9
10	·30	-	·04	-	-	-	-	·10	·03	·29	·05	·30		10
11	-	·05	·04	-	-	-	-	-	-	·19	-	·03		11
12	-	·08	-	·11	-	-	-	-	·05	-	·04	-		12
13	-	-	-	·21	-	·04	·47	-	·05	·95	·13	·04		13
14	1·98	-	-	·04	·04	·06	·41	-	-	·08	·41	·04		14
15	1·10	-	-	·01	·05	1·01	·38	-	-	-	·25	-		15
16	·20	-	-	·15	-	-	·25	-	-	-	·24	·08		16
17	1·10	·06	-	-	·01	·27	·45	-	-	-	·06	-		17
18	-	·02	·03	-	-	·02	1·44	-	-	-	·88	·14		18
19	·58	-	-	-	-	-	·37	-	-	-	-	·06		19
20	·55	-	-	-	·02	·19	·68	-	-	-	-	-		20
21	·03	·58	·15	-	-	·70	·08	·25	-	-	-	-		21
22	1·33	·40	·17	-	-	·54	·27	·75	·02	-	·40	-		22
23	·03	·02	·03	·49	-	·03	·07	-	-	-	1·81	-		23
24	1·18	-	·24	·04	-	·55	·28	-	-	·03	-	-		24
25	·55	·20	-	·26	-	-	·05	·55	-	·04	·84	-		25
26	·06	·04	-	·03	-	·07	·03	·08	-	·20	·74	-		26
27	-	·31	-	-	-	·13	·03	·24	-	-	·16	-		27
28	-	·12	-	·25	-	·15	·34	-	-	-	·30	-		28
29	·04	-	-	·10	-	·14	·38	-	-	·29	·04	-		29
30	-	✕	·04	·26	-	·03	·02	·15	-	·52	·10	-		30
31	-	✕	-	✕	-	✕	·05	·26	✕	·77	✕	-		31
													Year's Total	
TOTAL	10·71	3·04	2·41	3·74	·58	3·93	9·40	3·08	·62	6·59	11·04	3·65	58·79	Print WH
* Days with .01 in. or more.	22	14	14	18	6	15	26	15	6	15	25	15	191	
* Days with .04 in. or more.	19	12	11	16	3	12	22	14	3	14	25	14	165	✓

Mrs. E. STALLARD

* See Instruction 3 (f) on other side.

† Space column, no entries required.

(Signed) E. Stallard MRS E. STALLARD

P.T.O.

ASHBURTON (T

Section **A** for the entry of Daily Observations

Station No. 1699/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Vicarage, Ashburton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 5½ in.

,, Ground ,, Sea Level ....ft.

f 865664/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	-	·15	·08	-	-	-	·24	-	-	·51	·29		1
2	·08	-	-	·43	-	-	·05	·13	·44	-	·17	·06		2
3	·51	-	·09	·79	-	-	·02	-	·03	-	·45	·60		3
4	·01	-	1·20	·27	·43	-	·29	·04	-	1·10	·26	·32		4
5	-	-	-	·11	-	-	·56	-	-	·34	1·36	·25		5
6	·55	-	·11	·11	-	-	2·10	·05	-	·09	·18	-		6
7	·08	·70	-	-	-	-	·08	·05	-	-	·44	·95		7
8	·16	·40	·09	-	·03	-	·25	·03	-	1·63	·50	·15		8
9	·04	·06	·03	-	-	-	-	·16	-	·07	·22	·34		9
10	·30	-	·04	-	-	-	-	·10	·03	·29	·05	·30		10
11	-	·05	·04	-	-	-	-	-	-	·19	-	·03		11
12	-	·08	-	·11	-	-	-	-	·05	-	·04	-		12
13	-	-	-	·21	-	·04	·47	-	·05	·95	·13	·04		13
14	1·98	-	-	·04	·04	·06	·41	-	-	·08	·41	·04		14
15	1·10	-	-	·01	·05	1·01	·38	-	-	-	·25	-		15
16	·20	-	-	·15	-	-	·25	-	-	-	·24	·08		16
17	1·10	·06	-	-	·01	·27	·45	-	-	-	·06	-		17
18	-	·02	·03	-	-	·02	1·44	-	-	-	·88	·14		18
19	·58	-	-	-	-	-	·37	-	-	-	-	·06		19
20	·55	-	-	-	·02	·19	·68	-	-	-	-	-		20
21	·03	·58	·15	-	-	·70	·08	·25	-	-	-	-		21
22	1·33	·40	·17	-	-	·54	·27	·75	·02	-	·40	-		22
23	·03	·02	·03	·49	-	·03	·07	-	-	-	1·81	-		23
24	1·18	-	·24	·04	-	·55	·28	-	-	·03	-	-		24
25	·55	·20	-	·26	-	-	·05	·53	-	·04	·84	-		25
26	·06	·04	-	·03	-	·07	·03	·08	-	·20	·74	-		26
27	-	·31	-	-	-	·13	·03	·24	-	-	·16	-		27
28	-	·12	-	·25	-	·15	·34	-	-	-	·30	-		28
29	·04	-	-	·10	-	·14	·38	-	-	·29	·04	-		29
30	-	✕	·04	·26	-	·03	·02	·15	-	·52	·10	-		30
31	-	✕	-	✕	-	✕	·05	·26	✕	·77	✕	-		31
TOTAL	10·71	3·04	2·41	3·74	·58	3·93	9·40	3·08	·62	6·59	11·04	3·65	Year's Total 58·79	Print WH
* Days with .01 in. or more.	22	14	14	18	6	15	26	15	6	15	25	15	191	
* Days with .04 in. or more.	19	12	11	16	3	12	22	14	3	14	25	14	165	✓

Mrs. E. STALLARD

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) E. Stallard MRS E STALLARD

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1699/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930.

Kept at The Vicarage, Ashburton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 5½ in.

,, Ground ,, Sea Level ft.

? Snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·14		·03	·18						·16			1
2	-	·41		·29							1·47	·13		2
3		1·05		·03						·12	1·17			3
4		·25		·12			·05			·27	·30	·13		4
5	·03									·14	·51	·28		5
6	·75	1·11					·02			·88	·04	·39		6
7	·05	·03					·07			·05		·04		7
8		·09					·05			·48	·69	·43		8
9							·78	·04		·32		·28		9
10							·23		·39	·07	·58	·58		10
11			·02				·42				1·84	·07		11
12			·51			·10	·31				·28			12
13			·37				·04		·15	·54	1·61	·75		13
14		SNOW	·04	·10	·05		·31		·25	·52	·03	·56		14
15		·09		·04		·02	·19		·09	·05	·56	·02		15
16	SNOW 4	·86	·74	·06			·06		·29	·29	·38			16
17		·95	·78	·05			·08		·07		·03			17
18	SNOW	·59	·83	·82			no trace			·16	·05	·10		18
19	4 ·45	·05	·37	·26			·14		·64	·04	·65			19
20			·02	·07			·01	·02		·16	·20			20
21		·02	·02		·11						1·05			21
22		·05	·15	·20		·55			·13	·03				22
23		·08	·24	·03	·11		·07			·06	·07			23
24			·10		·01		·26							24
25	·63		·22	·12	·42	·05								25
26	·45	1·05		·04	·24		·05				·01			26
27	·46	·28		1·36	·69						·03			27
28	Snow. ·72	·12		·05	·05									28
29	·05	·11	·40	1·40		·01				·14		·27		29
30		✕		·02						·95		·25		30
31	·38	✕	·18	✕		✕			✕	1·11	✕	Snow. ·65		31
													Year's Total	
TOTAL	4·05	7·33	4·99	5·09	1·86	·73	3·14	·06	2·01	6·38	11·71	4·93	52·28	
* Days with .01 in. or more.	~~11~~ 12	19	16	19	9	5	18	2	8	20	22	16	16~~5~~ 6	
* Days with .04 in. or more.	~~10~~ 11	17	13	15	8	3	16	1	8	19	18	15	14~~3~~ 4	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. B. Stallard

[P.T.O.

1700

Section **A** for the entry of D

AIR MINISTRY.

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

31 .

1700

ASHBURTON, HELE HOUSE

1931—35

7P0306

Kept at Hel. Hous

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground.

,, Ground ,, Sea Le

THE MORNING MEASUREMENT AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	03	01	1·08	03	01	—	—	40	—	—	—	1
2	·46	02	—	44	—	—	—	—	49	04	49	59	2
3	·20	—	96	—	—	—	07	—	14	01	2·15	31	3
4	—	—	35	—	07	64	39	01	04	—	02	05	4
5	—	58	44	01	01	55	15	02	—	—	02	81	5
6	—	10	—	—	08	23	17	—	—	31	·16	53	6
7	—	03	—	—	22	22	33	08	—	10	1·30	04	7
8	·02	30	—	18	—	39	05	—	—	—	25	05	8
9	·04	49	—	—	—	24	15	—	—	02	67	—	9
10	—	09	—	—	10	11	05	01	24	—	1·34	—	10
11	·18	81	—	—	—	64	06	—	—	—	56	—	11
12	—	27	—	—	03	—	28	—	02	32	—	—	12
13	—	20	05	—	14	02	32	15	—	02	—	—	13
14	03	09	05	—	05	13	68	17	02	—	49	—	14
15	—	14	02	01	25	—	01	47	—	—	—	02	15
16	03	32	—	06	21	1·10	02	06	14	—	—	04	16
17	03	18	—	09	—	—	28	02	03	—	—	—	17
18	02	02	02	24	—	27	10	1·79	—	—	—	—	18
19	04	04	13	12	—	39	03	07	—	01	70	—	19
20	03	10	45	—	—	—	—	57	—	01	25	—	20
21	49	03	07	—	24	—	—	—	—	11	02	—	21
22	1·22	08	04	12	30	—	—	—	—	—	04	—	22
23	43	03	—	60	88	—	—	15	—	—	1·35	—	23
24	52	—	02	1·17	20	22	74	91	—	—	15	—	24
25	13	03	—	23	06	—	18	—	—	—	49	—	25
26	04	12	—	15	—	—	25	—	—	—	69	—	26
27	21	25	—	—	53	—	09	—	—	02	12	—	27
28	12	28	20	03	05	—	—	12	—	—	03	19	28
29	05	—	19	—	14	—	08	33	—	—	05	19	29
30	11	×	—	—	10	—	03	02	10	—	—	—	30
31	1·30	×	32	×	18	×	08	—	×	—	×	19	31
TOTAL	5·70	4·53	3·32	4·51	3·85	5·15	4·59	4·95	1·62	·97	11·61	3·01	YEAR'S TOTAL 53·81
*Days with ·01 in. or more.	22	25	16	15	20	15	24	17	10	11	22	12	209
*Days with ·04 in. or more.	16	18	12	13	18	13	20	12	7	5	18	11	173

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

1700

Section **A** for the entry of D[redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hd. House, Ashburton

in the County of Devon, S.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	03	01	1.08	03	01	–	–	40	–	–	–	1
2	·46	02	–	44	–	–	–	–	49	04	49	59	2
3	·20	–	96	–	–	–	07	–	14	01	2.15	31	3
4	–	–	35	–	07	64	39	01	04	–	02	05	4
5	–	58	44	04	01	55	15	02	–	–	02	81	5
6	–	10	–	–	08	23	17	–	–	31	·16	·53	6
7	–	03	–	–	22	22	33	08	–	10	1·30	04	7
8	·02	30	–	18	–	39	05	–	–	–	25	05	8
9	·04	49	–	–	–	74	15	–	–	02	67	–	9
10	–	09	–	–	10	13	05	01	24	–	1·34	–	10
11	·18	81	–	–	–	57	06	–	–	–	·56	–	11
12	–	27	–	–	03	–	28	–	02	32	–	–	12
13	–	20	05	–	14	02	32	15	–	02	–	–	13
14	03	09	05	–	05	13	68	17	02	–	49	–	14
15	–	14	02	01	25	–	01	47	–	–	–	02	15
16	03	22	–	06	21	1.10	02	06	14	–	–	04	16
17	03	18	–	09	–	–	28	02	03	–	–	–	17
18	02	02	02	24	–	27	10	1.79	–	–	–	–	18
19	04	04	13	12	–	39	03	07	–	01	70	–	19
20	03	10	45	–	–	–	–	57	–	01	25	–	20
21	49	03	07	–	24	–	–	–	–	11	02	–	21
22	1·22	08	04	12	30	–	–	–	–	–	04	–	22
23	43	03	–	60	88	–	–	15	–	–	1·35	–	23
24	52	–	02	1·17	20	22	74	91	–	–	15	–	24
25	13	03	–	23	06	–	18	–	–	–	49	–	25
26	04	12	–	15	–	–	25	–	–	–	69	–	26
27	21	25	–	–	53	–	09	–	–	02	12	–	27
28	12	28	20	03	05	–	–	12	–	–	03	19	28
29	05	–	19	–	14	–	08	33	–	–	05	19	29
30	11	×	–	–	10	–	03	02	10	–	–	–	30
31	1·30	×	32	×	18	×	08	–	×	–	×	19	31
													YEAR'S TOTAL
TOTAL	5·70	4·53	3·32	4·51	3·85	5·15	4·59	4·95	1·62	·97	11·61	3·01	53·81
*Days with ·01 in. or more.	22	25	16	15	20	15	24	17	10	11	22	12	209
*Days with ·04 in. or more.	16	18	12	13	18	13	20	12	7	5	18	11	172

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1700

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hele House, Ashburton

in the County of Devonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	–	–	22	–	–	9	20	2	–	–	4	1
2	5	–	14	17	–	–	–	–	15	–	–	51	2
3	–	–	3	–	–	73	3	–	62	6	5	3	3
4	10	–	–	–	–	19	10	4	–	–	37	–	4
5	128	–	6	–	–	–	–	–	17	–	–	–	5
6	116	–	5	44	–	–	7	–	37	1	–	–	6
7	18	–	4	8	20	–	2	–	105	172	–	–	7
8	2	–	33	8	9	–	–	–	26	10	–	–	8
9	293	2	–	37	5	–	–	1	2	–	2	–	9
10	68	–	–	35	5	–	–	–	5	42	–	2	10
11	7	–	3	16	11	–	–	–	7	3	–	55	11
12	200	–	–	–	98	–	3	–	2	37	2	3	12
13	14	–	–	39	18	–	12	27	–	100	2	35	13
14	46	–	–	6	33	–	–	2	–	7	3	3	14
15	8	–	–	15	8	–	16	–	–	–	2	7	15
16	52	–	–	14	–	–	46	–	–	–	1	1	16
17	2	–	–	3	10	–	–	–	1	5	–	3	17
18	2	–	–	7	70	–	–	–	2	–	19	2	18
19	3	–	–	4	45	–	–	–	12	46	14	–	19
20	4	–	–	2	85	–	–	6	6	140	17	27	20
21	3	–	2	16	–	–	–	85	11	72	6	25	21
22	–	–	–	2	3	–	8	18	69	66	48	21	22
23	–	–	–	–	–	–	8	2	18	69	6	29	23
24	–	4	–	–	–	–	68	–	17	8	9	–	24
25	–	–	54	–	6	–	16	–	8	50	23	2	25
26	–	–	34	10	2	–	25	–	–	18	13	–	26
27	–	–	65	70	9	–	13	–	–	46	5	28	27
28	–	–	8	15	14	–	18	–	–	–	1	11	28
29	–	–	107	25	3	87	3	66	92	94	29	77	29
30	–	×	10	13	3	296	26	1	88	17	183	2	30
31	–	×	24	×	18	×	4	–	×	1	×	88	31
TOTAL	9·91	·06	3·72	4·21	4·75	4·75	2·97	2·32	6·04	10·10	4·27	4·79	YEAR'S TOTAL 57·89
*Days with ·01 in. or more.	20	2	15	22	21	4	19	11	22	22	21	22	201
*Days with .04 in. or more.	15	1	11	19	17	4	15	7	17	19	14	13	152

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. M. Dowson

P.T.O.

1700

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1700

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hele House, Ashburton
in the County of Devonshire

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 350' ft.

J.W.G. 26/1/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·58	·83	·20	—	·6	·17	—	—	—	—	·12	1·90		1
2	1·85	·05	1·60	—	·98	·90	—	—	—	—	·03	·22		2
3	·12	·11	·62	—	·6	·05	—	—	—	—	—	—		3
4	·36	·07	·12	—	·19	—	—	—	—	—	—	—		4
5	·05	·02	1·04	—	·35	—	—	—	·01	·01	—	—		5
6	·02	·60	·05	—	·34	—	·20	—	—	·12	—	—		6
7	·02	·09	·04	—	·12	—	·08	—	—	·16	—	·02		7
8	—	·03	—	—	·07	—	·40	—	—	—	—	—		8
9	—	·03	—	—	·14	—	·39	·03	—	1·19	·02	—		9
10	·01	·10	·01	—	—	—	·28	·04	—	1·41	·04	—		10
11	·03	—	—	·03	—	—	·16	·15	—	·04	—	—		11
12	—	—	—	·20	·07	·20	·25	·04	·37	—	—	—		12
13	—	—	—	—	·06	—	·23	·41	—	·44	·05	—		13
14	·29	—	—	—	—	—	·22	·05	—	·14	·39	—		14
15	·61	—	·53	—	—	—	·37	·07	—	·06	·18	—		15
16	—	—	1·55	—	—	—	—	—	·03	·08	—	—		16
17	·8	·12	·18	—	—	·12	—	·14	·30	—	—	—		17
18	·19	—	·29	—	—	·07	—	—	·14	—	·02	—		18
19	·44	·02	·60	—	—	·12	—	·05	·17	·02	·65	—		19
20	—	·04	·03	—	·01	·15	—	·01	·09	—	—	—		20
21	—	·11	—	—	—	·28	—	·10	—	·24	—	—		21
22	—	—	—	·20	—	·05	—	·33	·67	·04	·02	—		22
23	—	1·19	—	·40	—	·10	—	—	·13	·78	—	—		23
24	—	·39	—	·49	—	—	—	—	·19	·08	—	—		24
25	—	·68	—	·25	·03	·37	—	—	·52	—	—	·20		25
26	—	·29	—	·13	·13	—	—	—	—	·09	—	—		26
27	—	·06	—	·07	—	—	—	—	—	·36	·03	·39		27
28	—	·35	—	·76	·10	—	·38	—	·02	·20	—	·12		28
29	·03	—	—	—	—	—	—	—	·10	—	—	·03		29
30	·03	×	·20	·23	—	—	·15	—	·07	—	—	·07		30
31	·64	×	·25	×	·17	×	—	—	×	·13	×	—		31
TOTAL	5·35	5·18	7·31	2·76	2·88	2·58	3·11	1·42	2·81	5·59	1·55	2·95	Year's Total 43	·49
*Days with ·01 in. or more.	17	20	16	10	16	12	12	12	14	19	11	8	167	
*Days with ·04 in. or more.	11	16	14	9	14	12	12	10	11	17	6	6	138	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Sylvia Dowson.

[P.T.O.

ASHBURTON (MELROSE)

512076=36

1700/5

ASHBURTON, MELROSE

1936 – 38

780307

Section **A** for the entry of Da

AIR MINISTRY.–

Station No. 1700/5

L ORGANIZATION

FORM 1090

REGIST

6

Kept at Melrose - Ash

from sur. stns.

in the County of Devon

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREME S DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

commenced reading 8

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.14	.36	—	.35	.37	.05	—	—	.01	.03		1
2			—	.18	—	.19	.32	.01	.52	—	.10	.01		2
3		(2.50)	.06	.81	—	.01	.05	.02	.67	—	.07	.01		3
4			.04	.02	T.	.09	T.	T.	.30	—	.06	.18		4
5			.10	—	.02	—	.20	.07	.01	—	.01	.24		5
6			.12	—	—	.02	.65	.02	.57	—	.45	.02		6
7			.27	—	—	.01	.04	—	.07	—	.78	.03		7
8			.60	—	—	—	.48	—	.02	—	.90	—		8
9			.39	—	—	—	.25	—	.04	—	.21	—		9
10			—	—	—	T.	.01	.01	T.	—	.18	—		10
11			T.	—	T.	.07	.09	.02	.23	—	1.35	.07		11
12			—	.24	—	—	.40	T.	.42	—	.07	—		12
13		T.	.01	.01	—	—	.10	T.	T.	—	.19	1.95		13
14		.05	—	—	T.	.05	.77	T.	.21	.08	.01	.94		14
15		T.	—	—	.04	T	.12	—	.24	.02	.31	.91		15
16		.23	—	T.	.19	—	.28	—	.20	—	.20	.47		16
17		1.30	—	T.	.03	T.	.51	—	—	.06	.02	1.92		17
18		.35	.16	—	—	.36	.93	.01	—	.04	T.	.18		18
19		T.	.54	.22	—	.04	.13	.05	—	.01	—	—		19
20		.60	.33	.09	—	.05	.01	T	.62	—	—	.03		20
21		.32	.08	.84	—	T.	.18	T.	.01	.02	—	T.		21
22		.16	.08	T.	.03	T.	.64	—	T.	—	—	.02		22
23		.03	.02	.26	.24	—	.23	—	T.	.08	T.	—		23
24		—	.13	.03	.51	—	.02	—	.23	.52	—	.01		24
25		—	.49	.23	—	—	.11	—	T.	.37	T.	T		25
26		.07	.19	T.	T.	—	.06	—	.03	.13	—	—		26
27		.04	.11	—	—	—	.22	—	.01	.22	—	—		27
28		.01	1.04	—	—	.01	.63	—	—	.01	—	.48		28
29		.03	.07	—	—	.10	.01	—	—	.02	.01	.32		29
30		✕	.01	—	T.	.10	T.	—	—	.01	T.	.01		30
31		✕	.90	✕	.03	✕	.06	—	✕	T.	✕	1.03	(55.21)	31 d
TOTAL	(9.90)	(5.69 ~~5.85~~)	5.88	3.29	1.09	1.45	7.87	.26	4.40	1.59	4.93	8.86	Year's Total (55.21)	Print
* Days with .01 in. or more.	(28)	(16)	23.	12.	8.	14.	29	9	18	14	18	21	(210)	Print
* Days with .04 in. or more.	(23)	(14)	20.	9.	4.	10.	25	3	13	8	13	12	(154)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(*Signed*) H G Brown [P.T.O.

H: G. BROWN

ASHBURTON (MELROSE)

~~COPY FOR OFFICIAL USE~~ 512076-36

Section A for the entry of Daily Observations

Station No. 1700/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Melrose - Ashburton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

Jan & Feb totals & days est. from sur. stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			.14	.36	—	.35	.37	.05	—	—	.01	.03		1
2			—	.18	—	.19	.32	.01	.52	—	.10	.01		2
3		(2.50)	.06	.81	—	.01	.05	.02	.67	—	.07	.01		3
4		commenced reading 13	.04	.02	T.	.09	T.	T.	.30	—	.06	.18		4
5			.10	—	.02	—	.20	.07	.01	—	.01	.24		5
6			.12	—	—	.02	.65	.02	.57	—	.45	.02		6
7			.27	—	—	.01	.04	—	.07	—	.78	.03		7
8			.60	—	—	—	.48	—	.02	—	.90	—		8
9			.39	—	—	—	.25	—	.04	—	.21	—		9
10			—	—	—	T.	.01	.01	T.	—	.18	—		10
11			T.	—	T.	.07	.09	.02	.23	—	1.35	.07		11
12			—	.24	—	—	.40	T.	.42	—	.07	—		12
13		T.	.01	.01	—	—	.10	T.	T.	—	.19	1.95		13
14		.05	—	—	T.	.05	.77	T.	.21	.08	.01	.94		14
15		T.	—	—	.04	T	.12	—	.24	.02	.31	.91		15
16		.23	—	T.	.19	—	.28	—	.20	—	.20	.47		16
17		1.30	—	T.	.03	T.	.51	—	—	.06	.02	1.92		17
18		.35	.16	—	—	.36	.93	.01	—	.04	T.	.18		18
19		T.	.54	.22	—	.04	.13	.05	—	.01	—	—		19
20		.60	.33	.09	—	.05	.01	T	.62	—	—	.03		20
21		.32	.08	.84	—	T.	.18	T.	.01	.02	—	T.		21
22		.16	.08	T.	.03	T.	.64	—	T.	—	—	.02		22
23		.03	.02	.26	.24	—	.23	—	T.	.08	T.	—		23
24		—	.13	.03	.51	—	.02	—	.23	.52	—	.01		24
25		—	.49	.23	—	—	.11	—	T.	.37	T.	T		25
26		.07	.19	T.	T.	—	.06	—	.03	.13	—	—		26
27		.04	.11	—	—	—	.22	—	.01	.22	—	—		27
28		.01	1.04	—	—	.01	.63	—	—	.01	—	.48		28
29		.03	.07	—	—	.10	.01	—	—	.02	.01	.32		29
30		✕	.01	—	T.	.10	T.	—	—	.01	T.	.01		30
31		✕	.90	✕	.03	✕	.06	—	✕	T.	✕	1.03	(55.21)	31 d
TOTAL	(9.90)	(5.69 ~~5.85~~)	5.88	3.29	1.09	1.45	7.87	.26	4.40	1.59	4.93	8.86	Year's Total (55.21)	Print
* Days with .01 in. or more.	(28)	(16)	23.	12.	8.	14.	29	9	18	14	18	21	(210)	Print
* Days with .04 in. or more.	(23)	(14)	20.	9.	4.	10.	25	3	13	8	13	12	(154)	

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) H G Brown [P.T.O.

H. G. BROWN

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1700/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Melrose. Ashburton.

in the County of Devon.

Diameter of Funnel of Gauge 5. in.

Height of top of Gauge above Ground I. ft. -- in.

,, Ground ,, Sea Level 400. ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	.02	.02	.52	--	--	.02	Tr.	.06	.I4	Tr.	.84		1
2	.II	2.I3	.03	.27	--	--	--	--	.05	Tr.	--	.02		2
3	Tr.	.53	.05	.II	.23	.0I	.05	--	--	--	--	Tr.		3
4	.09	I.36	Tr.	Tr.	.0I	--	Tr.	--	--	--	Tr.	.65		4
5	.46	Tr.	--	.I4	Tr.	--	.29	--	--	--	Tr.	.04		5
6	.I0	.79	.70	.35	.07	--	.02	--	--	--	Tr.	.II		6
7	--	.77	.35	.06	Tr.	.I2	--	--	Tr.	--	--	.3I		7
8	--	.03	--	Tr.	.80	.04	.08	--	--	--	.03	.02		8
9	.I5	.04	.33	.2I	.07	Tr.	.02	Tr.	.45	.04	--	--		9
10	.56	--	.76	.70	--	.I2	.04	.04	.0I	--	--	.68		10
11	.I9	.03	.26	.32	.77	.06	.09	Tr.	--	--	--	.03		11
12	I.73	.27	.I0	.09	.25	.70	.02	.57	.I3	--	--	.74		12
13	.03	.02	I.22	.I8	Tr.	Tr.	--	.35	.07	--	--	.02		13
14	Tr.	Tr.	.07	.0I	--	--	--	.0I	.05	--	--	.09		14
15	.50	.24	.35	.53	--	--	.0I	--	.I7	--	--	.2I		15
16	.22	.2I	.43	.03	--	--	.07	.08	.40	--	.49	--		16
17	I.25	.03	.68	--	--	--	Tr.	--	.03	--	I.86	--		17
18	.I0	.I7	.30	.02	--	.2I	.03	--	.26	--	.I2	.03		18
19	.2I	.06	.06	.23	.I6	.02	Tr.	--	.3I	--	.03	.03		19
20	.74	.03	.78	.I9	.I0	--	.0I	--	.03	--	--	I.00		20
21	I.30	.69	.0I	.02	.49	--	.02	--	.28	.06	.I6	.04		21
22	.22	.0I	.09	--	.70	Tr.	.I3	--	.I4	.67	.86	.25		22
23	.34	.34	Tr.	--	.I3	--	.0I	--	.0I	.I8	.29	.05		23
24	.24	.64	.07	--	.04	--	Tr.	--	.02	I.06	--	.04		24
25	.0I	I.06	.57	TR.	--	--	--	--	.03	.I6	--	Tr.		25
26	.0I	.66	.0I	--	.0I	--	--	--	Tr.	.0I	--	.04		26
27	.23	.38	--	Tr.	--	--	--	--	--	.47	.02	--		27
28	.4I	.39	--	--	--	Tr.	--	--	--	.II	Tr.	--		28
29	.I0	--	--	--	--	Tr.	--	--	--	.23	.I0	--		29
30	.4I	X	--	Tr.	--	.0I	--	Tr.	--	.03	.30	--		30
31	.3I	X	--	X	--	X	--	Tr.	X	--	X	--		31
TOTAL	I0.24	I0.90	7.24	3.98	3.83	I.30	.9I	I.05	2.50	3.69	4.26	5.24	Year's Total 55.I4	✓ ✓
* Days with .01 in. or more.	27.	25.	22.	I8.	I4.	I0.	I6.	5.	I8.	I3.	II.	2I.	200.	✓ ✓
* Days with .04 in. or more.	24.	I8.	I8.	I4.	I2.	6.	6.	4.	I3.	I2.	9.	I5.	I5I.	✓ ✓

† Spare column, no entries required

(*Signed*) R G Brown [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1700/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No 512076/36.

Kept at Melrose Ashburton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	.23	–	–	.0I	.54	.07	.22	.0I	.45	.03	.20		1
2	Tr.	.03	Tr.	.02	.0I	Tr.	.05	–	–	.39	.02	.I9		2
3	–	Tr.	Tr.	–	.I0	Tr.	–	3.79	–	I.20	.43	.0I		3
4	Tr.	–	Tr.	–	Tr.	.06	.I5	I.28	–	.26	Tr.	.44		4
5	.0I	Tr.	Tr.	–	–	Tr.	.08	.03	Tr.	.60	–	.07		5
6	.26	Tr.	Tr.	–	–	.2I	I.70	–	.02	.35	Tr.	.32		6
7	.34	–	–	–	–	.0I	.4I	–	.07	.2I	.0I	.2I		7
8	.85	.02	Tr.	–	–	Tr.	.I0	–	Tr.	.64	–	.05		8
9	.28	.I0	–	–	–	.0I	Tr.	.4I	–	.0I	.04	I.03		9
10	.60	.0I	–	Tr.	–	–	.04	.02	–	–	Tr.	.33		10
11	.24	.0I	Tr.	–	Tr.	.0I	–	.02	–	–	.58	.97		11
12	I.0I	–	–	–	.60	.04	.08	–	–	.33	I.20	.0I		12
13	.I8	Tr.	Tr.	–	.50	–	Tr.	.0I	–	.I6	.35	I.06		13
14	I.60	Tr.	–	–	.3I	–	.35	–	–	Tr.	.02	.0I		14
15	.59	Tr.	–	–	.34	–	Tr.	.0I	–	.3I	.33	.50		15
16	.75	.0I	.07	–	Tr.	–	–	.02	–	.0I	.30	.04		16
17	–	.24	.0I	–	.29	–	Tr.	–	.26	.36	.0I	.I9		17
18	.4I	–	Tr.	–	.I2	.02	Tr.	.30	.20	.05	.48	Tr.		18
19	Tr.	–	–	–	–	–	–	.09	.44	Tr.	.75	–		19
20	.03	Tr.	Tr.	–	–	–	–	.33	.0I	Tr.	.37	–		20
21	.04	–	–	–	–	–	–	.05	.I3	.03	.27	.08		21
22	.03	Tr.	–	.04	–	.02	–	.43	Tr.	.I0	.40	Tr.		22
23	Tr.	–	–	.I2	TR.	–	–	.03	–	–	.I6	.08		23
24	.0I	Tr.	.05	–	.04	–	Tr.	.03	Tr.	Tr.	.55	Tr.		24
25	.20	.93	.02	–	.I0	–	.30	–	Tr.	.04	2.I4	.04		25
26	.32	.5I	.0I	–	.58	.I0	.II	–	–	.23	.05	.05		26
27	.I7	.07	–	Tr.	.I2	.I6	.74	.50	.04	.09	.5I	Tr.		27
28	.38	.I9	–	–	.02	.26	–	.94	.03	–	.0I	.0I		28
29	.30	****	–	–	.67	–	.04	–	.I8	.2I	.64	.0I		29
30	.05	✕	–	–	.07	.I0	.06	–	.II	–	.34	.04		30
31	.56	✕	–	✕	.23	✕	Tr.	–	✕	.29	✕	.50		31
TOTAL	9.2I	2.35	.I6	.I8	4.II	I.54	4.28	8.5I	I.50	6.32	I0.00	6.34	Year's Total 54.50	
* Days with .01 in. or more.	24.	I2.	5.	3.	I7.	I3.	I5.	I9.	I2.	22.	25.	25.	192	
* Days with .04 in. or more.	22.	8.	2.	2.	I4.	8.	I5.	II.	8.	I8.	I9.	20.	147	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J G Brown

[P.T.O.

- √ - IVY

1701

1701
ASHBURTON DRUID
1931

780308

Section **A** for the entry of D
AIR MINISTRY. ALL ORGANIZATION.

FORM 1091.

REGIST 31.

Kept at Druid Ash

in the County of Dev

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 7·90.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·30	28·30	13·50	7·00	0·20	5·30	–	–	–	2·40		–	1
2	–	–	–	27·60	–	–	–	–	9·80	–	–	15·40	2
3	11·30	–	–	11·00	–	–	–	–	13·20	–	✓	6·40	3
4	4·80	–	29·80	–	–	–	–	–	2·70	–	✓	1·00	4
5	0·15	–	–	–	–	13·70	11·20	–	1·70	–	90·00	20·00	5
6	–	13·60	14·50	1·20	3·10	14·00	8·20	–	–	9·10	✓	14·70	6
7	–	0·10	–	–	–	8·00	12·40	–	–	1·11	5·00	5·00	7
8	–	–	–	–	4·30	–	10·00	2·70	–	0·40	30·50	1·30	8
9	–	6·80	–	3·30	–	14·00	–	–	–	–	3·50	–	9
10	–	–	–	–	2·00	8·00	3·50	–	–	–	19·30	–	10
11	0·80	20·00	–		–	6·00	1·50	0·30	5·40	–	38·00	–	11
12	4·50	11·80	–		0·10	14·40	2·10	–	–	7·70	13·30	–	12
13	–	–	–		–	–	7·00	–	0·60	–	–	–	13
14	–	9·80	–		3·20	–	12·00	3·70	–	–	–	–	14
15	0·5^{0}9	2·20	2·00		–	3·50	14·00	0·30	0·30	–	11·20	–	15
16	–	3·50	–		7·20	–	–	14·00	–	–	–	–	16
17	–	10·00	–		5·10	25·5	0·40	1·10	2·50	–	–	–	17
18	1·40	2·00	–		–	–	6·60	–	0·50	–	–	–	18
19	–	–	–		–	11·00	3·10	42·40	–	–	10·20	–	19
20	0·10	2·10	–	2·10	–	5·00	0·40	2·00	–	–	16·20	–	20
21	0·30	–	15·20	–	–	–	–	15·00	–	–	6·60	–	21
22	1·19	3·30	1·30	–	5·50	–	–	–	–	2·80	–	–	22
23	31·70	–	0·70	–	7·60	–	–	–	–	–	1·00	–	23
24	8·00	0·50	–	~~2·10~~	21·50	–	0·50	–	–	–	35·00	–	24
25	12·40	0·10	0·10	40·20	4·70	5·60	17·90	24·00	–	–	0·40	–	25
26	2·60	0·30	–	8·80	1·00	–	5·50	–	–	–	14·00	–	26
27	–	3·90	–	3·70	–	–	5·20	–	–	–	17·30	–	27
28	5·50	–	–	–	12·00	–	1·50	–	–	–	3·00	–	28
29	3·30	~~13~~	6·20	0·50	3·30	–	1·50	4·40	–	–	0·20	5·40	29
30	–	×	4·20	–	–	–	0·40	8·10	–	–	1·20	–	30
31	4·70	×	0·15	×	2·40	×	1·70	0·60	×	–	×	–	31
	28.30	13.50	7.00	0.20	5.30	–	–	–	2.40	–	–	7.90	YEAR'S TOTAL 1291.05
TOTAL	121.54	103.50	81.15	98.60	88.30	105.75	121.60	118.60	38.50	21.11	315.39	77.10	~~1262.75~~ 28.30
*Days with 0·2 mm. or more.	16	15	9	10	15	12	22	13	10	5	22	9	158
*Days with 1·0 mm. or more.	13	13	~~7~~8	8	15	12	18	10	7	4	18	9	135
	~~[illegible]~~ 4.78	4.07	3.19	3.88	3.48	4.16	4.79	4.67	1.52	0.83	12.42	3.04	~~[illegible]~~ 50.83

(144 W)

40-9999

(*Signed*) R. H. Windeatt.

P.T.O.

– √– IVY [redacted] 1701

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1931.

~~150~~

Kept at Druid Ashburton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Corr. for WD.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 7·90.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·30	28·30	13·50	7·00	0·20	5·30	–	–	–	2·40		–	1
2	–	–	–	27·60	–	–	–	–	9·80	–	–	15·40	2
3	11·30	–	–	11·00	–	–	–	–	13·20	–	✓	6·40	3
4	4·80	–	29·80	–	–	–	–	–	2·70	–	✓	1·00	4
5	0·15	–	–	–	–	13·70	11·20	–	1·10	–	90·00	20·00	5
6	–	13·60	14·50	1·20	3·10	14·00	3·20	–	–	9·10	✓	14·70	6
7	–	0·10	–	–	–	8·00	12·40	–	–	1·11	5·00	5·00	7
8	–	–	–	–	4·30	–	10·00	2·70	–	0·40	30·50	1·30	8
9	–	6·80	–	3·30	–	14·00	–	–	–	–	3·50	–	9
10	–	–	–	–	2·00	8·00	3·50	–	–	–	19·30	–	10
11	0·80	20·00	–		–	6·00	1·50	0·30	5·40	–	38·00	–	11
12	4·50	11·80	–		0·10	14·40	2·10	–	–	7·70	13·30	–	12
13	–	–	–		–	–	7·00	–	0·60	–	–	–	13
14	–	9·80	–		3·20	–	12·00	3·70	–	–	–	–	14
15	0·5$\overset{0}{9}$	2·20	2·00		–	3·50	14·00	0·30	0·30	–	11·20	–	15
16	–	3·50	–		7·20	–	–	14·00	–	–	–	–	16
17	–	10·00	–		5·10	2·55	0·40	1·10	2·50	–	–	–	17
18	1·40	2·00	–		–	–	6·60	–	0·50	–	–	–	18
19	–	–	–		–	11·00	3·10	42·40	–	–	10·20	–	19
20	0·10	2·10	–	2·10	–	5·00	0·40	2·00	–	–	16·20	–	20
21	0·30	–	15·20	–	–	–	–	15·00	–	–	6·00	–	21
22	1·19	3·30	1·30	–	5·50	–	–	–	–	2·80	–	–	22
23	31·70	–	0·70	–	7·60	–	–	–	–	–	1·00	–	23
24	8·00	0·50	–	~~2·50~~	21·50	–	0·50	–	–	–	35·00	–	24
25	12·40	0·10	0·10	40·20	4·70	5·60	17·90	24·00	–	–	0·40	–	25
26	2·60	0·30	–	8·80	1·00	–	5·50	–	–	–	14·00	–	26
27	–	3·90	–	3·70	–	–	5·20	–	–	–	17·30	–	27
28	5·50	–	–	–	12·00	–	1·50	–	–	–	3·00	–	28
29	3·30	~~13~~	6·20	0·50	3·30	–	1·50	4·40	–	–	0·20	5·40	29
30	–	×	4·20	–	–	–	0·40	8·10	–	–	1·20	–	30
31	4·70	×	0·15	×	2·40	×	1·70	0·60	×	–	×	–	31
	28.30	13.50	7.00	0.20	5.30	–	–	–	2.40	–	–	7.90	YEAR'S TOTAL 1291.05
TOTAL	121.54	103.50	81.15	98.60	88.30	105.75	121.60	118.60	38.50	21.11	315.39	77.10	~~1262.75~~ 28.30
*Days with 0·2 mm. or more.	16	15	9	10	15	12	22	13	10	5	22	9	158
*Days with 1·0 mm. or more.	13	13	~~7~~8	8	15	12	18	10	7	4	18	9	135
(144w)	~~3.47~~ 4.78	4.07	3.19	3.88	3.48	4.16	4.79	4.67	1.52	0.83	~~12.42~~	3.04	~~49.72~~ 50.83

40-9999

(Signed) R.M. Windeatt.

P.T.O.

1702

Section **A** for the entry of D COPY FOR OFFICIAL USE.

AIR MINISTRY. LL ORGANIZATION.

FORM 1090.

REGIST

1702
FOX TOR
1931 — 40
780306

1.

Kept at FOX TOR.

in the County of DEVO

Diameter of Funnel of Gauge 26

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

C. 16. 3. 32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

nil.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1·20		·30		·24		·08					1
2		·06	·19	·63	·05				·29	·18	·		2
3	·30		·16	·45		·02	·06			·10	·90	·93	3
4	·61		·22				·23		1·43		3·93	·26	4
5		·04	·48		·10	·03	·58	·02	·27	·04	·12	·49	5
6		·02	·03	·20		·54	·04	·90	·12	·02	·05	·62	6
7		·10		·07	·11	·42	·14		·22	·59	·08	·45	7
8					·29	·16	·32	·24		·06	1·49	·25	8
9				·37		·51	·02	·06		·08	·56	·05	9
10	·07	1·26				·40	·12	·03			·28	·06	10
11					·27	·22	·10	·25	·18		·69	·02	11
12	·35	·96			·11	·58	·19		·06		·40		12
13		·15					·10	·07	·22	·25			13
14		·20	·26		·23		·94	·38			·17		14
15		·09			·09	·23	·56	·40	·05		·49	·06	15
16	·04			·05	·23	·06	·18	·37	·07				16
17	·07			·18	·06	1·94	·12		·11				17
18	·03			·10		·04	·38		·03				18
19	·47			·19		·44	·30	1·20			·56		19
20	·65	·37	·21	·17			·14	·60			·57		20
21	·30	·21	·41					·63			·21	·02	21
22	·35	·07	·14		·17	·08	·06			·14	·03		22
23	1·20	·10	·05	·84	·30			·02			·08		23
24	·32	·02		·80	·98		·08	·16		·01	1·89		24
25	·26	·27		1·20		·17	1·02	·54			·07	·03	25
26	·06	·14		·20	·03		·28				·22	·02	26
27	·20	·03		·34	·45		·46				1·61		27
28	·16	·59	·12	·05	·09		·16			·07	·17	·08	28
29	·17		·21	·04	·16	·03	·42	·06		·08		·49	29
30	·04	X			·24			·11	·06	·06	·10	·04	30
31	·20	X		X		X	·03	·04	X	·02	X	nil.	31
TOTAL	1·20 ~~5·85~~ 7·05	· ~~5·88~~ 4·68	·30 ~~2·48~~ 2·78	– ~~6·18~~ 5·88	·24 ~~3·96~~ 4·20	– ~~6·11~~ 5·87	·08 ~~7·03~~ 7·11	– ~~6·16~~ 6·08	– 3·11	– 1·40	– 14·67	– 3·87	YEAR'S TOTAL 67·00
*Days with ·01 in. or more.	XX 21	X9 18	XX 13	X8 17	189	187	267	20 19	13	14	23	16	217
*Days with ·04 in. or more.	X9 20	X6 15	XX 12	X8 17	X7 18	X5 14	24 25	X7 16	12	11	22	12	194

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. Rowlands

[P.T.O.

1702

Section **A** for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fox Tor.

in the County of Devon.

Diameter of Funnel of Gauge 26½ in.

Height of top of Gauge above Ground – ft 7 in.

,, Ground ,, Sea Level 1,160 ft.

Con. for W.D. Sent Circ. C. 16.3.'32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: nil.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1·20		·30		·24		·08					1
2		·06	·19	·63	·05				·29	·18			2
3	·30		·16	·45		·02	·06			·10	·90	·93	3
4	·61		·22				·23		1·43		3·93	·26	4
5		·04	·48		·10	·03	·58	·02	·27	·04	·12	·49	5
6		·02	·03	·20		·54	·04	·90	·12	·02	·05	·62	6
7		·10		·07	·11	·42	·14		·22	·59	·08	·45	7
8					·29	·16	·32	·24		·06	1·49	·25	8
9				·37		·51	·02	·06		·08	·56	·05	9
10	·07	1·26				·40	·12	·03			·28	·06	10
11					·27	·22	·10	·25	·18		·69	·02	11
12	·35	·96			·11	·58	·19		·06		·40		12
13		·15					·10	·07	·22	·25			13
14		·20	·26		·23		·94	·38			·17		14
15		·09			·09	·23	·56	·40	·05		·49	·06	15
16	·04			·05	·23	·06	·18	·37	·07				16
17	·07			·18	·06	1·94	·12		·11				17
18	·03			·10		·04	·38		·03				18
19	·47			·19		·44	·30	1·20			·56		19
20	·65	·37	·21	·17			·14	·60			·57		20
21	·30	·21	·41					·63			·21	·02	21
22	·35	·07	·14		·17	·08	·06			·14	·03		22
23	1·20	·10	·05	·84	·30			·02			·08		23
24	·32	·02		·80	·98		·08	·16		·01	1·89		24
25	·26	·27		1·20		·17	1·02	·54			·07	·03	25
26	·06	·14		·20	·03		·28				·22	·02	26
27	·20	·03		·34	·45		·46				1·61		27
28	·16	·59	·12	·05	·09		·16			·07	·17	·08	28
29	·17		·21	·04	·16	·03	·42	·06		·08		·49	29
30	·04	×			·24			·11	·06	·06	·10	·04	30
31	·20	×		×		×	·03	·04	×	·02	×	nil.	31
TOTAL	1·20 ~~5·85~~ 7·05	5·88 4·68	·30 ~~2·48~~ 2·78	– ~~6·18~~ 5·88	·24 ~~3·96~~ 4·20	– ~~6·11~~ 5·87	·08 ~~7·03~~ 7·11	– ~~6·16~~ 6·08	– 3·11	– 1·40	– 14·67	– 3·87	YEAR'S TOTAL 67·00
*Days with ·01 in. or more.	~~20~~ 21	~~19~~ 18	~~12~~ 13	~~18~~ 17	189	187	267	~~20~~ 19	13	14	23	16	217
*Days with ·04 in. or more.	~~19~~ 20	~~16~~ 15	~~11~~ 12	~~18~~ 17	~~17~~ 18	~~15~~ 14	~~24~~ 25	~~17~~ 16	12	11	22	12	194

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E. Rowlands

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 1702

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at FOX TOR

in the County of DEVON

Diameter of Funnel of Gauge 26½ in.

Height of top of Gauge above Ground — ft 7 in.

,, Ground ,, Sea Level 1160 ft.

Ref. No 840.38³/28.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·70			·05	·22	·29	3·73	·11	·32	·92	·02	2·14	1
2	·31			·29			·30	·37	·44		·05	·64	2
3	·22	·02	·09	·10		·05	·04	·08	·90		·09	·54	3
4	·20		·07			·56	·05			·08	·06		4
5	·14					·08	·21	·05	·46		·35		5
6	1·04	·03	·08				·03	·03	·32				6
7	1·22		·05	·39	·02		·05		·98	·16			7
8	·21		·12	·06	·27		·02		1·02	2·26			8
9			1·06	·23	·22					·19	·02		9
10	2·56			·60	·14				·05	·04			10
11	1·32		·02	·31	·12				·11	·20			11
12				·03	·19				·18	·19		·36	12
13	1·90			·05	1·56				·14	1·04		·02	13
14	·82			·44	·12		·15	·12		·66		·54	14
15	·51	·02		·24	·19			·04		·18		·22	15
16	·20			·08	·06		·02			·28		·19	16
17	·64			·05			·10				·08	·12	17
18	·10			·02	·22					·12		·09	18
19	·19				·75				·14		·29		19
20	·05			·06	1·20				·11	·90	·04		20
21	·10			·07	·25		·04	·55	·15	1·66	·38	·24	21
22			·13	·24			·05	·20	·04	·62	·36	·48	22
23				·17	·16		·19	·12	·48	·30	·52	·23	23
24							·15	·09		1·13	·08	·40	24
25							1·40		·60	·40	·10		25
26			·43	·03	·03		·56		·22	·69	·52		26
27	·03		·76	·42			·27		·26	·26	·03		27
28			·40	·71	·10	·05	·22			·34	·20	·24	28
29			·86	·29	·14	·08	·65				·02	·26	29
30		X	·42	·44	·16	1·56	·20	·79	·97	·86	·60	1·27	30
31		X	·41	X	·04	X	·60		X	·45	X		31
TOTAL	12·46	·07	4·90	5·37	6·16	2·67	9·03	2·55	7·89	13·93	3·81	7·98	YEAR'S TOTAL 76·82
*Days with ·01 in. or more.	20	3	14	24	21	7	22	12	20	24	19	17	203
*Days with .04 in. or more.	19	–	13	21	19	7	19	11	20	24	15	16	184

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. Rowlands

P.T.O.

840383/28.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 1702

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Fox Tor

in the County of Devon

Diameter of Funnel of Gauge 26½ in.

Height of top of Gauge above Ground ft 1 in.

,, Ground ,, Sea Level 1160 ft.

Days 17.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·90	1·10	·94	·57	·69	·05				·10	·15			1
2	·98	·37	·97		·03	·31					·37	·96		2
3	2·29	·06	·86		1·11	·51					·03	·32		3
4	·28	·14	1·12		·13									4
5	·42	·16	·60		·32									5
6	·10	·20	1·23		·97				·02					6
7	·04	·79	·15		·57		·46							7
8		·20	·12		·15		·22							8
9	·28	·14			·06	·08	·18							9
10		·12			·18		·96			·96	·10			10
11	·06	·23	·02				·34	·09		1·96	·05			11
12	·02			·26			·12	1·09		·17				12
13				·12	·06	·32	·60	·04	·34		·02			13
14	·06				·16	·11	·29	·11		·47	·18			14
15	·72					-	·18	·14			·39			15
16	·24		·98			-	·26	·27		·08	·16			16
17	-		·86			·15		·02	·04	·10				17
18	-		·61			·30		·31	·51			·02		18
19	·22		·22			·24				·04	·05			19
20	·52	·25	·19			·45		·06	·15		·49	·02		20
21	-				·02	·13		·15	·18					21
22	-					·15		·22		·24				22
23	-			·49		-		·57	·43	·02				23
24	-	·32		·26		·25		·03		·91				24
25	-			1·04		·20			·09	·03				25
26	-			·60	·08	·35			·40			·19		26
27	-			·33	·07					·49				27
28	-	1·52		·17					·01	·23	·04	·97		28
29	-			·30	·02		·84	·03	·02	·25		·16		29
30	·04	×	·06	·06			·05		·07			·06		30
31	·09	×	·16	×		×	·42		×	·16	×	·04		31
TOTAL	7·26	5·60	9·09	4·20	4·62	3·60	4·72	3·13	2·26	6·21	2·03	2·74	Year's Total 55·46	
*Days with ·01 in. or more.	17 ✓	14 ✓	16 ✓	11 ✓	16 ✓	15 ✓	13 ✓	14 ✓	12 ✓	16 ✓	12 ✓	9 ✓	165	
*Days with .04 in. or more.	16 ✓	14 ✓	15 ✓	11 ✓	13 ✓	15 ✓	13 ✓	11 ✓	9 ✓	14 ✓	10 ✓	7 ✓	148	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) Rowlands

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1702

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Fox Tor.

in the County of Devon.

Diameter of Funnel of Gauge ~~[illegible]~~ 8 in.

Height of top of Gauge above Ground ~~[illegible]~~ ft 7 in.

,, Ground ,, Sea Level 1160 ft.

Circ C. sent 17/5/35.

Reply 20/5/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·36

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	–	–	–	–	·03	–	–	·01	·74	·16	·02		1
2	·33	–	·06	–	–	·02	–	1·66	·13	·06	·70	2·89		2
3	·07	–	·17	–	–	–	–	·01	1·39	·27	·08	·55		3
4	·36	·03	–	·12	–	–	–	–	·02	·81	–	1·19		4
5	·29	–	·32	·05	1·05	–	–	·23	·10	·43	–	·37		5
6	–	–	·40	–	1·02	·05	–	2·23	–	·19	·04	1·43		6
7	·73	–	·03	·17	·78	–	–	·40	·12	·93	·03	·87		7
8	·26	·01	–	–	–	–	–	·15	–	·73	·17	2·03		8
9	–	–	–	–	·05	–	–	·06	·06	·01	1·20	1·76		9
10	·07	·03	·63	·07	–	–	–	·21	–	·01	·09	·29		10
11	1·20	·02	·48	·54	–	–	–	·18	–	–	·06	·49		11
12	·98	–	·04	·69	–	–	·01	·17	–	–	–	·72		12
13	·05	–	–	–	–	·01	·21	·21	–	–	–	·68		13
14	1·72	–	·10	·90	–	·01	–	–	–	·14	·46	·34		14
15	·92	–	·93	·33	–	–	–	–	–	·24	·04	1·43		15
16	·42	–	·19	·10	·18	–	·02	·01	·01	·13	·14	·59		16
17	·60	–	·71	–	·02	–	–	–	·65	·16	·02	·43		17
18	·22	·01	·12	·60	·04		·005	–	·17	·12	–	1·19		18
19	·10	–	·68	·74	–	·21	–	–	·25	·05	–	·78		19
20	·02	–	·27		–	·08	–	·13	·53	·04	–	·52		20
21	–	–	–	·66	·16	–	·15	–	·40	·10	–	·05		21
22	–	·02	·20	–	–	·59	–	·29	·50	1·02	·01	·23		22
23	·07	–	·02	·02	·04	·02	2·30	·25	·25	–	–	·61		23
24	–	–	·03	·46	–	·95	·005	·12	·50	·20	–	·84		24
25	–	·40	·06	–	–	·23	·10	–	·03	·56	–	·29		25
26	·60	–	–	·66	–	·16	·02	–	·07	1·12	–	1·34		26
27	·12	·02	·04	·06	–	·50	·03	–	·56	·04	·08	·44		27
28	–	–	–	·03	–	·15	·01	·28	·27	·17	·04	·84		28
29	–	–	–	–	–	·01	·20	·80	·70	·08	·08	1·63		29
30	–	×	–	–	–	–	·08	·09	–	·11	·01	·60		30
31	–	×	–	×	– +.03	×	·03	·15 +.01	× +.74	·16 +.16	× +.02	·85 +.36		31
TOTAL	~~9·19~~ 9.13	·54	5·48	6·20	~~3·34~~ 3.37	~~3·04~~ 2.99	3·17	~~7·67~~ 7.68	~~6·1[illegible]~~ 7.45	~~8·62~~ 8.04	~~3·41~~ 3.27	~~26·94~~ 27.28	Year's Total: 84.~~50~~ 69	84.60
* Days with .01 in. or more.	2~~1~~0	8	20	17	~~9~~ 10	~~11~~ 14	12	2~~0~~1	21	27	18	31	219	✓
* Days with .04 in. or more.	~~20~~ 19	1	17	15	8	9	6	18	1~~7~~6	25	1~~4~~3	3~~0~~1	180	✓

40-9999

† Spare column, no entries required.

(Signed) J. Rowlands.

[P.T.O.

* See Instruction 2 (f) on other side.

17·05

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 840 383/28

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Fox Tor

in the County of Devon ? 8" previous year.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 1" in.

,, Ground ,, Sea Level 1160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·79.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·36	–	·23	–	–	–	·36	–	·10	·20	1·58	1·15		1
2	·20	·33	·64	06	–	·13	·03	–	·46	·13	·03	·50		2
3	·01	·11	·22	–	–	·33	·04	–	·17	·47	·12	·28		3
4	·04	·22	·01	·11	·50	·27	·01	–	·16	·25	·55	·13		4
5	·03	·60	–	·17	–	·73	·03	–	·12	·38	·12	·43		5
6	–	·46	·17	·17	–	·30	·04	–	·21	·77	·14	·27		6
7	–	–	–	·86	–	2·20	–	–	–	·01	·15	·08		7
8	–	–	–	·73	–	·14	–	–	–	·57	·29	·24		8
9	–	–	–	·63	–	–	·03	·81	–	·23	·44	·11		9
10	–	–	–	·74	–	·03	–	–	–	1·56	1·09	–		10
11	·15	·01	–	·20	–	·20	–	–	·02	·04	·07	·08		11
12	·38	·14	–	–	–	·92	–	–	·36	·02	1·20	–		12
13	·29	·57	–	03	–	·44	–	·06	·19	–	·25	–		13
14	·14	·10	–	·23	–	·05	–	–	·04	·27	1·55	–		14
15	·01	·40	–	·27	–	·76	–	–	·70	·26	1·31	·58		15
16	–	·33	–	1·36	·16	·17	–	–	·13	·12	·64	·15		16
17	–	·29	·28	·38	–	·05	·11	·02	·97	·08	·61	·03		17
18	–	·10	–	·08	1·06	·47	–	·05	·08	·03	·04	–		18
19	–	·45	03	·91	·20	·02	–	·03	1·14	·24	·18	·33		19
20	–	·90	–	·40	1·19	·17	·78	–	·38	·41	·60	·02		20
21	–	·36	–	·58	·19	·07	·01	–	–	·01	·14	–		21
22	–	1·19	·03	·59	–	–	·24	–	·10	·07	·01	–		22
23	–	·06	·09	·13	–	–	–	–	·11	·09	–	–		23
24	–	·31	·23	·22	·02	–	–	·30	·96	·26	–	·68		24
25	·30	·92	·03	·40	·34	–	–	·32	·35	·04	–	·50		25
26	·28	·09	–	–	·27	·72	–	–	–	–	–	·23		26
27	–	1·21	–	–	·02	·18	–	·77	·39	·09	·08	1·23		27
28	–	·30	–	–	–	–	·13	·11	·34	·43	·44	·44		28
29	–	–	–	–	·07	–	·05	·14	·23	·42	·06	·08		29
30	·01	✕	–	–	02	·08	–	·19	·69	·18	·42	1·35		30
31	·09	✕	–	✕	–	✕	–	1·04	✕	·12	✕	1·46		31
													Year's Total	
TOTAL	2·29	9·45	1·96	9·25	4·04	8·43	1·83	3·84	8·40	7·65	12·11	10·35	79·60	
* Days with .01 in. or more.	14	23	11	22	12	22	13	12	24	29	26	23	231	
* Days with .04 in. or more.	10	22	7	21	9	20	8	10	23	25	24	21.	200	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. Rowlands [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1702

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Fox Tor

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 1 in.

,, Ground ,, Sea Level 1160 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1.44

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·79	·34	·05	·96	-	·03	·50	·52	-	-	-	-		1
2	·14	·22	-	1·08	-	·47	1·51	·25	-	-	·23	·07		2
3	·05	·06	-	·42	-	·27	·52	·01	1·06	-	·16	·02		3
4	·10	·02	·07	·60	-	·20	·05	·01	·97	-	·05	·11		4
5	·11	·38	·42	-	-	·11	·01	·02	·68	-	·20	·25		5
6	·89	-	·17	-	·08	-	·50	·35	·09	-	·22	·26		6
7	·17	-	·11	-	·01	·02	·62	·03	1·04	-	·83	·02		7
8	·87	-	·25	-	-	·05	·02	-	·10	-	·66	·15		8
9	·46	·02	1·00	-	-	-	·47	-	·03	-	·61	·14		9
10	·70	2·23	·20	-	-	·01	·44	-	·09	-	·34	·		10
11	·52	·21	·01	-	-	-	·07	-	·02	-	·38	·03		11
12	·20	·09	-	-	·05	·09	·20	·17	·51	-	1·38	·09		12
13	·24	·01	-	·08	-	-	·72	·01	-	·10	·03	-		13
14	·07	·03	-	·01	·01	-	·15	-	·10	·40	·39	2·06		14
15	·01	·02	-	-	-	·24	·61	·03	·15	·13	·07	·76		15
16	-	-	-	-	·17	-	·20	·02	·02	-	·82	1·45		16
17	·01	·49	-	-	·04	·01	·16	-	·06	-	·62	·50		17
18	·56	2·24	·02	-	·07	·02	1·60	·09	-	·18	·10	2·18		18
19	·18	·39	·58	-	-	·10	1·13	·20	-	·04	-	·81		19
20	1·30	·03	·12	·51	-	·04	·24	·34	-	-	-	-		20
21	·21	·61	·02	·21	-	·05	·11	·02	·49	·01	-	·09		21
22	·08	-	·36	·50	-	·01	·07	-	-	·04	-	·02		22
23	·11	·42	·02	-	·06	·01	1·05	-	-	·03	-	·07		23
24	·01	·20	·06	·44	·52	-	·41	-	-	·26	·01	·02		24
25	·65	·01	·12	·20	·21	·79	·03	-	·22	·73	-	·07		25
26	·20	-	·54	·65	-	1·06	·28	-	·06	·58	-	-		26
27	·84	·20	·64	-	·01	-	·07	-	-	·13	-	-		27
28	·71	·13	·05	-	-	·01	·33	-	·03	·11	-	-		28
29	1·21	·05	1·50	·03	-	-	·21	-	-	·08	-	·78		29
30	·10	✕	·27	-	·04	·08	·01	-	-	·20	·20	·19		30
31	·73	✕	·10	✕	·06	✕	·54	-	✕	·09	✕	·17		31
													Year's Total	
TOTAL	12·22	8·40	6·68	5·69	1·30	3·67	12·83	2·07	5·72	3·11	7·30	10·57	79·50	✓
* Days with .01 in. or more.	30	23	23	13	13	21	31	15	18	16	19	24	246	✓
* Days with .04 in. or more.	27	16	19	11	9	13	27	7	14	14	17	19	193	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Rowlands

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1702

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at FOX TOR.

in the County of DEVON.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground – ft. 7 in.

,, Ground ,, Sea Level 1160 ft.

corr for ~~1~~ ~~D~~ 8.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1·44	·38	-	-	-	-	·18	-	·02	·13	·43	·90		1
2	·41	·22	·66	1·39	-	-	·03	-	·27	·01	-	·89		2
3	·32	2·82	·08	·23	·02	-	-	-	·09	·01	-	-		3
4	·13	·53	-	·18	-	·03	·31	-	-	-	·01	·02		4
5	·21	1·83	·01	·02	·12	·02	-	-	-	-	-	1·14		5
6	·83	·02	-	·15	·01	-	1·28	-	·02	-	-	·14		6
7	·29	·90	·64	·64	·17	·15	·03	-	·01	-	-	·12		7
8	-	·71	·47	·19	-	·14	-	-	·09	-	·10	-		8
9	-	·05	·04	·04	·84	·41	·29	-	-	-	-	-		9
10	·16	·10	·26	·58	·02	-	·02	·10	·67	·02	·02	·02		10
11	·75	·04	1·28	·49	·07	·11	·02	·05	-	-	-	·63		11
12	·82	·02	·50	·36	·53	·09	1·47	-	-	-	-	·07		12
13	1·91	·30	·18	·04	·38	·59	·08	·30	·56	-	·01	1·11		13
14	·02	·23	1·01	·11	-	-	·02	·52	·18	-	-	·05		14
15	-	·14	·05	-	-	-	·01	·01	·35	-	-	·21		15
16	1·06	·66	·86	·87	-	-	-	-	·14	-	-	·22		16
17	·70	·28	·43	·05	-	·01	·08	·26	·45	-	·65	-		17
18	1·60	·25	1·02	·02	-	-	·01	·01	·09	·02	·95	-		18
19	·22	·51	·65	·01	-	·20	-	·02	·46	·01	·28	·24		19
20	·26	·22	·33	1·12	·38	·01	·03	-	·32	-	·08	·02		20
21	1·12	·02	·25	·16	·18	-	·10	-	·08	-	-	1·08		21
22	1·63	1·45	-	·17	·59	-	·16	-	·42	·19	·25	·19		22
23	·20	·04	·02	·01	1·39	-	·36	-	·09	1·33	1·41	·47		23
24	·80	·90	·07	-	·27	·01	·01	-	-	·32	·08	·18		24
25	·23	1·19	·17	-	-	-	·15	-	·08	1·65	·02	·19		25
26	·12	1·67	·72	-	·05	-	-	-	·02	·19	-	·02		26
27	·03	·30	·01	-	-	-	-	-	-	·03	-	·04		27
28	·34	1·07	-	-	-	-	-	-	-	·41	·02	·02		28
29	·20	-	-	-	-	·12	-	·01	-	·19	-	·01		29
30	·10	✕	-	-	-	·06	-	-	-	·22	·84	·01		30
31	·49	✕	-	✕	-	✕	-	-	✕	·18	✕	-		31
TOTAL	·38 15·33 ~~16·39~~	16·47 ~~16·85~~	9·71 ✓	6·83 ✓	5·02 ✓	·18 2·13 ~~1·95~~	4·46 ~~4·64~~	·02 1·30 ~~1·28~~	·13 4·52 ~~4·41~~	·43 5·21 ~~4·91~~	·90 5·62 ~~2·15~~	- 7·09 ~~7·99~~	Year's Total ~~85·13~~	83·69 ✓
* Days with .01 in. or more.	28 ✓	~~28~~ 27	23 ✓	21 ✓	15 ✓	~~14~~ 15	~~20~~ 19	~~9~~ 10	20	16 ✓	15 ✓	24 ~~25~~	3 23~~4~~	✓
* Days with .04 in. or more.	26 ✓	~~25~~ 24	20 ✓	17 ✓	12 ✓	~~9~~ 10	~~11~~ 10	5	~~16~~ 17	10 ✓	10 ✓	~~18~~ 17	8 17~~9~~	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Rowlands

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1702

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Foxtor

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 7 in.

" Ground " Sea Level 1160 ft.

W D

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·70

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·74	·35	·01	-	·57	·14	·02	·02	·16	·59	·25		1
2	·01	·19	-	-	·07	·97	·41	·65	-	1·25	·15	·29		2
3	·02	·07	-	·13	·02	-	·02	-	-	·21	·02	·21		3
4	-	-	-	-	·13	·03	·08	+ 2·38	-	1·57	·60	·02		4
5	-	·	-	-	·01	·01	·56	+	-	·61	·03	·84		5
6	·01	-	·	·03	·	·11	·14	·10	·22	·28	·01	·09		6
7	·52	-	·	·	·	·61	1·70	-	·12	·56	·06	·50		7
8	·27	-	·	·	·	·	·92	-	·18	·25	·05	·20		8
9	1·11	·45	·02	·	·	·	·36	·34	-	1·04	-	·46		9
10	·63	·17	·01	·	·	·08	·05	·67	-	·03	·05	1·06		10
11	·37	-	-	-	·	·01	·32	·38	-	·02	·24	·78		11
12	·81	·04	·	·	·27	·02	·12	-	-	·06	1·73	2·11		12
13	1·11	·	·	·	·72	·	-	·	-	1·33	1·62	-		13
14	·48	-	·	·	1·35	·	·06	·01	-	·31	·71	2·10		14
15	1·41	-	-	·	·63	·	·35	-	·03	-	·01	-		15
16	1·09	-	·02	·	·39	·	·	·21	-	·68	·52	·88		16
17	·75	·02	·35	·	·04	·	·	·07	-	-	·03	-		17
18	-	·08	·05	·	·24	·	·03	·01	·90	·50	·	·19		18
19	·74	·	-	·	·07	·03	·01	·73	·33	·10	·88	-		19
20	·20	·	·	·	-	-	·01	·02	·42	-	1·43	-		20
21	·27	-	·01	·	-	-	-	·14	·07	-	·56	-		21
22	·03	-	·03	·	-	-	-	·36	·14	·07	·32	-		22
23	·08	·	·	·05	·01	·26	-	1·37	-	·03	·55	-		23
24	·06	-	·	·13	·01	·03	-	·01	-	-	·23	-		24
25	·33	·03	·54	-	·37	·04	-	-	·04	-	·56	-		25
26	·23	1·06	·10	·01	·02	-	·38	·02	·01	·08	1·83	-		26
27	·44	·92	·17	-	1·23	·71	·41	-	-	·28	·03	·24		27
28	·78	·32	·01	·02	·08	·07	·68	1·04	-	·20	1·00			28
29	·41	-	·06	-	·15	·50	·06	·16	·19	·10	·02	·08		29
30	·42	✕	·08	-	·71	·02	·08	-	·47	·26	·89	·16		30
31	·40	·35 ✕	·02	✕ -	·04	✕	·30	-	✕	·01	✕	·02		31
TOTAL	·74 13·72 ~~12·98~~	3·70 ~~4·48~~ ~~4·09~~	·01 1·48 ~~1·82~~	·37 ~~·38~~	·57 7·14 ~~6·57~~	·14 3·64 ~~4·09~~	·02 7·07 ~~7·19~~	·02 8·69	·16 3·28 ~~3·44~~	·59 10·42 ~~9·99~~	·25 14·38 ~~14·72~~	·70 10·93 ~~10·48~~	Year's Total 84·82 ~~84·12~~	✓ ✓
* Days with .01 in. or more.	28 ~~24~~	12	15	6 ~~4~~	22 ~~21~~	17	23	2~~0~~1	14	25	28	19	230 ~~229~~	✓ ✓
* Days with .04 in. or more.	24 ~~23~~	10	7 ~~8~~	3	17 ~~16~~	10	18 ~~19~~	1~~4~~5	12 ~~11~~	21	21	17	17~~4~~5	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Rowlands

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. [illegible]

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at FOXTOR

in the County of DEVON.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 4' in.

" Ground " Sea Level 1160 O.D. ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·70	-	·16	-	·14	-	·01	·40	·58	-	·88	·47		1
2	·51	-	·08	·12	·02	-	·03	·59	·02	-	·80	·57		2
3	·14	-	-	·60	-	-	-	·64	·32	-	·28	·30		3
4	·53	-	·28	1·01	-	-	·07	·01	-	·10	·52	·38		4
5	·02	-	·82	·29	1·01	-	·58	·02	-	1·77	·46	·41		5
6	-	·01	·08	·18	·08	-	·97	·01	-	·90	1·70	-		6
7	·43	·57	·23	·04	·02	-	2·33	·04	-	·10	·24	-		7
8	·24	·91	-	-	-	-	·28	·08	-	-	·39	1·93		8
9	·58	·89	·23	-	·05	-	·38	·04	-	1·47	·48	·61		9
10	·05	·05	·08	-	-	-	-	·60	-	·06	·21	·70		10
11	·36	·09	·01	-	-	·05	-	·15	·24	·39	·05	·58		11
12	-	·18	·14	-	-	-	-	-	-	·48	-	·02		12
13	·07	·16	-	·65	-	-	·01	-	·13	·19	·15	-		13
14	-	-		·16	·01	·15	1·10	-	·02	·99	·36	·06		14
15	1·73	·01	-	·16	·15	·27	1·02	-	·01	·05	·45	·02		15
16	·53	·03	-	·23	·06	1·84	·43	-	-	-	·52	·02		16
17	·50	·04	·05	·21	·02	·09	·56	-	-	-	·82	-		17
18	1·77	·24	-	-	·01	·54	1·50	-	-	-	·55	-		18
19	·09	·09	·02	-	-	·01	·42	-	-	-	·89	·03		19
20	·91	-	-	-	-	-	·74	·38	-	-	·02	·05		20
21	·60	-	·01	-	·05	·12	·62	1·04	-	-	-	·12		21
22	·43	·89	·21	·02	·07	·83	·14	1·41	·01	-	-	-		22
23	1·10	·61	·24	·14	-	·66	·30	-	·03	-	2·20	·01		23
24	·02	·02	·06	·83	-	-	·18	-	-	·18	1·49	-		24
25	-	·04	·18	·06	-	·69	·00	-	-	·16	-	-		25
26	1·20	·28	·01	·17	-	-	·04	·86	-	·22	1·40	-		26
27	1·10	·01	-	·06	-	-	·04	·08	-	-	1·25	·01		27
28	-	·62	-	·01	-	·23	·22	-	-	-	·46	-		28
29	-	×	-	·02	-	·23	·68	-	-	-	·69	·03		29
30	·57	×	·02	·09	-	·21	·61	·05	-	·32	·24	-		30
31	-	×	·10	×	-	×	·12	·10	×	·54	×	-		31
TOTAL	13·78 ~~14·48~~	15 5·88 ~~5·43~~	2·85 ~~3·00~~	5·19 5.05	1·55 ~~1·69~~	5·93 ~~5·92~~	40 13·83 ~~13·44~~	58 6·67 ~~6·49~~	·78 ~~1·36~~	188 8·80 ~~7·92~~	47 17·09 ~~17·00~~	5·85 ~~6·32~~	Year's Total 88.90	88·20 ~~88·28~~
* Days with .01 in. or more.	23 ~~24~~	21 ~~20~~	19 ~~20~~	21 ~~20~~	12 ~~13~~	15 ~~14~~	27	18	8 ~~9~~	17 ~~16~~	26	18 ~~19~~	22~~6~~5	
* Days with .04 in. or more.	21 ~~22~~	16 ~~15~~	14 ~~15~~	18 ~~17~~	7 ~~8~~	12 ~~13~~	24	15	3 ~~4~~	17 ~~16~~	25	11 ~~12~~	18~~4~~5	

† Spare column, no entries required.

(*Signed*) J. Rowlands.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1702

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Fox Tor.

in the County of Devon.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ... ft. 1" in.

" Ground " Sea Level 1160 O.D. ft.

Totals ✓

WD

Circ C sent 9/1/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·20

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·	·22	·	·21	·	·	·	·	·	·	·54	·		1
2	·	·10	·	·12	·09	·	·	·	·	·	·32	·		2
3	·	·38	·	·36	·	·01	·12	·	·	·	2·30	·14		3
4	·04	1·50	·	·10	·	·	·02	·	·	·20	2·22	·69		4
5	·02	·52	·	·19	·	·	·18	·	·	·40	·14	·13		5
6	·02	·02	·	·	·	·	·02	·01	·	·38	·43	·49		6
7	·40	1·55	·	·	·	·	·24	·	·	·94	·04	·04		7
8	·66	·	·	·04	·	·	·24	·	·06	·15	·03	·10		8
9	·	·	·	·	·	·	·18	·02	·01	·44	1·60	·99		9
10	·	·	·	·	·	·	1·33	·21	·02	·32	·54	·44		10
11	·	·04	·01	·	·	·	·14	·	·04	·11	·49	·46		11
12	·	·05	·28	·06	·	·	·64	·	·	·	1·99	·12		12
13	·	·	·49	·	·	·14	·49	·	·86	·	·10	·		13
14	·	·01	·39	·	·	·	·06	·05	·03	·81	·92	1·40		14
15	·	·	·02	·08	·01	·	·01	·04	·30	·59	·04	·42		15
16	·	·36	·	·04	·	·	·06	·	·24	·03	·92	·03		16
17	·	·60	1·40	·05	·	·	·19	·	·51	·20	·16	·12		17
18	·	·20	·94	·08	·	·	·36	·	·03	·	·12	·		18
19	·	1·26	·68	·95	·	·	·09	·04	·54	·14	·04	·44		19
20	·	·14	·21	·23	·	·	·43	·	·55	·06	1·00	·		20
21	·	·	·01	·14	·	·	·04	·14	·01	·14	·41	·		21
22	·	·	·02	·	·04	·40	·	·01	·11	·08	1·34	·		22
23	·	·16	·36	·15	·	·20	·	·02	·03	·01	·12	·		23
24	·04	·14	·14	·	·18	·01	·19	·	·02	·18	·14	·		24
25	·02	·	·10	·02	·12	·02	·12	·	·	·	·	·		25
26	·02	·	·20	·13	·59	·15	·	·	·	·	·	·		26
27	·92	1·30	·	·04	·56	·03	·15	·	·	·01	·06	·		27
28	·45	·98	·05	·44	·64	·02	·	·	·	·	·04	·		28
29	·69	·24	·12	·05	·33	·02	·	·02	·	·	·	·06		29
30	·30	✕	·26	1·13	·	·13	·	·	·	·22	·	·80		30
31	·26	✕	·10	✕	·11	✕	·	·	✕	2·04	✕	·42 (·20)		31
TOTAL	·22 ~~4.14~~ 4·39	~~9.80~~ 9·58	·21 ~~5.84~~ 6·05	~~4.64~~ 4·43	2·40	1·13	5·66	·62	3·42	·54 ~~7.81~~ 8·35	~~16.14~~ 15·93	7·82 ~~7.62~~	Year's Total ~~69.88~~	70·08
* Days with .01 in. or more.	~~13~~ 14	~~20~~ 19	~~19~~ 20	~~21~~ 20	10	11	22	10	16	~~21~~ 22	~~26~~ 25	~~18~~ 19	208	
* Days with .04 in. or more.	~~9~~ 10	~~18~~ 17	~~15~~ 16	~~20~~ 19	9	5	19	5	9	~~18~~ 19	~~25~~ 24	~~17~~ 18	170	

† Spare column, no entries required.

(*Signed*) Rowlands

* See Instruction 3 (f) on other side.

[P.T.O.

1703

Section **A** for the entry of D

AIR MINISTRY.

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

1.

1703
STRANGE VALLEY
1931 — 40

780306

Kept at STRANE

in the County of DEVON

Diameter of Funnel of Gauge 26

Avg 1" low.

Letter re low totals 28/4/32

c. C. 16.3.32

Observer confirms accurate

Says gauge on ground

This period appears to be 10 inches low.

Possibly due to over exposure on Moor or leak

Glaisher letter

Fox Tor. 67.00
StraneValley 58.56
Swincombe U 71.62

ED TO THE PREVIOUS DAY.

reading made on January 1st of the following

and Instructions Overleaf.

Jan. 1, following

nil.

							July	August	Sept.	Oct.	Nov.	Dec.	Date
							in.	in.	in.	in.	in.	in.	
								.09					1
									.24	.16			2
							.07			.09	.45	.87	3
							.16		1.29		2.62	.22	4
							.47	.02	.29	.03	.15	.40	5
							.03	.48	.14	.02	.06	.36	6
							.12		.24	.55	.05	.48	7
							.27	.22		.05	1.32	.39	8
							.02	.06		.04	.45	.04	9
							.13	.02			.23	.06	10
							.12	.24	.14		.73	.02	11
12	[illegible]	[illegible]					.16		.06		.33		12
13		.12					.07	.06	.17	.23			13
14		.19	.28		.19		.80	.31			.20		14
15		.11			.15	.19	.39	.35	.04		.50	.06	15
16	.03			.04	.17	.05	.04	.32	.06				16
17	.08			.11	.05	1.41	.07		.10				17
18	.03			.08		.07	.39		.02				18
19	.41			.15		.47	.28	.96			.51		19
20	.53	.29	.18	.19			.06	.66			.62		20
21	.24	.14	.42					.62			.16	.02	21
22	.19	.08	.14		.16	.06	.07			.14	.02		22
23	.92	.11	.03	.69	.27			.02			.07		23
24	.23	.04		.94	.84		.08	.14		.01	1.62		24
25	.22	.22		.99		.25	.88	.55			.06	.02	25
26	.04	.11		.20	.03		.26				.18	.02	26
27	.22	.02		.24	.54		.67				1.36		27
28	.14	.42	.11	.03	.10		.11			.05	.15	.06	28
29	.12		.21	.03	.13	.02	.33	.06		.12		.48	29
30	.03	×						.10	.05	.06	.09	.03	30
31	.19	×		×	.18	×	.02	.03	×	.02	×	nil.	31
TOTAL	.96 ~~4.95~~ 5.91	- ~~4.88~~ 3.92	.33 ~~2.25~~ 2.58	- ~~5.64~~ 5.31	.26 ~~3.66~~ 3.92	- ~~5.93~~ 5.167	.09 ~~6.07~~ 6.16	~~5.31~~ 5.22	2.84	1.54	11.93	3.53	YEAR'S TOTAL 58.56
*Days with ·01 in. or more.	21 ~~20~~	18 ~~19~~	13 ~~12~~	17 ~~18~~	19 ~~18~~	17 ~~18~~	27 ~~26~~	19 ~~20~~	13	14	23	16	214
*Days with ·04 in. or more.	18 ~~17~~	15 ~~16~~	11 ~~10~~	15 ~~16~~	18 ~~17~~	15 ~~16~~	24 ~~23~~	15 ~~16~~	12	9	22	11	185

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

1703

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at STRANE VALLEY
in the County of DEVON
Diameter of Funnel of Gauge 26½ in.
Height of top of Gauge above Ground -' ft 1 in.
,, Ground ,, Sea Level 1180 ft.

1/10

Any 1" [illegible]
Letter re [illegible] 26/1/32 observer conforms [illegible]

Con. for W.D. Sent Circ. C. 16.3.32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: nil.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·96		·33		·26		·09					1
2		·04	·14	·60	·05				·24	·16			2
3	·31		·11	·48		·02	·07			·09	·45	·87	3
4	·62		·21				·16		1·29		2·62	·22	4
5		·02	·39		·11	·11	·47	·02	·29	·03	·15	·40	5
6		·02	·03	·19		·55	·03	·48	·14	·02	·06	·36	6
7		·08		·07	·09	·40	·12		·24	·55	·05	·48	7
8						·11	·27	·22		·05	1·32	·39	8
9				·28	·27	·53	·02	·06		·04	·45	·04	9
10	·07	1·09				·36	·13	·02			·23	·06	10
11					·22	·25	·12	·24	·14		·73	·02	11
12	·33	·82			·11	·46	·16		·06		·33		12
13		·12					·07	·06	·17	·23			13
14		·19	·28		·19		·80	·31			·20		14
15		·11			·15	·19	·39	·35	·04		·50	·06	15
16	·03			·04	·17	·05	·04	·32	·06				16
17	·08			·11	·05	1·47	·07		·10				17
18	·03			·08		·07	·39		·02				18
19	·41			·15		·47	·28	·96			·57		19
20	·53	·29	·18	·19			·06	·66			·62		20
21	·24	·14	·42					·62			·16	·02	21
22	·19	·08	·14		·16	·06	·07			·14	·02		22
23	·92	·11	·03	·69	·27			·02			·07		23
24	·23	·04		·94	·84		·08	·14		·01	1·62		24
25	·22	·22		·99		·25	·88	·55			·06	·02	25
26	·04	·11		·20	·03		·26				·18	·02	26
27	·22	·02		·24	·54		·67				1·36		27
28	·14	·42	·11	·03	·10		·11			·05	·15	·06	28
29	·12		·21	·03	·13	·02	·33	·06		·12		·48	29
30	·03	×						·10	·05	·06	·09	·03	30
31	·19	×		×	·18	×	·02	·03	×	·02	×	nil.	31
TOTAL	·96 ~~4·95~~ 5·91	- ~~4·88~~ 3·92	·33 ~~2·25~~ 2·58	- ~~5·64~~ 5·31	·26 ~~3·66~~ 3·92	- ~~5·93~~ 5·167	·09 ~~6·07~~ 6·16	- ~~5·31~~ 5·22	2·84	1·57	11·93	3·53	YEAR'S TOTAL 58·56
*Days with ·01 in. or more.	21 ~~20~~	18 ~~19~~	13 ~~12~~	17 ~~18~~	19 ~~18~~	17 ~~18~~	27 ~~26~~	19 ~~20~~	13	14	23	16	214
*Days with ·04 in. or more.	18 ~~17~~	15 ~~16~~	11 ~~10~~	15 ~~16~~	18 ~~17~~	15 ~~16~~	24 ~~23~~	15 ~~16~~	12	9	22	11	185

40-9999

(Signed) [illegible]

P.T.O.

*See Instruction 2 (*f*) on other side.

840383/28.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1703

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at DARTMOOR (STRANE VALLEY)
in the County of DEVON.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground — ft 7 in.
,, Ground ,, Sea Level 1180 ft.

Ref. No. 840.383/28 Lowup 1931
Obs. comp. G. r. somm.
Letter sent re late Totals 3/2/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·62			·04	·19	·24	2·20	·09		·79	·02	1·48	1
2	·34			·27			·23	·34	·24		·04	·59	2
3	·18	02	·10	·07		·04	·03	·06	·33		·09	·57	3
4	·16		·06			·49	·03		·55	·07	·05		4
5	·11					·07	·21	·09			·34		5
6	·99	·02	·04				·02	·05	·29				6
7	1·02		·05	·22	·01		·04		·24	·10			7
8	·19		·07	·04	·26		·02		·48	1·09			8
9			·65	·16	·24				·62	·17	·02		9
10	1·90			·40	·10					·04			10
11	·97		·02	·26	·11				·04	·20			11
12				·02	·17				·12	·22		·54	12
13	1·52			·05	1·54				·15	1·10		·01	13
14	·56			·42	·08		·19	·11	·11	·68		·40	14
15	·34	·02		·19	·19			·06		·19		·21	15
16	·24			·07	·07		·02			·26		·20	16
17	·54			·08			·11				·16	·11	17
18	·10			·04	·16					·15		·10	18
19	·18				·62				·22		·26		19
20	·05			·04	·97				·12	·87	·02		20
21	·09			·06	·18		·02	·59	·13	1·52	·33	·23	21
22			·10	·14			·03	·25	·02	·47	·35	·40	22
23				·13	·10		·10	·14	·43	·26	·41	·17	23
24							·16	·08		1·22	·05	·28	24
25							1·32		·57	·34	·08		25
26			·37	·02	·02		·38		·19	·46	·40		26
27	·02		·49	·61			·17		·26	·32	·02		27
28			·37	·36	·10	·04	·19			·42	·19	·22	28
29			·83	·20	·12	·05	·56				·02	·17	29
30		✕	·40	·35	·13	1·49	·19	·86	1·27	·82	·54	·90	30
31		✕	·30	✕	·03	✕	·53		✕	·38	✕		31
													YEAR'S TOTAL
TOTAL	10·12	·06	3·85	4·24	5·39	2·42	6·75	2·72	6·38	12·14	3·39	6·58	64·04
*Days with ·01 in. or more.	20	3	14	24	21	7	22	12	20	24	19	17	203
*Days with .04 in. or more.	19	–	13	22	19	7	15	12	19	24	14	16	180

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E Rowlands

E. ROWLANDS ESQ., C.E.

P.T.O.

840383/28.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1703

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Devon [illegible]

DARTMOOR

Kept at (Strane VALLEY)

in the County of Devon

Diameter of Funnel of Gauge ~~5~~8 in.

Height of top of Gauge above Ground – ft 1 in.

,, Ground ,, Sea Level 1680 ft.

low nr 19310 2.

[illegible]

Letter sent re proposed change! [illegible] 28/3/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·76	1.06	·90	·46	·52	·06				·19	·17			1
2	1.02	·30	·86		·02	·29					·39	1.02		2
3	1.60	·06	·72		1.40	·47					·04	·38		3
4	·26	·12	·65		·17									4
5	·47	·15	·53		·27									5
6	·10	·19	·96		·70				·02					6
7	·03	·61	·13		·37		·51							7
8		·17	·01		·16		·25							8
9	·16	·12			·07	·07	·21							9
10		·13			·17		·88			·83	·11			10
11	·08	·21					·33	·08		1.56	·06			11
12	·02			·22			·23	1.34		·28				12
13				·09	·10	·37	·56	·04	·37		·02			13
14	·03		·02		·15	·08	·23	·10		·75	·21			14
15	·59						·30	·13			·40			15
16	·17		·76				·23	·28		·12	·18			16
17			·69			·22		·02	·04	·14				17
18			·40			·18		·34	·46			·02		18
19	·19		·20			·22				·06	·05			19
20	·51	·29	·18			·40		·10	·19		·50	·03		20
21					·02	·08		·36	·19					21
22						·17		·26		·27				22
23				·41		·29		·63	·46	·02				23
24		·30		·19				·02		1.01				24
25				·90		·24			·19	·06				25
26				·41	·09	·38			·32			·18		26
27				·28	·07					·63				27
28		1.46		·22					·01	·34	·04	1.18		28
29				·28	·02		·83	·02	·02	·21		·14		29
30	·04	✕	·09	·07			·08		·10			·07		30 low nr
31	·08	✕	·20	✕		✕	·27		✕	·22	✕	·05		31
TOTAL	6.11	5.17	7.30	3.53	4.30	3.52	4.91	3.72	2.37	6.69	2.17	3.07	Year's Total 52.86	
*Days with ·01 in. or more.	17	14	16	11	16	15	13	14	12	16	12	9		
*Days with .04 in. or more.	14	14	14	11	13	15	13	11	9	15	11	7		

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. Rowlands

E. ROWLANDS, ESQ, C.E.

[P.T.O.

840380/28

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1703

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

V/S Devon/4

Kept at STRANE VALLEY

in the County of Devon

Diameter of Funnel of Gauge ~~[illegible]~~ 8 in.

Height of top of Gauge above Ground – ft 7 in.

,, Ground ,, Sea Level 1,180 ft.

Comp 1931-33

1934. 7-10" two Cows. cf 1702+1704

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	–	–	–	–	·03	–	–	·01	·48	·17	·02		1
2	·35	–	·07	–	–	·02	–	1·02	·28	·04	·78	2·62		2
3	·07	–	·16	–	–	–	–	·01	1·12	·32	·06	·30		3
4	·37	·03	–	·06	–	–	–	–	·02	·55	–	1·45		4
5	·30	–	·33	·07	·85	–	–	·26	·08	·75	–	·25		5
6	–	–	·49	–	1·06	·07	–	1·61	–	·14	·04	1·16		6
7	·68	–	·03	·17	·81	–	–	·14	·08	·78	·05	·67		7
8	·22	·01	–	–	–	–	–	·15	–	·63	·18	1·58		8
9	–	–	–	–	·03	–	–	·06	·04	·01	1·14	1·54		9
10	·07	·02	·67	·04	–	–	–	·20	–	·01	·09	·21		10
11	1·16	·02	·47	·47	–	–	–	·10	–	–	·06	·44		11
12	1·06	–	·05	·54	–	–	·03	·21	–	–	–	·43		12
13	·05	–	–	–	–	·01	·14	·30	–	–	–	·62		13
14	1·70	–	·12	·84	–	·01	–	–	–	·13	·51	·31		14
15	·90	–	·94	·22	–	–	–	–	–	·27	·04	1·22		15
16	·40	–	·20	·08	·21	–	·01	·005	·01	·20	·14	·68		16
17	·62	–	·67	–	·02	–	–	–	·58	·24	·02	·37		17
18	·35	·01	·14	·44	·06	–	·005	–	·13	·08	–	·90		18
19	·14	–	·69	·59	–	·13	–	–	·23	·06	–	·74		19
20	·02	–	·31	–	–	·10	–	·10	·48	·03	–	·57		20
21	–	–	–	·50	·14	–	·11	–	·68	·06	–	·05		21
22	–	·02	·21	–	–	·41	–	·15	·56	·85	·01	·18		22
23	·07	–	·03	·02	·04	·02	1·88	·28	·15	–	–	·58		23
24	–	–	·03	·40	–	·88	·03	·04	·41	·24	–	·19		24
25	–	·38	·05	–	–	·19	·08	–	·01	·63	–	·30		25
26	·61	–	–	·54	–	·19	·02	–	·04	·67	–	1·02		26
27	·08	·02	·05	·05	–	·38	·02	–	·34	·04	·08	·37		27
28	–	–	–	·03	–	·18	·01	·23	·17	·13	·04	·70		28
29	–	–	–	–	–	·005	·15	·71	·68	·07	·09	1·34		29
30	–	×	–	–	–	–	·09	·08	–	·17	·01	·42		30
31	–	×	–	×	–	×	·02	·13	×	·22	×	·57		31
													Year's Total.	
TOTAL	9·28	·51	5·71	5·06	3·22	2·6~~25~~3	2·59*	5·78	6·10	7·80	3·51	22·40	74·59	
* Days with .01 in. or more.	21	8	20	17	9	14	13	19	21	27	18	31	218	
* Days with .04 in. or more.	20	1	17	15	7	9	6	18	17	24	15	30	179	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Rowlands

[P.T.O.

(1703)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 840383/28

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Strane

in the County of Devon

Diameter of Funnel of Gauge 5 8 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 1180 ft.

Low up. 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·66

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·37	-	·22	-	-	-	·38	-	·08	·24	1·32	1·21		1
2	·17	·20	·63	·07	-	·14	·03	-	·47	·14	·02	·56		2
3	~~·005~~	·10	·20	-	-	·30	·04	-	·38	·33	·11	·32		3
4	·03	·17	·01	·11	·49	·24	·01	-	·10	·21	·51	·17		4
5	·05	·54	-	·22	-	·64	·03	-	·09	·40	·09	·52		5
6	-	·51	·18	·18	-	·31	·02	-	·18	·82	·11	·29		6
7	-	-	-	·81	-	1·56	-	-	-	·01	·12	·08		7
8	-	-	-	·60	-	·15	-	-	-	·52	·24	·25		8
9	-	-	-	·63	-	-	·03	1·21	-	·22	·35	·11		9
10	-	-	-	·53	·01	·03	-	-	-	1·28	·95	-		10
11	·16	·01	-	·11	-	·18	-	-	·02	·02	·05	·07		11
12	·37	·10	·08	~~·005~~	-	·71	-	-	·30	·02	1·12	-		12
13	·30	·58	-	·03	-	·36	-	·05	·14	-	·22	-		13
14	·24	·10	-	·40	-	·04	-	-	·03	·20	1·43	·50		14
15	·01	·33	-	·29	-	·67	-	-	·64	·22	1·14	·19		15
16	-	·17	~~·005~~	1·07	·18	·17	-	-	·10	·06	·48	·03		16
17	-	·22	·23	·39	-	·04	·10	·02	·70	·08	·62	-		17
18	-	·16	-	·07	1·15	·37	-	·03	·06	·04	·04	·31		18
19	-	·24	·03	·80	·23	·01	-	·03	·85	·21	·18	·02		19
20	-	·76	-	·29	·96	·14	·60	-	·32	·41	·45	-		20
21	-	·28	-	·50	·14	·04	~~·005~~	-	-	·01	·12	-		21
22	-	1·08	·02	·36	-	-	·21	-	·09	·08	·01	-		22
23	-	·04	·12	·12	-	-	-	-	·12	·08	-	·66		23
24	-	·26	·22	·21	·02	-	-	·25	·87	·26	-	·45		24
25	·25	·95	·02	·51	·40	-	-	·29	·26	·04	-	·22		25
26	·36	·09	~~·005~~	-	·26	·44	-	-	-	-	-	1·10		26
27	-	1·25	-	-	·02	·09	-	·66	·32	·10	·07	·45		27
28	-	·42	-	-	-	-	·11	·09	·26	·41	·35	·08		28
29	·01	-	-	-	·06	-	·06	·08	·23	·24	·05	1·14		29
30	·01		-	-	·02	·07	-	·17	·48	·12	·44	1·24		30
31	·08		-		-		-	·93		·10		-		31
TOTAL	2·41	8·56	1·96	8·32	3·94	6·70	1·62	3·81	7·09	6·87	10·59	9·97	Year's Total 71·84	
* Days with .01 in. or more.	14	23	12	22	13	22	12	12	24	29	26	23	232	
* Days with .04 in. or more.	10	22	8	21	9	20	7	9	22	25	24	21	198	

40-9999.

* Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. Rowlands [P.T.O.

O

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No 1703

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at STRANE VALLEY

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 1 in.

,, Ground ,, Sea Level 1180 ft.

4137

low [illegible] 1934/5

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1·25

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·66	·29	·06	·70	-	·02	·45	·53	-	-	-	-		1
2	·12	·21	-	·84	-	·38	1·49	·24	-	-	·21	·06		2
3	·04	·04	-	·50	-	·26	·36	·01	·86	-	·15	·02		3
4	·08	·02	·08	·81	-	·17	·04	·01	·92	-	·04	·08		4
5	·10	·34	·38	-	-	·13	·01	·02	·65	-	·24	·31		5
6	·86	-	·18	-	·08	-	·46	·31	·09	-	·20	·25		6
7	·13	-	·10	-	·01	·02	·44	·02	·82	-	·80	·05		7
8	·60	-	·23	-	-	·03	·01	-	·08	-	·79	·16		8
9	·41	·01	·80	-	-	-	·46	-	·03	-	·64	·13		9
10	·65	2·78	·22	-	-	·01	·49	-	·08	-	·30	-		10
11	·51	·22	·01	-	-	-	·09	-	·02	-	·38	·03		11
12	·32	·07	-	-	·05	·08	·19	·15	·43	-	1·33	·08		12
13	·43	·01	-	·12	-	-	·60	·01	-	·11	·02	-		13
14	·08	·03	-	·01	·01	-	·10	-	·10	·45	·34	1·67		14
15	·01	·02	-	-	-	·18	·73	·02	·14	·13	·06	·60		15
16	-	-	-	-	·19	-	·20	·02	·02	-	·75	·90		16
17	·01	·46	-	-	·04	·01	·14	-	·10	-	·49	·47		17
18	·59	1·86	·02	-	·08	·02	1·02	·09	-	·17	·10	1·47		18
19	·18	·34	·56	-	-	·11	·91	·17	-	·04	-	·65		19
20	1·15	·03	·11	·38	-	·04	·20	·29	-	-	-	-		20
21	·20	·58	·02	·22	-	·06	·12	·02	·66	·01	-	·07		21
22	·12	-	·32	·50	-	·01	·09	-	-	·04	-	·02		22
23	·18	·54	·02	-	·04	·01	·87	-	-	·03	-	·06		23
24	·01	·21	·05	·37	·54	-	·32	-	-	·21	·01	·02		24
25	·49	·01	·11	·16	·28	·37	·69	-	·21	·61	-	·06		25
26	·17	-	·48	·43	-	1·32	·26	-	·06	·45	-	-		26
27	·65	·19	·58	-	·01	-	·05	-	-	·12	-	-		27
28	·66	·20	·05	-	-	·01	·26	-	·04	·13	-	-		28
29	1·13	·05	1·27	·03	-	-	·26	-	-	·07	-	·80		29
30	·09	✕	·08	-	·01	·06	·01	-	-	·20	·17	·17		30
31	·65	✕	·09	✕	·08	✕	·43	-	✕	·11	✕	·16		31
TOTAL	11·28	8·51	5·82	5·07	1·42	3·30	11·75	1·91	5·31	2·88	7·02	8·29	Year's Total 42·56	still low.
* Days with .01 in. or more.	30	23	23	13	13	21	31	15	18	16	19	24.	246	
* Days with .04 in. or more.	27	16	19	11	9	12	28	7	15	14	17	20	195	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Rowlands

[P.T.O.

Returns 1702 and also W.D.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1703

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at STRANE.

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 7 in.

,, Ground ,, Sea Level 1180 ft.

W. D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1·25	·38	-	-	-	-	·22	-	·02	·16	·35	·73		1
2	·48	·14	·64	1·40	-	-	·03	-	·34	·01	-	·86		2
3	·33	2·04	·08	·24	·02	-	-	-	·10	·01	-	-		3
4	·10	·40	-	·15	-	·03	·24	-	-	-	·01	·02		4
5	·24	1·30	·01	·02	·15	·03	-	-	-	-	-	1·30		5
6	·83	·02	-	·08	·02	-	1·10	-	·01	-	-	·12		6
7	·20	·87	·57	·58	·14	·12	·03	-	·01	-	-	·11		7
8	-	·65	·43	·21	-	·10	·03	-	·08	-	·09	-		8
9	-	·04	·10	·03	·66	·32	·22	-	-	-	-	-		9
10	·15	·16	·24	·48	·01	-	·02	·09	·70	·03	·05	·02		10
11	·54	·04	1·18	·49	·06	·11	·02	·04	-	-	-	·73		11
12	·70	·02	·44	·32	·60	·09	1·44	-	-	-	-	·07		12
13	1·55	·28	·15	·04	·32	·52	·07	·30	·57	-	·01	1·02		13
14	·02	·22	1·25	·14	-	-	·02	·55	·19	-	-	·04		14
15	-	·11	·04	-	-	-	·01	·02	·39	-	-	·34		15
16	·96	·65	·82	·75	-	-	-	-	·14	-	-	·28		16
17	·62	·20	·40	·04	-	·01	·07	·24	·36	-	·60	-		17
18	1·34	·22	·79	·02	-	-	·01	·01	·08	·02	·98	-		18
19	·16	·50	·57	·01	-	·19	-	·02	·48	·01	·30	·25		19
20	·28	·19	·29	·98	·34	·01	·03	-	·37	-	·19	·02		20
21	1·22	·02	·21	·10	·19	-	·06	-	·08	-	-	·90		21
22	1·05	1·46	-	·14	·54	-	·14	-	·25	·20	·23	·17		22
23	·14	·04	·02	·01	1·06	-	·30	-	·10	1·06	1·28	·29		23
24	·78	·86	·06	-	·18	·01	·01	-	-	·49	·07	·17		24
25	·22	1·02	·31	-	-	-	·11	-	·07	1·44	·04	·19		25
26	·10	1·34	·72	-	·04	-	-	-	·02	·15	-	·02		26
27	·03	·29	·01	-	-	-	-	-	-	·03	-	·04		27
28	·42	1·10	-	-	-	-	-	-	-	·52	·02	·02		28
29	·29	-	-	-	-	·12	-	·01	-	·22	-	·01		29
30	·20	×	-	-	-	·06	-	-	-	·35	·70	·01		30
31	·55	×	-	×	-	×	-	-	×	·23	×	-		31
TOTAL	14·75	14·56	9·33	6·23	4·33	1·72	4·18	1·28	4·36	4·93	4·89	7·73	Year's Total 78·29	✓
* Days with .01 in. or more.	28	28	23	21	15	14	21	9	20	16	15	25	235	
* Days with .04 in. or more.	26	25	20	16	12	9	11	5	16	10	11	18	179	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. Rowlands

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1703

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at STRANE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 7 in.

,, Ground ,, Sea Level 1180 ft.

Totals -

✓ W.E.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .67

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.52	.26	.01	-	.48	.36	.02	.02	.12	.51	.27		1
2	.01	.21	-	-	.03	.85	.26	.69	-	1.05	.13	.33		2
3	.02	.07	-	.12	.02	-	.02	-	-	.23	.02	.16		3
4	-	.	.	-	.10	.03	.09	$\overset{4}{2.53}$	-	1.15	.40	.02		4
5	-	.	-	-	.01	.01	.53	4	-	.62	.03	.62		5
6	.02	.	-	.03	-	.08	.10	.09	.21	.25	.01	.08		6
7	.51	.	-	-	-	.46	1.49	-	.11	.43	.05	.49		7
8	.31	.	-	.	-	.	.76	-	.20	.23	.04	.19		8
9	1.17	.43	.02	-	.	.	.49	.49	-	.80	-	.38		9
10	.70	.15	.01	-	.	.18	.05	.57	-	.02	.04	.91		10
11	.50	.	-	.	.	.02	.25	.79	.	.02	.20	.60		11
12	.53	.05	-	-	.22	.03	.11	-	.	.06	1.42	1.66		12
13	.88	-	.	-	.54	-	-	.	.	1.22	1.29	-		13
14	.40	-	.	-	1.10	-	.04	.01	-	.23	.67	1.70		14
15	1.12	.	-	.	.46	-	.28	-	.03	-	.01	-		15
16	.82	-	.02	.	.26	-	-	.23	.	.59	.44	.73		16
17	.54	.02	.20	-	.06	.	-	.07	.	-	.03	-		17
18	.	.14	.03	.	.24	-	.02	.01	.76	.41	-	.18		18
19	.71	.	.	.	.05	.04	.01	.60	.46	.10	.72	-		19
20	-	.	.	.	-	-	.01	.02	.30	-	1.37	-		20
21	.24	-	.01	.	-	-	-	.09	.05	-	.43	-		21
22	.02	-	.05	.	-	.	-	.33	.11	.07	.35	-		22
23	.08	-	-	.07	.01	.27	-	1.26	-	.03	.43	-		23
24	.04	.	-	.14	.01	.03	-	.01	.	-	.27	-		24
25	.30	.02	.48	-	.32	.03	-	.	.04	-	.51	-		25
26	.26	.87	.09	.01	.02	-	.27	.02	.01	.09	1.70	-		26
27	.43	.65	.14	-	.96	.55	.32	-	.	.40	.03	.36		27
28	.80	.26	.01	.02	.09	.07	.57	1.10	.	.38	.76	-		28
29	.39	-	.05	.	.19	.35	.04	.10	.17	.10	.02	.10		29
30	.42		.09	-	.53	.02	.06	-	.44	.23	.69	.18		30
31	.39		.02		.02		.25	-		.01		.02		31
	.52	.26	.01	-	.48	.36	.02	.02	.12	.51	.27	.67	Year's Total	
TOTAL	12.13 ~~11.61~~	3.13 ~~3.39~~	1.23 ~~1.48~~	.39 ~~.40~~	5.72 ~~5.24~~	3.38 ~~3.50~~	6.04 ~~6.38~~	9.03	3.01 ~~2.91~~	9.23 ~~8.84~~	12.33 ~~12.57~~	9.38 ~~8.98~~	75.00 ~~74.33~~	✓
* Days with .01 in. or more.	27 ~~26~~	12	15	6 ~~7~~	22 ~~21~~	17	23	21 ~~20~~	14	25	28	19	229 ~~227~~	✓
* Days with .04 in. or more.	23 ~~22~~	10	7 ~~8~~	3	15 ~~14~~	10	18 ~~19~~	15 ~~14~~	12 ~~11~~	21	21	17	172 ~~170~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. Rowlands.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1703

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

W.D.

Kept at STRANE

in the County of DEVON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 7" in.

,, Ground ,, Sea Level 1180 O.D. ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·67	-	·13	·	·21	·	·01	·38	·49	-	·76	·35		1
2	·48	-	·09	·11	·02	-	·03	56	·02	·	·75	·42		2
3	·14	·	-	·52	·	·	·	·63	·26	·	·31	·27		3
4	·52	·	·26	·90	·	·	·04	·01	·	·10	·49	·32		4
5	·02	·	·66	·27	·80	·	·46	·02	·	1·65	34	·64		5
6	-	·01	·08	·23	·07	·	·80	·02	·	·70	1·48	-		6
7	·59	·52	·21	·04	·02	·	1·98	·04	·	·08	·21	-		7
8	·19	·63	-	·	·	·	·24	·07	·	-	·30	1·81		8
9	·41	·80	·30	·	·05	·	·35	·04	·	1·27	·44	·40		9
10	·04	·04	·15	·	·	·	·	·53	·	·07	·20	·66		10
11	·29	·07	·01	·	·	·05	·	·14	·23	·43	·05	·49		11
12	-	·15	·16	·	·	·	·	-	·	·44	-	·02		12
13	·07	·17	·	·61	·	-	·01	·	·13	·18	·14	-		13
14	·	·	·	·12	·01	·17	·90	-	·02	·98	·32	·06		14
15	1·42	·01	·	·14	·19	·24	·96	·	·01	·05	·43	·02		15
16	·36	·03	·	·19	·11	1·47	·37	·	·	·	·49	·02		16
17	·47	·03	·06	·16	·02	·08	·57	·	·	·	·74	·		17
18	1·35	·22	-	·	·01	·47	1·80	-	·	·	·61	-		18
19	·08	·10	·03	·	·	·01	·48	·	·	·	·96	·05		19
20	·77	-	-	·	·	-	·86	·40	·	·	·02	·07		20
21	·53	-	·01	·	·09	·12	·49	1·12	·	·	·	·27		21
22	·39	·75	·21	·02	·08	·84	·17	1·53	·01	·	·	-		22
23	·96	·57	·31	·15	·	·71	·27	·	·05	-	2.08	·01		23
24	·02	·02	·07	·89	·	-	·28	·	·	·10	1·12	·		24
25	-	·09	·21	·06	·	·77	·07	-	-	·21	-	·		25
26	1·26	·27	·01	·12	·	·	·06	·65	·	·32	1·24	-		26
27	1·12	·01	-	·05	·	·	·04	·08	·	·	1·00	·01		27
28	-	·53	·	·01	·	·18	·23	·	-	·	·34	-		28
29	·	×	·	·02	·	·20	·63	·	-	·	·57	·03		29
30	·51	×	·02	·10	-	·24	·55	·05	·	·27	·20	·		30
31	·	× 13	·10	× 21	·	× 01	·11 38	·11 49	×	·84 76	× 35	-		31
TOTAL	11·99 ~~12·66~~	5·15 ~~5·02~~	2·93 ~~3·06~~	4·92 ~~4·44~~	1·47 ~~1·68~~	5·54 ~~5·55~~	13·13 ~~12·76~~	6·49 ~~6·38~~	·73 ~~1·22~~	8·45 ~~4·69~~	15·18 ~~15·59~~	5·57 ~~5·92~~	Year's Total ~~82·24~~	81·55
* Days with .01 in. or more.	23 ~~24~~	21 ~~20~~	19 ~~20~~	21 ~~20~~	12 ~~13~~	15 ~~14~~	27	18	8 ~~9~~	17 ~~16~~	26	18 ~~19~~	22~~6~~5	
* Days with .04 in. or more.	21 ~~22~~	15 ~~14~~	14 ~~15~~	16 ~~17~~	7 ~~8~~	14 ~~13~~	24	15	4 ~~5~~	17 ~~16~~	25	12 ~~13~~	18~~76~~	184

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Rowlands.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations
Station No. 1703

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at STRANE

in the County of DEVON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 1" in.

" Ground " Sea Level 1180 00 ft.

Totals WB

Circ Count 9/1/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·39

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·	·26	·	·14	·	·	·	·	·	·	·30	·		1
2	·	·11	·	·11	·09	·	·	·	·	·	·14	·		2
3	·	·42	·	·29	·	·01	·11	·	·	·	2·01	·16		3
4	·08	1·33	·	·10	·	·	·02	·	·	·21	1·49	·54		4
5	·03	·25	·	·19	·	·	·20	·	·	·30	·16	·13		5
6	·02	·02	·	·	·	·	·02	·01	·	·32	·62	·31		6
7	·35	1·25	·	·	·	·	·24	·	·	·80	·04	·55		7
8	·54	·	·	·04	·	·	·12	·	·06	·14	·04	·10		8
9	·	·	·	·	·	·	·16	·02	·01	·66	1·40	·98		9
10	·	·	·	·	·	·	1·28	·14	·02	·31	·46	·54		10
11	·	·05	·01	·	·	·	·12	·	·05	·06	·46	·44		11
12	·	·04	·24	·08	·	·	·60	·	·	·	1·64	·16		12
13	·	·	·42	·	·	·08	·69	·	·83	·	·14	·		13
14	·	·01	·40	·	·	·	·05	·05	·03	·64	1·15	1·36		14
15	·	·	·02	·09	·01	·	·01	·06	·36	·44	·04	·31		15
16	·	·32	·	·04	·	·	·04	·	·21	·03	·83	·03		16
17	·	·54	1·34	·06	·	·	·22	·	·39	·18	·14	·12		17
18	·	·18	·98	·12	·	·	·34	·	·03	·	·12	·		18
19	·	·43	·56	1·08	·	·	·09	·04	·40	·18	·06	·45		19
20	·	·16	·24	·26	·	·	·51	·	·46	·05	·42	·		20
21	·	·	·01	·10	·	·	·05	·14	·01	·13	·30	·		21
22	·	·	·02	·	·04	·59	·	·01	·16	·04	·96	·		22
23	·	·14	·34	·14	·	·10	·	·02	·05	·01	·09	·		23
24	·04	·12	·16		·12	·01	·18	·	·02	·39	·12	·		24
25	·02	·	·08	·02	·15	·02	·12	·	·	·	·	·		25
26	·02	·	·19	·12	·40	·15	·	·	·	·	·	·		26
27	·84	1·04	·	·04	·38	·03	·14	·	·	·01	·06	·		27
28	·43	·45	·05	·04	·55	·02	·	·	·	·	·05	·		28
29	·42	·24	·11	·05	·28	·02	·	·02	·	·	·	·06		29
30	·44	✕	·24	1·24	·	·10	·	·	·	·18	·	·58		30
31	·32	✕	·10	✕	·11	✕	·	·	✕	1·98	✕	·38 (·39)		31
TOTAL	·26 ~~4·24~~ 4·50	~~7·45~~ 7·49	·17 ~~5·54~~ 5·74	~~4·44~~ 4·24	2·13	1·13	5·34	·54	3·39	·30 ~~7·15~~ 7·45	~~13·63~~ 13·33	~~4·23~~ 4·62	Year's Total ~~62·57~~	62·93
* Days with ·01 in. or more.	~~13~~ 14	~~20~~ 19	~~19~~ 20	~~21~~ 20	10	11	22	10	16	~~21~~ 22	~~26~~ 25	~~18~~ 19	208	^
* Days with ·04 in. or more.	~~9~~ 10	~~18~~ 17	~~15~~ 16	~~20~~ 19	9	5	19	5	10	~~18~~ 19	~~26~~ 25	~~17~~ 18	172	^

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. Rowlands.

[P.T.O.

1704

1704
SWINCOMBE VALLEY
1931—40

78U306

Section **A** for the entry of

AIR MINISTRY.

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIST

31.

Kept at Swincombe V

6. 16.3.32.

in the County of Devon

Diameter of Funnel of Gauge 26

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1·26		·41		·21		·10					1
2		·08	·20	·72	·08				·30	·15			2
3	·28		·18	·54		·03	·07			·10	·60	1·06	3
4	·55		·24				·29		1·45		3·16	·38	4
5		·04	·51		·14	·08	·19	·04	·30	·02	·14	·40	5
6		·02	·04	·22		·49	·04	·17	·09	·02	·06	·52	6
7		·11		·11	·10	·39	·16		·20	·56	·07	·63	7
8					·30	·10	·52	·18		·06	1·95	·47	8
9				·35		·56	·02	·07		·05	·60	·06	9
10	·08	1·32				·40	·14	·02			·26	·05	10
11					·21	·21	·15	·21	·14		·77	·03	11
12	·37	1·04			·13	·62	·23		·07		·45		12
13		·17					·11	·05	·21	·25			13
14		·24	·40		·22		1·16	·41			·19		14
15		·14			·14	·20	·46	·39	·05		·60	·07	15
16	·04			·06	·24	·08	·05	·35	·04				16
17	·08			·14	·06	1·38	·10		·09				17
18	·04			·11		·09	·49		·03				18
19	·49			·21		·45	·26	1·32			·59		19
20	·76	·32	·20	·16			·08	·75			·72		20
21	·40	·16	·47					·72			·21	·02	21
22	·33	·07	·12		·24	·06	·06			·21	·03		22
23	1·26	·11	·04	·96	·38			·02			·09		23
24	·51	·03		1·26	1·18		·06	·18		·01	2·48		24
25	·27	·26		1·33	·04	·31	1·12	·60			·08	·03	25
26	·07	·12		·31			·29				·21	·02	26
27	·26	·02		·33	·76		·51				1·92		27
28	·20	·57	·22	·04	·12		·10			·06	·18	·09	28
29	·26		·35	·03	·18	·02	·41	·09		·10		·52	29
30	·06	✕						·19	·06	·07	·11	·09	30
31	·23	✕		✕	·33	✕	·02	·04	✕	·02	✕	Nil	31
TOTAL	1·26 ~~6·54~~ 7·80	- ~~6·08~~ 4·82	·41 ~~2·97~~ 3·38	- ~~7·29~~ 6·88	·21 ~~4·85~~ 5·06	- ~~5·68~~ 5·47	·10 ~~4·69~~ 4·79	- ~~5·90~~ 5·80	3·03	1·68	15·47	4·44	YEAR'S TOTAL 41·62
*Days with ·01 in. or more.	21 ~~20~~	18 ~~19~~	13 ~~12~~	17 ~~18~~	19 ~~18~~	17 ~~18~~	27 ~~26~~	19 ~~20~~	13	14	23	16	217
*Days with ·04 in. or more.	21 ~~20~~	15 ~~16~~	13 ~~12~~	16 ~~17~~	19 ~~18~~	15 ~~16~~	25 ~~24~~	17 ~~18~~	12	10	22	12	197

40-9999

(Signed) J. E. Rowlands [P.T.O.

*See Instruction 2 (*f*) on other side.

1704

Section **A** for the entry of ~~Daily Observations~~. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at SWINCOMBE VALLEY

in the County of DEVON

Diameter of Funnel of Gauge 26 ½ in.

Height of top of Gauge above Ground — ft. 7" in.

" Ground " Sea Level 1120 ft.

Cor. for W.O. Sent Circ. C. 16.3.32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1·26		·41		·21		·10					1
2		·08	·20	·72	·08				·30	·15			2
3	·28		·18	·54		·03	·07			·10	·60	1·06	3
4	·55		·24				·29		1·45		3·16	·38	4
5		·04	·51		·14	·08	·19	·04	·30	·02	·14	·40	5
6		·02	·04	·22		·49	·04	·17	·09	·02	·06	·52	6
7		·11		·11	·10	·39	·16		·20	·56	·07	·63	7
8					·30	·10	·52	·18		·06	1·95	·47	8
9				·35		·56	·02	·07		·05	·60	·06	9
10	·08	1·32				·40	·14	·02			·26	·05	10
11					·21	·21	·15	·21	·14		·77	·03	11
12	·37	1·04			·13	·62	·23		·07		·45		12
13		·17					·11	·05	·21	·25			13
14		·24	·40		·22		1·16	·41			·19		14
15		·14			·14	·20	·46	·39	·05		·60	·07	15
16	·04			·06	·24	·08	·05	·35	·04				16
17	·08			·14	·06	1·38	·10		·09				17
18	·04			·11		·09	·49		·03				18
19	·49			·21		·45	·26	1·32			·59		19
20	·76	·32	·20	·16			·08	·75			·42		20
21	·40	·16	·47					·72			·21	·02	21
22	·33	·07	·12		·24	·06	·06			·21	·03		22
23	1·26	·11	·04	·96	·38			·02			·09		23
24	·51	·03		1·26	1·18		·06	·18		·01	2·48		24
25	·27	·26		1·33	·04	·31	1·12	·60			·08	·03	25
26	·07	·12		·31			·29				·21	·02	26
27	·26	·02		·33	·76		·51				1·92		27
28	·20	·57	·22	·04	·12		·10			·06	·18	·09	28
29	·26		·35	·03	·18	·02	·41	·09		·10		·52	29
30	·06	×						·19	·06	·07	·11	·09	30
31	·23	×		×	·33	×	·02	·04	×	·02	×	Nil	31
TOTAL	1·26 ~~6·54~~ 7·80	- ~~6·08~~ 4·82	·41 ~~2·97~~ 3·38	- ~~7·29~~ 6·88	·21 ~~4·85~~ 5·06	- ~~5·68~~ 5·47	·10 ~~4·69~~ 4·79	- ~~5·90~~ 5·80	3·03	1·68	15·47	4·44	YEAR'S TOTAL 41·62
*Days with ·01 in. or more.	21 ~~20~~	18 ~~17~~	13 ~~12~~	17 ~~18~~	19 ~~18~~	17 ~~18~~	27 ~~26~~	19 ~~20~~	13	14	23	16	217
*Days with ·04 in. or more.	21 ~~20~~	15 ~~16~~	13 ~~12~~	16 ~~17~~	19 ~~18~~	15 ~~16~~	25 ~~24~~	17 ~~18~~	12	10	22	12	197

40-9999

(Signed) E. Rowlands [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1704

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at SWINCOMBE

in the County of DEVON

Diameter of Funnel of Gauge 26½ in.

Height of top of Gauge above Ground – ft 7" in.

,, Ground ,, Sea Level 1,120 ft.

Ref. No. 840.383/28.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·89			·10	·21	·46	3·76	·10			·03	2·26	1
2	·46			·34			·37	·36	·34	1·27	·05	·55	2
3	·29	·02	·09	·09		·05	·03	·10	·42		·10	·60	3
4	·26		·10			·69	·02		1·29	·05	·06		4
5	·20					·11	·20	·05			·37		5
6	1·54	·03	·07				·02	·04	·60				6
7	2·56		·04	·24	·01		·04		·49	·20			7
8	·18		·10	·07	·26		·02		1·06	2·60			8
9			·98	·25	·36				1·64	·21	·02		9
10	2·23			·58	·14					·09			10
11	1·15		·02	·30	·16				·06	·22			11
12				·04	·22				·12	·20		·54	12
13	2·30			·06	1·80				·17	1·16		·02	13
14	·81			·57	·23		·18	·14	·13	·67		·43	14
15	·46	·02		·23	·29			·05		·19		·26	15
16	·34			·09	·09		·02			·30		·30	16
17	·83			·07			·15				·12	·10	17
18	·12			·03	·29					·18		·14	18
19	·25				1·07				·34		·27		19
20	·06			·06	1·26				·20	1·20	·05		20
21	·10			·08	·38		·02	·56	·27	1·87	·42	·30	21
22			·09	·16			·07	·16	·10	·70	·40	·53	22
23				·15	·12		·12	·17	1·23	·38	·57	·26	23
24							·26	·15		1·65	·09	·42	24
25							1·28		·84	·36	·10		25
26			·67	·02	·02		·37		·36	·54	·53		26
27	·02		·90	1·05			·26		·29	·29	·03		27
28			·46	·65	·11	·04	·20			·41	·21	·26	28
29			·97	·36	·12	·06	·57				·02	·29	29
30		×	·56	·57	·10	1·62	·20	·68	1·14	1·20	·70	1·20	30
31		×	·39	×	·06	×	·58		×	·62	×		31
													YEAR'S TOTAL
TOTAL	15·05	·07	5·44	6·16	7·30	3·03	8·74	2·56	11·09	16·56	4·14	8·46	88·60
*Days with ·01 in. or more.	20	3	14	24	21	7	22	12	20	24	19	17	203
*Days with .04 in. or more.	19	–	13	22	19	7	16	12	20	24	15	16	183

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

840383/28

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1704

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Swincombe.

in the County of Devon.

Diameter of Funnel of Gauge 26½ in.

Height of top of Gauge above Ground — ft 1 in.

,, Ground ,, Sea Level 1120 ft.

Days J.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·86	1·12	·92	·54	·66	·08				·18	·16			1
2	1·03	·40	·95		·02	·32					·36	·97		2
3	2·23	·10	·80		1·27	·54					·03	·32		3
4	·27	·17	1·02		·12									4
5	·43	·18	·57		·30									5
6	·11	·23	1·19		·98				·02					6
7	·04	·74	·12		·59		·23							7
8		·19	·09		·14		·36							8
9	·28	·16			·06	·32	·19							9
10		·10			·17		·74			·87	·06			10
11	·07	·20					·32	·08		1·62	·04			11
12	·02			·23			·12	1·04		·20				12
13				·14	·07	·33	·62	·05	·36		·02			13
14	·06		·02		·16	·06	·30	·11		·46	·16			14
15	·75						·20	·14			·40			15
16	·26		·96				·25	·20		·09	·15			16
17			·79			·23		·02	·03	·10				17
18			·54			·23		·33	·49			·02		18
19	·23		·20			·27				·04	·05			19
20	·53	·26	·17			·42		·08	·15		·49	·02		20
21					·02	·11		·25	·19					21
22						·04		·16		·25				22
23				·48				·59	·42	·02				23
24		·34		·24		·18		·02		·93				24
25				·98		·21			·08	·02				25
26				·61	·09	·37			·36			·16		26
27				·30	·08					·51				27
28		1·56		·23					·01	·26	·04	·96		28
29				·28	·03		·76	·03	·02	·23		·15		29
30	·05	✕	·06	·08			·06		·06			·04		30
31	·08	✕	·15	✕		✕	·33		✕	·16	✕	·03		31
													Year's Total	
TOTAL	7·30	5·75	8·55	4·11	4·76	3·71	4·48	3·10	2·19	5·94	1·96	2·67	54·52 ✓	
*Days with ·01 in. or more.	17 ✓	14 ✓	16 ✓	11 ✓	16 ✓	15 ✓	13 ✓	14 ✓	12 ✓	16 ✓	12 ✓	9 ✓	165	
*Days with ·04 in. or more.	16 ✓	14 ✓	15 ✓	11 ✓	14 ✓	15 ✓	13 ✓	11 ✓	8 ✓	14 ✓	10 ✓	6 ✓	147	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. Rowlands

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1704

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Swincombe.
in the County of Devon.
Diameter of Funnel of Gauge ~~2~~ 8" in.
Height of top of Gauge above Ground – ft 1 in.
,, Ground ,, Sea Level 1120 ft.

Circ C sent 17/5/35.
Reply 20/5/35.
WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
.10.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	-	-	-	-	-	-	-	.02	.54	.10	.02		1
2	.34	-	.07	-	-	-		1.52	.17	.04	.50	2.15		2
3	.06	-	.15	-	-	-	-	.01	1.27	.14	.20	.52		3
4	.34	.03	-	.06	.27	-	-	-	.01	.65	.02	1.25		4
5	.33	-	.25	.09	.90	-		.13	.09	.50	T.	1.09		5
6	-	-	.41		1.03	-	-	2.04	T	.26	.02	1.38		6
7	.70	-	.03	.18	.76	-	-	1.38	.12	.76	.09	.90		7
8	.27	.01	-	-	-	-	-	.10	-	.81	.09	1.95		8
9	-	-	-	-	.06	-	-	.05	.07	.01	.99	2.25		9
10	.06	.03	.60	.08	-	-	-	.08	-	.02	.38	.25		10
11	1.14	.02	.45	.43	-	-	.04	.22	-	-	.06	.02		11
12	1.02	-	.04	.56	-	-	.05	.06	-	-	-	1.40		12
13	.05	-	-	-	-	-	.06	.44	-	-	-	.51		13
14	1.68	-	.10	.92	-	-	-	-	-	.09	.58	.48		14
15	.87	-	.92	.31	-	-	-	T	-	.11	.06	1.64		15
16	.39	-	.19	.09	.32	-	.01	.005	.02	.13	.13	.56		16
17	.50	-	.69	-	.02	-	.01	-	.37	.02	T.	.52		17
18	.26	.01	.11	.52	.06	-	.01	-	.26	.14	-	.91		18
19	.09	-	.67	.61	-	.09	-	-	.20	.03	-	.76		19
20	.02	-	.26	-	-	.06	-	.12	.40	.03	-	.45		20
21	-	-	-	.63	.21	-	.07	-	.49	.09	T.	.08		21
22	-	.02	.20	-	-	.39	.03	.20	.03	92	T.	.12		22
23	.06	-	.02	.02	.05	.05	2.29	.21	.60	.10	.01	.69		23
24	-	-	.03	.42	-	1.21	.005	.03	.20	-	-	1.23		24
25	-	.36	.06	-	-	.24	.04	T	.32	.48	-	.40		25
26	.59	-	-	.60	-	.04	.05	-	.07	1.55	-	1.60		26
27	.07	.02	.04	.05	-	.37	.01	-	.46	.03	05	.38		27
28	-	-	-	.03	-	-	-	13	.28	.11	.04	.53		28
29	-	-	-	-	-	-	.19	.72	.46	.03	.08	2.19		29
30	-	×	-	-	-	-	.07	.14	.13	.09	.04	.26		30
31	-	×	-	×	-	×	.03	.15 ~~.02~~	× ~~4.54~~	.11	× ~~4.02~~	1.05 ~~.10~~		31
TOTAL	8.84 ~~8.91~~	.50	5.29	5.60	3.68	2.45	7 2.9~~6~~	7.75 ~~[illegible]~~	6.56 ~~6.04~~	7.35 ~~7.19~~	3.36 ~~3.44~~	27.62 ~~27.54~~	Year's Total. 7 81.9~~4~~	
* Days with .01 in. or more.	21	8	20	17	10	8	15	19	22	27	18	31	216	
* Days with .04 in. or more.	20	1	17	15	9	8	9	17	18	20	15	29	178	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Rowlands

[P.T.O.

1704

COPY FOR OFFICIAL USE. X

Section **A** for the entry of Daily Observations.

Station No. 840383/28

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SWINCOMBE

in the County of DEVON ? 8" [illegible]

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground - ft. 1" in.

,, Ground ,, Sea Level 1120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·76

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	T	·19	-	-	·11	·18	-	·20	·19	1·28	1·34		1
2	·24	·22	1·05	·02	-	·14	·20	-	·21	·12	·06	·31		2
3	T	·12	·04	-	-	·10	·06	-	·25	·36	·04	·16		3
4	·04	·06	·19	·04	·08	·39	·02	-	·04	·41	·34	·15		4
5	·01	·45	T	-	-	·40	-	-	·11	·19	·48	·31		5
6	-	·42	·06	·10	-	·59	-	-	·18	·04	·09	·11		6
7	-	-	·02	·68	-	2·96	-	-	-	T	·12	·18		7
8	-	-	-	·85	-	·17	-	-	-	·50	·12	·15		8
9	-	-	-	·67	·01	-	·04	·86	-	·10	·58	·07		9
10	-	-	-	1·10	-	·02	T	-	-	1·50	1·01	-		10
11	·15	-	-	-	-	·24	-	-	·06	·02	·04	·01		11
12	·40	·08	·58	-	-	·99	-	-	·34	-	1·36	·07		12
13	·13	·40	T	-	-	·46	-	·05	·17	·22	·22	-		13
14	·04	·34	-	·37	-	·02	-	-	·04	·18	·38	-		14
15	T	·20	-	·27	-	·49	-	-	·10	·11	2·27	·47		15
16	-	·51	·03	1·65	·11	·36	-	-	·49	·05	·58	·13		16
17	-	·31	·20	·26	-	·08	·04	T	1·03	·03	·56	·02		17
18	-	·03	T	·15	1·08	·46	06	-	·05	·17	·04	-		18
19	-	·50	·03	1·06	·05	·06	-	·05	1·48	·24	·05	·48		19
20	-	·11	-	·42	1·06	·16	·70		·28	-	·92	-		20
21	-	1·26	-	·92	·27	·09	-	-	-	·06	·11	-		21
22	-	1·60	·04	·28	-	·03	·19	-	·04	·06	T	-		22
23	-	·09	·07	·13	-	-	-	-	·10	·24	-	-		23
24	-	·32	·27	·10	·02	-	-	·30	·24	·01	-	·80		24
25	·11	1·20	·01	·46	·10	-	-	·32	·80	T	-	·63		25
26	·35	·09	-	·08	·52	·60	-	-	-	·04	-	·27		26
27	·03	1·21	-	-	-	·32	-	·58	·32	·22	·08	1·24		27
28	-	·31	-	-	-	-	·08	·07	·26	·22	·30	·58		28
29	T	-	-	-	·12	-	·04	·06	·20	·11	·12	·09		29
30	-	✕	-	-	·04	-	-	·03	·58	·24	·11	1·21		30
31	·07	✕	-	✕	-	✕	-	1·04	✕	-	✕	1·33	Year's Total	31
TOTAL	7·67	9·83	2·78	9·61	3·46	9·22	1·61	3·36	7·57	5·63	11·26	10·11	76·11	
* Days with .01 in. or more.	12	22	14	20	12	23	11	10	24	26	25	23	222	
* Days with .04 in. or more.	10	21	10	19	10	20	10	9	24	23	25	21	202	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Rowlands

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 1704

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Swincombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground -- ft. 1 in.

,, Ground ,, Sea Level 1120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1·15

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·76	·36	·02	1·00	-	·04	·58	·31	-	-	·14	-		1
2	·17	·16	·06	·78	-	·35	·80	-	-	-	·03	·05		2
3	TR	TR	TR	·26	-	·36	·50	·13	·24	-	·11	·01		3
4	·04	-	·06	1·14	-	·11	·16	·02	1·26	-	-	·05		4
5	TR	·04	·30	·02	-	·11	-	-	·45	-	·03	·10		5
6	1·26	·38	·11	-	-	-	·10	·10	·17	-	·86	·19		6
7	·12	-	·11	-	-	·01	·74	·07	·91	-	·60	·07		7
8	·28	-	·10	-	-	·02	·44	-	·22	-	·44	·06		8
9	·92	-	1·00	-	-	-	·38	-	·04	-	·23	·13		9
10	·62	1·69	·33	-	-	TR	·41	-	·04	-	·19	T		10
11	·60	·24	·09	-	-	TR	·02	·01	·10	-	1·31	·02		11
12	-	·79	-	-	·03	·08	-	·09	·13	-	·12	·07		12
13	·73	·14	-	·14	-	-	·72	-	·48	·03	·25	·05		13
14	·10	·02	·03	-	-	-	·09	·01	·03	·25	-	1·50		14
15	TR	·05	-	-	-	·16	·75	-	·28	·20	·47	·86		15
16	·01	-	-	-	-	-	·20	-	·03	-	·49	·90		16
17	-	·59	-	-	·22	-	·19	-	·08	-	·10	·19		17
18	·18	2·60 ✓	-	-	·09	-	1·40	·08	-	·14	-	1·85		18
19	·10	·50	·25	-	-	-	1·13	-	-	·01	-	·33		19
20	1·80	·03	·48	·25	-	·15	·25	·22	-	·01	-	-		20
21	·09	·85	·17	·10	-	·05	·01	·02	·83	-	-	·04		21
22	·08	·04	·30	·89	-	-	·18	-	-	-	-	T		22
23	·23	·50	·15	-	·04	-	·57	-	·01	·01	-	·05		23
24	TR	·13	·09	·33	·12	·28	·50	-	-	·14	·01	-		24
25	·50	·03	·14	·06	·62	·58	·15	-	·19	·44	-	·06		25
26	·43	-	·46	·48	-	-	·09	-	·02	·34	-	-		26
27	·76	·13	1·10	TR	-	-	·16	-	·02	·17	-	-		27
28	·56	·13	·04	-	-	-	·31	-	·04	·14	-	-		28
29	1·39	·01	1·63	-	-	·01	·24	-	-	TR	-	·86		29
30	·08	✕	·12	-	TR	-	·02	-	-	·19	·11	·20		30
31	·41	✕	·05	✕	·08	✕	TR	-	✕	·07	✕	·06		31
													Year's Total	
TOTAL	12·22	9·41	7·19	5·44	1·20	2·31	11·09	1·06	5·57	2·14	5·49	7·10	70·82	✓
* Days with .01 in. or more.	25	22	24	12	7	14	28	11	21	14	17	23	218	✓
* Days with .04 in. or more.	24	18	22	11	6	11	25	7	16	10	14	21	185	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Rowlands

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1704

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SWINCOMBE
in the County of DEVON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft. 7 in.
,, Ground ,, Sea Level 1120 ft.

Corr for fault. W D

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	1.15	·43	·21	1.53	-	-	·19	-	-	-	·83	·76		1
2	·56	·02	·05	·44	-	-	·05	-	·11	·17	·01	1.03		2
3	·12	2.06	·05	·37	-	-	-	-	·20	·04	-	·01		3
4	·04	·47	-	-	·03	·03	·20	-	-	-	-	-		4
5	·15	1.55	·03	·16	·09	·02	·01	-	-	-	-	·91		5
6	·60	-	-	·57	-	·01	·57	-	-	-	-	·05		6
7	TR	1.01	1.00	·16	·11	-	·29	-	-	-	-	·03		7
8	-	·68	·53	·02	·03	·23	·01	-	·08	-	·13	·06		8
9	-	·04	-	·40	·70	·37	·08	-	-	-	·02	-		9
10	·18	·09	·97	·76	·09	·04	·23	·04	·81	·05	-	-		10
11	·61	·04	1.13	·34	·04	·14	·01	·04	-	-	-	·96		11
12	·22	-	·45	·10	·76	·09	·19	-	-	-	-	·04		12
13	2.12	·25	·13	·19	·12	·75	·21	·32	·31	-	-	1.00		13
14	·02	-	1.22	·02	·01	·01	·01	·47	·20	-	-	·06		14
15	-	·26	·20	·57	-	-	-	·04	·20	-	-	·19		15
16	1.08	·45	·66	·09	-	-	·07	·01	·18	-	-	·17		16
17	·56	·16	·93	-	-	-	·05	·21	·44	-	·68	·01		17
18	1.62	·12	·89	·03	-	-	-	-	·09	-	2.02	-		18
19	·33	·31	·47	·54	-	·14	·01	·04	·67	-	·26	·15		19
20	·23	·21	·27	·29	·26	-	-	-	·35	-	·11	·08		20
21	1.43	·04	·62	·10	·24	-	·01	-	·11	-	-	1.32		21
22	1.67	1.19	·04	·01	·78	-	·17	-	·26	·04	·24	·12		22
23	·32	-	·06	-	1.08	·01	·23	-	·36	1.13	1.24	·48		23
24	·85	·47	-	-	·20	-	·05	-	·22	·42	·20	·06		24
25	·75	·71	·24	-	·02	-	·05	-	·08	1.58	-	·16		25
26	·07	1.33	·73	-	·03	-	·02	-	·05	·58	-	-		26
27	·04	·41	-	-	-	-	-	-	-	·02	-	-		27
28	·43	·40	-	-	-	-	-	-	-	·40	-	-		28
29	·32	-	-	-	-	·06	-	-	-	·03	·03	-		29
30	·06	✕	-	-	-	·04	-	-	-	·30	·33	-		30
31	·75	✕	-	✕	-	✕	-	-	✕	·14	✕	-		31
TOTAL	·43 15.56 ~~16.28~~	·21 13.04 ~~13.26~~	10.67 ~~10.88~~	6.68 ✓	4.59 ✓	~~·19~~ 2.13 ~~1.94~~	3.12 ~~3.31~~	1.17 ✓	4.72 ✓	·83 5.73 ~~4.90~~	·76 6.03 ~~6.10~~	6.85 ~~7.61~~	Year's Total ~~81.44~~	80.29 ins.
* Days with .01 in. or more.	27 ✓	24 ✓	~~22~~ 21	20 ✓	17	15 ~~14~~	21 ~~22~~	8 ✓	18 ✓	~~13~~ 14	13 ✓	20 ~~21~~	8 21~~9~~	✓
* Days with .04 in. or more.	26 ✓	23 ✓	~~21~~ 20	16 ✓	12	10 ~~9~~	~~15~~ 14	7 ✓	18 ✓	~~11~~ 12	10 ✓	~~18~~ 17	5 18~~6~~	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Woollards

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1704

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

W. D.

~~Totals~~ WGR

Kept at Swincombe

in the County of Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground - ft. 1" in.

„ Ground „ Sea Level 1120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·81

Please read the **Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·39	-	-	-	·41	·17	-	-	·27	·47	·32		1
2	-	·31	-	-	·05	·83	·14	·67	·02	·22	·10	·29		2
3	-	·19	-	·06	·03	TR	·04	-	-	·91	·03	·21		3
4	-	-	-	-	·09	·02	·03	2·68	-	1·15	·41	·06		4
5	·04	-	-	-	·02	·03	·30	·32	-	·14	·02	·50		5
6	·02	-	-	-	-	-	·14	·02	·06	·65	-	·10		6
7	·25	-	-	-	-	·52	1·65	·04	·10	·65	·05	·25		7
8	·38	-	-	-	-	·03	1·19	-	·17	·30	·04	·17		8
9	1·07	·02	-	-	-	-	·39	-	-	·68	-	·11		9
10	·55	·31	·02	-	-	·19	-	·98	-	·02	·08	1·67		10
11	·17	·01	TR	-	-	-	·25	·65	-	-	-	·40		11
12	·53	·03	-	-	-	·03	·08	·01	-	-	1·21	1·90		12
13	·95	-	-	-	·83	·01	·02	-	-	·97	1·90	-		13
14	·30	-	-	-	1·01	-	·03	-	-	·28	·35	1·92		14
15	1·47	-	-	-	·69	-	·30	-	·03	-	·03	TR		15
16	·34	-	-	-	·69	-	·03	·17	-	·48	·80	·90		16
17	1·07		·18	-	·01	-	-	·07	-	·04	·11	-		17
18	-		·03	-	·18	-	·03	-	·68	·41	·02	·31		18
19	·56	·19	-	-	·11	·04	-	·23	·36	·10	·77	-		19
20	-	-	-	-	-	-	-	·21	·37	-	·87	-		20
21	·08	-	·03	-	-	-	-	·04	·04	-	·44	-		21
22	·17	-	-	-	-	-	-	-	·22	·04	·25	-		22
23	·07	-	-	·12	-	·18	-	1·20	-	·05	·55	·13		23
24	·05	-	-	·09	-	·03	-	·06	·02	-	·25	-		24
25	·03	·02	·33	-	·07	·03	-	·03	-	-	·50	-		25
26	·28	1·29	·13	-	·17	-	·30	-	·02	·08	1·98	-		26
27	·44	·81	-	-	1·20	·22	·06	-	-	·20	·30	·08		27
28	·32	·14	-	TR	·15	·35	1·13	·57	-	·16	·29	-		28
29	·32	-	·13	-	·11	·35	-	·60	·13	·08	·02	·02		29
30	·33	✕	·05	-	·61	-	·08	-	·28	·14	·87	·04		30
31	·17	✕	-	✕	·03	✕	·23	-	✕	·05	✕	·04		31
TOTAL	39 10·35 ~~9·96~~	3·32 ~~3·41~~	·90	·27	·41 6·46 ~~6·05~~	17 3·63 ~~3·27~~	6·42 ~~6·59~~	8·55	27 2·77 ~~2·50~~	·47 8·27 ~~8·07~~	·32 12·56 ~~12·71~~	·81 9·91 ~~9·42~~	Year's Total 72·81 ~~72·00~~	
* Days with .01 in. or more.	26 ~~25~~	11 ~~12~~	8	3	19 ~~18~~	16	20 ~~21~~	18	15 ~~14~~	24	27	20	207	
* Days with .04 in. or more.	24 ~~25~~	7 ~~8~~	5	3	15 ~~14~~	9	15 ~~16~~	15	11 ~~10~~	23	22	19	168	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Rowlands

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1704

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at SWINCOMBE

in the County of DEVON.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ....ft. 1' in.

,, Ground ,, Sea Level 1120.0.0. ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·81	-	·24	-	·21	-	·10	·30	·44	-	1·28	·12		1
2	·20	-	·35	·06	·03	-	-	·51	-	-	·95	·34		2
3	·03	-	-	·94	-	-	·02	·44	·42	-	·39	·10		3
4	·61	-	·08	1·04	-	-	-	·05	·02	-	·90	·61		4
5	·01	-	·90	·43	·86	-	·61	-	-	2·50	·39	·30		5
6	·01	·06	·05	·36	·04	-	·47	-	-	·93	1·53	·06		6
7	·55	-	·17	·10	-	-	2·08	·04	-	·09	·15	·45		7
8	·23	·71	-	-	-	-	·10	·09	-	-	·45	1·45		8
9	·30	1·00	·24	-	·09	-	·35	·04	-	1·69	·46	·48		9
10	·11	·03	·10	-	-	-	-	·34	-	·09	·10	·63		10
11	·44	-	·02	-	-	-	-	·09	·10	·49	·07	·42		11
12	·01	·12	·03	-	-	·04	-	-	-	·40	-	·05		12
13	·02	·11	-	-	-	-	-	-	·11	·05	·08	·02		13
14	·03	-	-	·51	-	·05	·99	-	-	·92	·15	-		14
15	1·60	-	-	·43	·10	·27	·59	-	·03	·06	·41	·03		15
16	·48	·04	·04	·25	·12	1·57	·47	-	-	-	·59	·04		16
17	·47	·06	-	·07	-	-	·53	-	-	-	·47	-		17
18	1·40	·16	-	-	·03	·61	·74	-	-	-	·10	-		18
19	·01	·03	·03	-	-	-	·75	-	-	-	1·41	-		19
20	·63	·04	-	-	-	-	1·52	·59	-	-	·03	·32		20
21	·57	-	-	-	·05	·41	·47	1·02	-	-	-	-		21
22	·04	·81	·23	·03	-	·70	·20	·70	-	-	-	-		22
23	1·41	·59	·17	-	-	·91	·25	-	·05	-	·98	-		23
24	·04	·02	·06	1·15	-	·06	·15	-	-	·08	1·96	-		24
25	·87	·04	·16	·05	-	·85	·15	-	-	·08	-	-		25
26	·47	·31	-	·22	-	-	·05	·49	-	·04	1·08	-		26
27	-	·06	-	·04	-	·01	·03	·60	-	·14	·36	-		27
28	-	·58	-	-	-	·19	·15	·05	-	-	·28	-		28
29	-	×	-	·26	-	·22	·34	-	-	·01	·63	-		29
30	·02	×	-	·06	-	·12	·64	-	-	·15	·62	-		30
31	-	×	·14	×	-	×	·05	·20	×	·81	×	-		31
TOTAL	10·56 ~~11·37~~	24 5·00 ~~4·46~~	2·77 ~~3·07~~	21 6·21 ~~6·00~~	1·32 ~~1·53~~	10 6·11 ~~6·07~~	30 12·03 ~~11·83~~	44 5·49 ~~6·55~~	·73 ~~1·17~~	1·28 9·81 ~~8·53~~	12 14·66 ~~15·82~~	5·30 ~~5·42~~	Year's Total ~~81·00~~	79·89
* Days with .01 in. or more.	26 ~~27~~	19 ~~18~~	16 ~~17~~	18 ~~17~~	8 ~~9~~	15 ~~14~~	25	16	6 ~~7~~	18 ~~17~~	26	15 ~~16~~	20~~9~~8	
* Days with .04 in. or more.	18 ~~19~~	14 ~~15~~	13 ~~14~~	15 ~~16~~	6 ~~7~~	14 ~~13~~	23	16	4 ~~5~~	17 ~~16~~	25	13 ~~14~~	18~~3~~2	

† Spare column, no entries required.

(Signed) E. Rowlands.

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1704

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Swincombe.

in the County of Devon.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 1' in.

" Ground " Sea Level 1120 O.D. ft.

WD Totals

Circ G sent 9/1/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·41

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·13	·19	·08	·01	·	·	·	·	·	1·16	·		1
2	·	·19	·	·09	·04	·	·	·	·	·	·12	·		2
3	·	·43	·	·34	·01	·	·03	·	·	·	1·12	·11		3
4	·10	2·01	·	·04	·	·	·	·	·	·12	1·46	·29		4
5	·11	·30		·	·	·	·	·	·	·36	·25	·29		5
6	·04	·02	·	·	·	·	·	·	·	·24	·12	·14		6
7	·12	1·50	·	·	·	·	·14	·	·	1·04	·09	·36		7
8	·27	·11	·	·03	·	·	·11	·	·05	·11	·	·09		8
9	·	·09	·	·	·	·	·10	·	·	·94	·84	·61		9
10	·	·	·	·	·	·	1·11	·	·01	·31	·93	·36		10
11	·	·	·	·	·	·	·39	·13	·03	·15	·18	·59		11
12	·	·02	·09	·03	·	·	·51	·	·	·	1·20	·06		12
13	·	·	·50	·	·	·	·14	·	·41	·	·36	·		13
14	·	·	·	·		·	·69	·	·03	·95	1·05	1·62		14
15	·	·	·36	·14	·04	·21	·06	·06	·18	·88	·05	·47		15
16	·02	·14	·02	·06		·	·13	·	·23	·05	·80	·05		16
17	·	1·61	1·50	·25	·	·	·08	·	·44	·30	·30	·		17
18	·	·65	·85	·14	·	·	·12	·	·03	·	·05	·		18
19	·	·83	·61	·85	·		·	·	·09	·31	·05	·17		19
20	·	·13	·23	·36	·	·	·61	·	·89	·04	·81	·		20
21	·	·	·04	·23	·	·	·04	·	·04	·25	·24	·		21
22	·	·03	·05	·03	·04	·	·	·	·06	·	1·32	·		22
23	·	·06	·15	·18	·	·63	·	·	·09	·09	·04	·		23
24	·	·11	·30	·	·31	·	·	·	·	·17	·11	·		24
25	·	·	·05	·02	·	·03	·	·	·	·	·	·		25
26	1·53	·	·22	·15	·89	·11	·	·	·	·	·	·		26
27	·49	1·12	·	·03	·04	·08	·	·	·	·	·04	·		27
28	·85	·51	·01	·45	1·02	·	·	·	·	·	·	·		28
29	·14	·14	·02	·05	·11	·	·	·	·	·	·	·		29
30	·	·19 ✕	·32	1·36	·	·11	·	·	·	·22	·	·49		30
31	·73	✕	·14	·01 ✕	·	✕	·	·	✕	1·32	✕	·80		31
TOTAL	5·93 ~~5·20~~	11·52 ~~11·33~~	·08 ~~5·65~~ 5·73	4 4·93	0 2·5x	1·14	4·29	·19	2·88	1·16 ~~7·85~~ 9·01	12·13 ~~13·29~~	(·41) 6·90 ~~6·49~~	Year's Total ~~65·48~~	67·19 ~~66·19~~
* Days with .01 in. or more.	~~10~~ 11	21	19	21	~~10~~ 9	6	15	2	14	~~19~~ 20	24 3	~~16~~ 17	178	^
* Days with .04 in. or more.	~~9~~ 10	18	16	~~16~~ 15	8	5	14	2	10	~~19~~ 20	3 ~~24~~	~~16~~ 17	158	^

† Spare column, no entries required.

(*Signed*) J. Rowlands.

* See Instruction 3 (f) on other side.

[P.T.O.

Section **A** for the entry of

AIR MINISTR

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGIS

31.

1705

HUCCABY HOUSE

1931 — 40

780307

Kept at HUCCABY H

5

in the County of DEV

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	·01	1·47	·07				·50	·01			1
2	·49	·02	·03	·47					·84	·06	·29	·38	2
3	·36		1·09				·07		·24	·01	1·55	·18	3
4			·40	·01	·07	·16	·33	·01	·10	·06	·02	·08	4
5		·72	·37	·12		·57	·01		·06		·16	·28	5
6		·25			·08	·20	·06		·01	·41	·12	·23	6
7		·04			·21	·25	·55	·10		·10	1·55	·65	7
8		·17		·12		·43	·01			·02	·40	·02	8
9	·03	·30				·12	·10			·01	·64	·01	9
10		·11			·07	·13	·05	·13	·15		·70		10
11	·30	·47			·03	·51	·12		·01		·40		11
12	·01	·25					·09		·12	·25			12
13		·08	·06		·17	·01	·95	·33		·01	·06		13
14	·04	·22	·11		·10	·08	·65	·37			·70		14
15	·04	·14		·03	·40		·05	·69	·04				15
16	·02	·17		·14	·15	1·09	·03	·02	·10			·03	16
17	·01	·10		·12		·04	·21						17
18	·09	·04	·01	·20		·20	·25	1·31			·55		18
19	·12	·06	·26	·14		·27	·12	·12			·75		19
20	·02	·15	·40					·52			·24		20
21	·42	·10	·08		·34					·15	·03		21
22	·73	·08	·06	·04	·47						·06		22
23	·31	·04		1·14	·95		·01	·12			1·43		23
24	·42	·01	·02	1·45	·12	·45	1·01	1·50			·08		24
25	·10	·04	·01	·30			·16				·38		25
26	·02	·19		·17			·51				1·00	·01	26
27	·12	·27		·01	·82		·15			·03	·18	·02	27
28	·15	·23	·30	·01	·05			·08		·05	·01	·30	28
29	·06	×	·25		·20		·15	·25		·02	·05	·13	29
30	·09	×	·01		·19		·01	·02	·12				30
31	1·32	×	·55	×	·13	×	·10		×		×	·51	31
TOTAL	5·27	4·26	4·02	5·94	4·62	4·51	5·75	5·57	2·29	1·19	11·35	2·83	YEAR'S TOTAL 57·60
*Days with ·01 in. or more.	23 ~~5~~	26 ~~3~~	18 ~~6~~	17 ~~4~~	19 ~~1~~	15 ~~1~~	25 ~~5~~	15 ~~4~~	12 ~~2~~	14 ~~7~~	24 ~~3~~	14 ~~5~~	222 ~~46~~
*Days with ·04 in. or more.	18	23	12	13	18	14	20	11	10	7	21	9	176

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

1705

Section **A** for the entry of observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Huccaby House

in the County of Devon

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 900 ft.

Station No, 1705

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	·01	1·47	·07				·50	·01			1
2	·49	·02	·03	·47					·84	·06	·29	·38	2
3	·36		1·09				·07		·24	·01	1·55	·18	3
4			·40	·01	·07	·16	·33	·01	·10	·06	·02	·08	4
5		·72	·37	·12		·57	·01		·06		·16	·28	5
6		·25			·08	·20	·06		·01	·41	·12	·23	6
7		·04			·21	·25	·55	·10		·10	1·55	·65	7
8		·17		·12		·43	·01			·02	·40	·02	8
9	·03	·30				·12	·10			·01	·64	·01	9
10		·11			·07	·13	·05	·13	·15		·70		10
11	·30	·47			·03	·51	·12		·01		·40		11
12	·01	·25					·09		·12	·25			12
13		·08	·06		·17	·01	·95	·33		·01	·06		13
14	·04	·22	·11		·10	·08	·65	·37			·70		14
15	·04	·14		·03	·40		·05	·69	·04				15
16	·02	·17		·14	·15	1·09	·03	·02	·10			·03	16
17	·01	·10		·12		·04	·21						17
18	·09	·04	·01	·20		·20	·25	1·31			·55		18
19	·12	·06	·26	·14		·27	·12	·12			·75		19
20	·02	·15	·40					·52			·24		20
21	·42	·10	·08		·34					·15	·03		21
22	·73	·08	·06	·04	·47						·06		22
23	·31	·04		1·14	·95		·01	·12			1·43		23
24	·42	·01	·02	1·45	·12	·45	1·01	1·50			·08		24
25	·10	·04	·01	·30			·16				·38		25
26	·02	·19		·17			·51				1·00	·01	26
27	·12	·27		·01	·82		·15			·03	·18	·02	27
28	·15	·23	·30	·01	·05			·08		·05	·01	·30	28
29	·06	×	·25		·20		·15	·25		·02	·05	·13	29
30	·09	×	·01		·19		·01	·02	·12				30
31	1·32	×	·55	×	·13	×	·10		×		×	·51	31
TOTAL	5·27	4·26	4·02	5·94	4·62	4·51	5·75	5·57	2·29	1·19	11·35	2·83	YEAR'S TOTAL 57·60
*Days with ·01 in. or more.	23 ~~5~~	26 ~~3~~	18 ~~6~~	17 ~~4~~	19 ~~4~~	15 ~~4~~	25 ~~5~~	15 ~~4~~	12 ~~2~~	14 ~~7~~	24 ~~3~~	14 ~~5~~	222 ~~46~~
*Days with ·04 in. or more.	18	23	12	13	18	14	20	11	10	7	21	9	176

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H H Jon fr Col.

P.T.O.

1705

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1705

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at HUCCABY HOUSE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 900 ft.

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25			·26	·		·35	·07	·15		·03	·01	1
2	·28		·11	·16	·01		·04	·02	·47		·04	·71	2
3	·04		·01		·01	·74			·07	·12	·02	·03	3
4	·04	·01	·07			·22	·08	·03			·45	·01	4
5	·72		·01						·23			·23	5
6	·67		·01	·25			·03		·21	·08			6
7	·21		·02	·03	·19				1·49	2·07			7
8	·01		·50	·06	·14				·40	·32			8
9	2·58			·45	·13					·01			9
10	·80			·55	·04				·09	·61			10
11	·10			·03	·14				·05	·09		·41	11
12	1·16			·01	·89		·03		·06	·70	·02	·11	12
13	·11			·25	·05		·14		·01	1·07	·01	·50	13
14	·47			·22	·34			·22		·09		·14	14
15	·03			·21	·06					·08		·08	15
16	·46			·16	-		·53			·02	·01		16
17	·01			·01	·14				·01	·11	·01	·01	17
18	·01			-	·75				·13		·23	·01	18
19	·05			·08	·66				·12	·64	·02		19
20	·03			·06	·84			·05	·06	1·25	·28	·32	20
21	·01		·05	·16			·04	·59	·09	·66	·12	·42	21
22	·01		·	·08	·08		·12	·30	·65	·46	·59	·34	22
23	–	·01					·15	·02		·76	·09	·01	23
24	–						·90		·30	·25	·15		24
25	–		·60	·02			·35		·34	·75	·14		25
26	–		·62	·29			·15		·04	·26	·23		26
27	–		·73	·84	·08	·01	·34			·58	·05	·20	27
28	–		·70	·24	·18	·01	·42					·11	28
29	–		1·03	·42	·09	·88	·06	·65	1·29	·88	·19	1·27	29
30	–	×	·16	·46	·04	3·45	·35	·05	1·10	·23	1·49		30
31	–	×	·29	×	·43	×	·32		×	-	×	1·37	31
TOTAL	8·02	·02	4·91	5·40	5·29	5·31	4·40	2·01	8·26	12·12	4·17	6·39	YEAR'S TOTAL 66·30
*Days with ·01 in. or more.	~~7~~22	2	~~4~~15	~~2~~24	~~2~~21	~~2~~6	~~2~~18	~~8~~10	~~2~~22	~~8~~24	~~7~~20	~~6~~20	~~44~~ 204
*Days with .04 in. or more.	15	0	11	19	19	4	16	7	20	22	13	14	160

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1705

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at HUGGABY HOUSE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 900 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·60	·90	1·40	–	·17	·05	–	–	–	–	·27	–		1
2	1·01	·06	·47	–	1·29	·70	–	–	–	–	·02	1·95		2
3	·30	·12	·43	–	·10	·02	–	–	–	–	–	·15 s		3
4	·07	·12	1·04	–	·29	–	–	–	–	–	–	–		4
5	·41	·05	·44	–	·58	–	–	–	–	–	–	–		5
6	–	·81	·14	–	·61	–	·66	–	–	·08	–	·01		6
7	·05	·19	·02	–	·29	–	·20	–	–	·11	–	–		7
8	·07	·06	–	–	·04	·05	·22	–	–	·02	–	–		8
9	–	·08	·02	–	–	–	·46	–	–	·41	·04	–		9
10	·04	·14	–	–	–	–	·44	·08	–	1·75	·05	–		10
11	·02	–	–	·02	·01	–	·15	·51	–	·06	–	–		11
12	–	–	–	·20	·04	·27	·35	·09	·40	–	–	–		12
13	·04	–	–	–	·15	·02	·23	·21	–	·51	–	–		13
14	·37	–	–	–	–	–	·15	·10	–	·05	·35	–		14
15	·46	–	·67	–	–	–	·24	·09	–	·11	·22	·01		15
16	–	–	1·49	–	–	·10	–	–	·02	·12	–	–		16
17	–	·04	·60	–	–	·10	–	·15	·31	–	–	–		17
18	·29	–	·20	–	–	·11	–	–	–	·05	·04	–		18
19	·58	–	·02	–	–	·31	–	·05	·17	·12	·72	·03		19
20	·01	–	–	–	–	·22	–	·03	·24	–	–	–		20
21	–	–	–	–	–	·05	–	·09	–	·24	–	–		21
22	–	–	–	·37	–	·12	–	·58	·75	·14	–	–		22
23	–	·65 s	–	·15	–	·05	–	·01	·09	1·24	–	–		23
24	–	·73 s	–	·40	–	·41	–	–	·05	·06	–	–		24
25	–	–	–	·43	·11	–	–	–	·40	–	–	·14		25
26	–	·76 s	–	·25	·06	–	–	–	–	·25	–	–		26
27	–	·20	–	·05	–	–	–	–	–	·45 s	·02	1·05		27
28	–	·60	–	·53	·15	–	·51	–	·01	·28	–	·21		28
29	·05	–	·02	·17	–	–	·01	–	·08	·02	–	·04		29
30	·03	×	·16	·25	–	–	·12	–	·14	·06	–	·06		30
31	·30	×	·41	×	·19	×	–	–	×	·26	×	–		31
TOTAL	4·70	5·~~31~~ 51	7·53	2·82	4·08	2·58	3·74	1·99	2·66	6·39	1·73	3·65	Year's Total 47·38	
*Days with ·01 in. or more.	18	16	16	10	15	14	13	12	12	22	9	10	167	
*Days with ·04 in. or more.	15	16	12	9	14	12	12	10	10	20	7	7	144	

40-9999

S = Snow.

D

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. H. Joll. Lt. Col.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1705

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at HUCCABY HOUSE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 900 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14		·12			·02		1·40	·04	·03	·43	1·53		1
2	·08		·03					·04	1·20	·07	-	·35		2
3	·11		-		·07			-	-	·71	·15	·95		3
4	·25		·22	·03	·86			·22	·15	·53	·03	·89		4
5	·01		·18	-	·75	·09		1·80	-	·36	·05	·93		5
6	·15		·38	·20	·85			1·64	·10	·40	-	·75		6
7	·07		-		-			·10	·01	·45	·15	1·73		7
8	-		-		·02				·04		·86	1·98		8
9	·06	·01	1·10	·04	-			·05			·37	·19		9
10	1·05	·01	·45	·45	-		·05	·07		·02	·06	·03		10
11	1·04		·05	·60	-		·01	·06		-		1·26		11
12	·07	·02	-	-	1·25		·08	·41		·02		·56		12
13	·95		·02	·95						·06	·41	·35		13
14	1·10		·98	·05						·35	·07	1·03		14
15	·25		·15	·03	·15					·11	·19	·57		15
16	·21		·65	-	·07				·51	·05	·02	·51		16
17	·49		·14	·26	·03				·11	·15		·56		17
18	·12		·75	·77	·01	·04			-	·02		·66		18
19	·01		·28		·02	·04		·03	·15	·01		·73		19
20	-		·02	·25	·03	·01	·03		·25	·03		·05		20
21	-		·22	-	·04	·23	·08	·16	·35	·65		·37		21
22	·10		·03	-		·04	·70	·15	·49	-		·59		22
23	·05			·03		1·01		-	·40	·10		·66		23
24	-	·29		·08		·34		·03	·05	·37		·87		24
25	·57	·03		·50		·31		-	·04	·97		1·25		25
26	·10			·14		·29		-	·17	·03	·03	·49		26
27	-			·08		·22	·01	·12	·15	·09	·02	·67		27
28	-			·01			·10	·54	·48	·05	·05	1·97		28
29	-							·12	·08	·16	·03	·27		29
30	-	×			·02		·01	·15	·35	·10	·02	·65		30
31	-	×		×	·02	×		·03	×	·13	×	·10		31
TOTAL	6·98	·36	5·77	4·47	4·19	2·64	1·07	7·12	5·12	6·02	2·94	23·50	Year's Total 70·18	
*Days with ·01 in. or more.	22	5	18	17	15	12	9	19	20	27	17	31	212	
*Days with .04 in. or more.	20	1	14	13	8	10	5	16	19	20	11	3	170	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H H Joll. Lt Col.

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1705

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HUCCABY HOUSE

in the County of DEVON

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

d dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.08	.80	.01		.18	.01		.21	.17	.01	.52		1
2		.06	.15			.18	.02		.45	.29	.19	.21		2
3	.01	.03	.11	.04	.51	.33			.10	.40	.27	.27		3
4	.03	.34		.15	.03	.20			.09	.18	.61	.31		4
5		.35	.01	.12		.35			.15	.43	.04	.17		5
6		.03		.63		1.83				.01	.11	.13		6
7				.61		.10				.53	.14	.07		7
8				.54				.36	.03	.11	.61	.10		8
9				.62		.05				1.05	1.01			9
10	.17		.07 s	.15		.10				.02	.11	.05		10
11	.30	.07	.20 s	.03		.81			.35	.01	1.25	.03		11
12	.14	.47				.40		.05	.09		.21			12
13	.03	.09		.29		.10			.03	.07	.50			13
14		.30		.25		.43			.55	.08	1.85	.39		14
15		.16	.03	1.25	.09	.07			.21	.01	.51	.21		15
16		.25	.20	.25		.06	.25		.73	.03	.75			16
17		.05		.15	1.17 s	.39	.02	.07	.09	.02	.05			17
18		.10		.58	.03			.02	.53	.10	.10	.35		18
19		.04		.23	.98	.04	.29		.15	.40	.95			19
20		.57		.79	.06	.02	.04		.02	.03	.05			20
21		1.05	.03	.44		.01	.05		.06	.01				21
22		.24	.21	.12			.06		.10	.02	.01			22
23		.06	.23	.03	.03			.21	.15	.10		.87		23
24	.06	.94		.01	.17				.45	.25		.63		24
25	.45	.27			.47	.44						.41		25
26		1.51 s				.17		.51	.17	.04	.05	1.35		26
27		.35					.03	.07	.11	.23	.10	.46		27
28		.15			.14			.11	.15	.21	.13	.06		28
29		×			.01			.03	.43	.12	.18	1.29		29
30	.04	×				.25		.95	.19	.21	1.53	1.10		30
31		×		×	.20	×		.11	×	1.10	×	.75		31
TOTAL	1.47	7.56	2.04	7.29	3.89	6.51	.77	2.49	5.59	6.23	11.32	9.73	Year's Total. ~~64.92~~	64.89
* Days with .01 in. or more.	~~3~~10	~~7~~24	~~8~~11	~~4~~22	~~4~~13	~~2~~22	~~4~~9	~~7~~11	~~3~~25	~~9~~29	~~22~~26	~~1~~22	~~39~~	224 ✓
* Days with .04 in. or more.	7 ✓	22 ✓	8 ✓	18 ✓	9 ✓	20 ✓	5 ✓	9 ✓	22 ✓	20	24 ✓	21 ✓	~~194~~	185 ✓

40-9999

† Spare column, no entries required.

(*Signed*) H. W. ...

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 1705

AIR MINISTRY,—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Days

Kept at HUCCABY HOUSE
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 900 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·29	-	·45	-	·37	·98	·07	-	-	·09	·05		1
2	·02	·04	-	·37	-	·39	·35	·04	·45	-	·06	·02		2
3	·03	-	·04	·85	-	·05	·05	·02	·85	-	·04	·05		3
4	·04	-	·26	·05	-	·15	·01	·05	·50	-	·15	·35		4
5	·94	·39	·09	-	·02	-	·24	·03	·05	-	·11	·29		5
6	·14	·01	-	-	-	·02	·94	·12	·63	-	·91	·05		6
7	·15	-	·21	-	-	-	·25	·01	·15	-	·98	·07		7
8	·65	-	·75	-	-	·01	·43	-	·04	-	·75	·04		8
9	·61	2·02	·35	-	-	-	·50	-	·03	-	·35	·06		9
10	·75	·06 s	-	-	-	-	·05	·23	·01	-	·27	·03		10
11	·31 s	·57	-	-	·01	·07	·03	·12	·25	-	1·09	·05		11
12	·40	·02	-	·10 s	-	-	·65	-	·50	-	·17	-		12
13	·15	·01	·05	·01	-	-	·06	·02	·08	·21	·20	1·08		13
14	·01	·06	-	-	-	·10	·86	-	·25	·15	·02	·95		14
15	-	-	-	-	-	-	·23	·01	·07	-	·51	·58		15
16	-	·61	-	-	·23	-	·25	-	·04	·01	·37	·49		16
17	·25	2·45	-	-	·09	-	1·23	·01	-	·16	·10	1·23		17
18	·39	·45	·25	-	-	·10	·95	·03	-	·01	-	·25		18
19	1·45	-	·65	·25	-	·25	·25	·08	-	-	-	-		19
20	·37	1·04	·16	·11	-	-	·05	-	·89	-	-	·01		20
21	·11	·05	·31	1·09	-	-	·20	-	-	·02	-	·03		21
22	·35	·51	·05	-	·05	-	·57	-	-	·01	-	·05		22
23	·07	·03	·02	·35	·24	-	·20	-	-	·14	-	-		23
24	·75	·01	·01	·07	·52	·65	·41	-	·10	·49	-	·03		24
25	·47	-	·37	·23	-	·12	·25	-	-	·47	-	-		25
26	·73	·01	·51	·01	-	-	·10	-	-	·27	-	·03		26
27	·97	·20	·12	-	-	-	·37	-	·05	·01	-	·01		27
28	1·49	-	1·51	-	-	·01	·35	-	-	·09	-	·75		28
29	·18	·03	·10	-	·01	·05	·05	-	-	·07	·06	·15		29
30	·53	✕	·02	-	·02	·49	·04	-	-	·05	-	·03		30
31	·17	✕	1·01	✕	-	✕	·37	-	✕	·01	✕	·87		31
													Year's Total	
TOTAL	12·58	8·86	6·84	3·94	1·19	2·83	11·27	·84	4·94	2·17	6·23	7·55	69·24	✓
* Days with .01 in. or more.	29 ~~3~~	21 ~~8~~	21 ~~3~~	13 ~~2~~	9 ~~4~~	15 ~~3~~	31 ~~2~~	14 ~~7~~	18 ~~2~~	16 ~~6~~	18 ~~1~~	27 ~~9~~	~~49~~	✓ 232
* Days with .04 in. or more.	26	14	18	11	5	12	29	7	16	10	17	18	183	✓

40-9999. s = Snow

* See Instruction 2 (f) on other side.

3 7

10 12

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1705

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HUCCABY HOUSE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 900 ft.

Dage

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·37	·04	·09 s	1·45	·		'			·13		·87		1
2	·35	1·31	·03 s	·43	'		·01		·17	·10	·01	·05		2
3	·04	·47	·10 s	·27	·02		·09		·05	·01		·21		3
4	·16	1·27	·01	·14	·06		·01					·94		4
5	·69	·01	·02	·09	·		·51		·01			·10 s		5
6	·15	·85	1·09 s	·43	·02		·05		·			·06 s		6
7	-	·71	·31 s	·15	·01	·15	·		·02		·21	·05 s		7
8	-	·04	·03	·03	·75	·23	·01		·		·02			8
9	·21	·10	·01	1·34	·02	·01	·05		·51		·01			9
10	·50	·05	1·73	·31	·05	·14	·03					·61		10
11	·25	·01	·69	·46	·73	·	·51	·01				·15		11
12	1·85	·31	·35	·10	·25	1·01	·09	·37	·01			·91		12
13	·	·09	1·10 s	·21	·05	·	·	·43	·10			·09		13
14	·01	·04	·12	·02	·	·	·31	·04	·11			·16		14
15	·95	·46	·73	·41	·	·	·05	·09	·21			·21		15
16	·83	·07	·79	·18	·	·	·02	·17	·51		·81	·		16
17	1·62	·12	·64	·01	·	·		·01	·05		2·09	·		17
18	·25	·26	·51	·03	·01	·15			·51		·32	·16		18
19	·27	·12	·21	·35	·73	·01			·61		·13	·07		19
20	1·03	·05	·75	·21	·19				·06		[illegible]	1·26		20
21	1·79	1·07	·05	·07	·74		·01		·21	·10	·25	·17		21
22	·31	·03	·03	·01	·91		·26		·21	·98	1·09	·09		22
23	1·15	·31	·01		·23		·03		·01	·35	·25	·05		23
24	·49	·95	·15		·03		·01		·02	1·75	·01	·12		24
25	·15	1·65	·75		·05				·05	·49		·03		25
26	·04	·39	·01				·01		·01	·04		·01		26
27	·35	·10 s	·							·37	·01	-		27
28	·10 s	·09 s	·			·05				·10	·01	·01		28
29	·02 s	×	·			·04				·03	·21	·		29
30	1·01	✗	·			·10			·06	·08	·51	·01		30
31	·31	✗	·	✗		✗			✗	·99	✗	·		31
TOTAL	15·25	10·97	10·36	6·70	4·85	1·89	2·06	1·12	3·50	5·52	5·94	6·39	Year's Total 74·55	✓
* Days with .01 in. or more.	28	28	26	22	18	10	18	7	21	14	16	24	~~55~~	232 ✓
* Days with .04 in. or more.	26	25	18	17	12	8	9	5	15	13	10	20	178	✓

* See Instruction 3 (f) on other side.

s = snow

† Spare column, no entries required.

(*Signed*) H. H. Joll. Locr.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1705

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at HUCCABY HOUSE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 900 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·21				·57	·05	·47		·91	·01	·24		1
2		·05		·04	·03	·05	·03			·41	·07	·16		2
3					·02	·01	·01	2·25		·73	·25	·02		3
4		·02			·07	·02	·35	·85	·01	·51	·01	·36		4
5	·01	·01			·01	·07	·25		·05	·75	·01	·08		5
6	·27					·23	2·15		·07	·15	·02	·41		6
7	·43					·02	1·01	·01	·15	·37		·32		7
8	1·05	·05					·35	·02		·43	·01	·14		8
9	·43	·25				·26	·01	1·05		·02	·23	1·35		9
10	·61	·01					·14	·55		·05	·05	·48		10
11	·37					·05	·09			·01	1·25	2·05		11
12	·63				·51		·01	·01		·41	1·93	·02		12
13	·34				·79			·01		·06	·24	1·65		13
14	1·51				·54		·27				·04	·01		14
15	·43				·50			·05		·37	·76	·85		15
16	·41	·01	·03		·01		·01	·09		·01	·15	·02		16
17	·01	·23			·15				·31	·47	·01	·37		17
18	·51				·17	·03		·25	·35	·06	·50			18
19								·07	·37		1·35			19
20	·05		·02					·09	·01		·51			20
21	·06		·09					·06	·17	·06	·43			21
22	·02			·05		·08		·98	·01	·07	·35	·04		22
23	·01			·06	·01			·06		·01	·16	·05		23
24	·04	·03	·26		·05			·05	·01		·50			24
25	·11	1·24	·04		·02		·21		·02	·09	1·76	·03		25
26	·49	·51	·05		1·01	·04	·17				·03	·02		26
27	·37	·13	·06		·15	·23	·88	·50		·16	·37			27
28	·34	·21	·01		·05	·25	·09	·91	·12	·07	·04			28
29	·31	✕	·01		·51	·01			·21	·15	·46	·03		29
30	·14	✕			·12	·23	·03		·17	·01	·41	·05		30
31	·49	✕		✕	·25	✕			✕	·25	✕	·45		31
TOTAL	9·44	2·96	·57	·15	4·97 4·97	2·15	6·11	8·33	2·03	6·59	11·91	9·20	Year's Total 64·41	✓ ✓
* Days with .01 in. or more.	26	14	9	3	20	16	19	20	15	26	29	24	221	✓ ✓
* Days with .04 in. or more.	22	9	5	3	14	11	13	16	10	21	22	17	163	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations **Station No.** 1705

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HUCCABY HOUSE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 900 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	·50		·01	·13	·02			·51	·01		·95	·21		1	
2	·04			·51				·35	·47		·37	·15		2	
3	·45		·04	·87				·03			·87	·34		3	
4	·03		·71	·31	·74		·51	·01		2·09	·37	·57		4	
5	·01		·03	·14			·58			·75	1·45	·05		5	
6	·47		·17	·22			1·24	·02		·10	·17			6	
7	·04		·01				·08	·07		·01	·35	1·03		7	
8	·09	·53	·14		·05		·21	·03		1·61	·65	·15		8	
9	·04	·75	·05					·15		·09	·17	·26		9	
10	·47	·06	·07			·02		·09	·06	·31	·13	·54		10	
11	·03	·04				·01		·01		·39				11	
12	·01		·01	·10			·01		·07	·05	·09			12	
13	·12			·35		·04	·75		·03	·95	·17			13	
14	1·49	·03	·04	·12	·03	·08	·21			·01	·31	·03		14	
15	·48			·09	·13	·95	·51			·05	·25	·02		15	
16	·23	·02		·31	·02	·01	·58				·32			16	
17	1·37	·21	·01		·01	·35	·76				·15			17	
18	·05	·03	·05			·06	·56				1·07	·01		18	
19	·51				·01	·01	·57	·67			·06	·21		19	
20	·50				·02	·45	·34	1·05				·03		20	
21	·27	·85	·23	·03		·61	·09	·41						21	
22	1·01	·40	·01	·11		·73	·15	·02	·05		·68			22	
23	·05		·19	·62		·06	·16			·05	1·54			23	
24	·23^{s}	·09	·05	·15		·68	·19							24	
25	1·01^{s}	·23		·31			·07	·74			·84			25	
26		·15		·09			·02	·15		·19	·64			26	
27		·47	·01	·07		·16	·03	·01			·35			27	
28		·31		·25		·15	·35				·07			28	
29	·05^{s}		·07	·12		·09	·16			·35	·09			29	
30		✕		·31		·10	·11	·35		·65	·14			30	
31		✕		✕		✕	·15	·37	✕	·79	✕			31	
TOTAL	9·55	4·17	1·90	5·20	1·03	4·56	8·39	5·04	·69	8·44	12·25	3·60	Year's Total 64·82		✓
* Days with .01 in. or more.	26	15	21	21	9	18	25	19	6	17	26	14	215		✓
* Days with .04 in. or more.	22	12	20	20	3	13	22	12	4	15	26	9	170		✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. H. Joll : Hon. Sec.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1705

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Snow

Kept at Huccaby House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 900 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·21		·05	·07						·15			1
2		·50		·31			·02				1·45	·07		2
3	·05	2·05		·03						·15	1·21	·31		3
4	·10	·32		·29			·06			·23	·65	·05		4
5	·05	·01		·01			·01			·09	·31	·24		5
6	·50	1·05					·10			·41	·15	·27 S		6
7	·13	·03					·02			·11		·15		7
8	·01	·19					·09		·01	·75	·68	·81		8
9		·01					·95	·07	·01	·21	·87	·31		9
10		·02					·07	·03	·03	·28	·71	·65		10
11			·08	·05			·94			·02	1·07			11
12			·31			·02	·55		·61	·01	·37	·02		12
13			·38 S				·10		·02	·91	1·45	1·05		13
14		·01 S	·02	·10			·01	·03	·01	·71	·11	·81		14
15	x S	·10 S	·01	·04			·03		·15	·01	·81	·01		15
16		1·45 S	·91	·12			·15		·21	·36	·10	·03		16
17	(·37)	·15	·85	·07			·21	·03	·03	·01	·13	·01		17
18	S	·97	·57	1·03			·02		·08	·35	·06	·17		18
19		·10	·32	·51			·41		·85	·10	·12			19
20			·06	·12				·10	·03	·11	·14			20
21		·02	·05	·03	·05	-	·05	·01	·03	·01	·83			21
22		·01	·21	·15	·15	x ·71	·03	·02	·08		·07			22
23			·31	·01		·02	·02			·25	·03			23
24	·37	·10	·05				·35			·01				24
25	·21	·01	·22	·15	·37	·05					·02			25
26	·87	1·34		·01	·41	·07	·10				·03			26
27	·65	·35	·07	·57	·47	·01	·01							27
28	·61	·12	·28	·05	·09						·01			28
29	·05 S	·11	·05	1·09	·03	·02				·15		·35		29
30		✕	·01	·01	·04					·98		·21		30
31	·61	✕	·03	✕		✕			✕	·95	✕	·43 S		31
													Year's Total	
TOTAL	4·21	9·23	4·79	4·80	1·68	·90	4·30	·29	2·15	7·17	11·53	5·95	57·00	
* Days with .01 in. or more.	14 ~~13~~	24	20	22	9	7	23	7	14	24	25	19	20~~7~~8	
* Days with .04 in. or more.	13 ~~12~~	16	16	16	8	3	14	2	6	18	21	15	14~~7~~8	

S Snow

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*)

[P.T.O.

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

REGIST 31.

1706

WYDEMEET

1931 —— 40

78030

Kept at Wydemeet, Sh

in the County of Devon

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·03	·04	1·10	·05		·03		·66	·03			1
2	·51	·05	·03	·52		·03	·02		·75	·09	·48	·75	2
3	·31		1·10				·11		·33		3·36	·32	3
4			·30		·14	·20	·44	·04	·15	·16	·04	·12	4
5		·77	·37	·17		·55	·03		·12	·02	·06	·38	5
6		·28		·02	·08	·32	·56		·03	·52	·13	·50	6
7		·06			·30	·22	·59	·16		·05	1·26	·50	7
8		·32		·26		·50		·05		·05		·07	8
9		·54				·29	·15	·02			·75	·05	9
10	·10	·10			·19	·17	·12	·16	·13		·95		10
11	·42	·62			·06	·62	·14	·03	·04		·45		11
12		·34					·24		·16	·28			12
13		·14	·07		·25		·64	·43	·02	·02			13
14		·23	·13		·10	·15	·70	·37			·63		14
15	·10	·12		·04	·35	·03	·05	·43	·05				15
16	·05	·27		·13	·10	1·38	·05	·06	·09			·06	16
17	·04	·18		·18		·06	·38						17
18	·12		·05	·45		·27	·23	1·27			·53		18
19	·21	·13	·24	·16		·40	·13	·21					19
20	·05	·23	·37					·62			·28		20
21	·30	·09	·07		·32		·03			·17	·04		21
22	·96	·10	·06	·07	·42		·02				·06		22
23	·39	·06		1·08	·84		·04	·12			1·65		23
24	·48	·03	·04	1·30	·12	·37	1·13	1·21			·13		24
25	·60	·11		·39			·17				·40	·03	25
26	·08	·25		·22			·63				1·17	·02	26
27	·19	·37		·04	·87		·18			·06	·20	·03	27
28	·18	·26	·48	·03	·07			·07		·08	·03	·26	28
29	·09		·11		·30		·34	·23		·04	·05	·15	29
30	·15	×			·23		·03	·06	·14	·02	·02	·15	30
31	1·60	×	·65	×	·21	×	·10		×		×	·56	31
TOTAL	6·46	5·68	4·11	6·16	5·00	5·56	7·28	5·54	2·67	1·09	12·97	3·75	YEAR'S TOTAL 66·27
*Days with ·01 in. or more.	22	25	16	17	19	16	28	18	13	14	22	16	226
*Days with ·04 in. or more.	21	23	15	15	19	14	22	16	11	10	20	13	199

40-9999

(Signed) Colin M. E. May

P.T.O.

*See Instruction 2 (*f*) on other side.

1706

Section **A** for the entry of ~~daily observations~~ COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wydemeet, Sherberton. Princetown

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 900 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·03	·04	1·10	·05		·03		·66	·03			1
2	·51	·05	·03	·52		·03	·02		·75	·09	·48	·75	2
3	·31		1·10				·11		·33		3·66	·32	3
4			·30		·14	·20	·44	·04	·15	·16	·04	·12	4
5		·77	·37	·17		·55	·03		·72	·02	·06	·38	5
6		·28		·02	·08	·32	·56		·03	·52	·13	·50	6
7		·06			·30	·22	·59	·16		·05	1·26	·50	7
8		·32		·26		·50		·05		·05		·07	8
9		·54				·29	·15	·02			·75	·05	9
10	·10	·10			·19	·17	·12	·16	·13		·95		10
11	·42	·62			·06	·62	·14	·03	·04		·45		11
12		·34					·24		·16	·28			12
13		·14	·07		·25		·64	·43	·02	·02			13
14		·23	·13		·10	·15	·70	·37			·63		14
15	·10	·12		·04	·35	·03	·05	·43	·05				15
16	·05	·27		·13	·10	1·38	·05	·06	·09			·06	16
17	·04	·18		·18		·06	·38						17
18	·12		·05	·45		·27	·23	1·27			·53		18
19	·21	·13	·24	·16		·40	·13	·21					19
20	·05	·23	·37					·62			·28		20
21	·30	·09	·07		·32		·03		[illegible]	·17	·04		21
22	·96	·10	·06	·07	·42		·02				·06		22
23	·39	·06		1·08	·84		·04	·12			1·65		23
24	·48	·03	·04	1·30	·12	·37	1·13	1·21			·13		24
25	·10	·11		·39			·17				·40	·03	25
26	·08	·25		·22			·63				1·17	·02	26
27	·19	·37		·04	·87		·18			·06	·20	·03	27
28	·18	·26	·48	·03	·07			·07		·08	·03	·26	28
29	·09		·11		·30		·34	·23		·04	·05	·15	29
30	·15	×			·23		·03	·06	·14	·02	·02	·15	30
31	1·60	×	·65	×	·21	×	·10		×		×	·56	31
TOTAL	6·46	5·68	4·11	6·16	5·00	5·56	7·28	5·54	2·67	1·09	12·97	3·75	YEAR'S TOTAL 66·27
*Days with ·01 in. or more.	22	25	16	17	19	16	28	18	13	14	22	16	226
*Days with ·04 in. or more.	21	23	15	15	19	14	22	16	11	10	20	13	199

40-9999

(Signed) Zoline M. E. May

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~1708~~ 1706

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wydemeet. Shiberton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 900 ft.

B.A.

~~days~~

observer informed of arithmetical error. 24/5/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32			·26			·30	·07	·12		·05	·06	1
2	·09			·14			·02	·06	·43		·02	·75	2
3	·07		·13			·73	·02		·85	·11	·03		3
4	·09	·04				·18	·17	·05			·42		4
5	1·23		·09						·27				5
6	·86		·02	·26			·03		·32	·11			6
7	·22		·04	·04	·21				1·71	2·54			7
8	·04		·60	·08	·15				·30	·25			8
9	3·75			·42	·14								9
10	1·00			·54	·06				·09	·73		·10	10
11	·10			·14	·22				·10	·11			11
12	2·01			·03	1·22		·03		·18	·68	·06	·16	12
13	·10			·38	·16		·14	·21	·02	1·00		·74	13
14	·59			·14	·30			·04		·10		·26	14
15	·08			·23	·08		·01			·09	·03	·16	15
16	·73			·20			·74			·02	·02	·03	16
17	·05			·02	·13				·03	·12		·04	17
18	·07				·82				·13	·02	·24		18
19	·07			·09	·78				·15	·94	·02		19
20	·03		·03	·06	·84			·10	·06	·50	·25	·35	20
21			·05	·18			·03	·62	·08	·94	·21	·48	21
22				·08	·11		·09	·30	·68	·47	·83	·30	22
23							·23	·02		·91	·20		23
24		·02			·02		1·06		·39	·24	·13	·42	24
25			[illegible]	·03	·01		·27		·32	·78	·23		25
26			·53	·30			·38		·06	·08	·22	·01	26
27			·73	·71	·08	·02	·12			·78	·07	·19	27
28			·45	·13	·12	·04	·50			·02	·01	·07	28
29			1·15	·50	·10	1·00	·24	·66	1·35	·95	·38	1·22	29
30		×	·12	·47	·05	3·75	·42	·04	1·20	·19	1·75		30
31		×	·28	×	·43	×	·27		×	·03	×	1·50	3175·38
TOTAL	11·50	·06	4·79	5·41	6·04	5·72	5·13	2·17	8,84	1371	5·17	6·84	YEAR'S TOTAL ~~75·98~~
*Days with ·01 in. or more.	20	2	14	24	26	6	20	11	22	26	20	18	204
*Days with ·04 in. or more.	19	1	11	21	19	5	14	10	20	22	15	16	173

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Colin M. E. May

P.T.O.

1706

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** ~~1706~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~4~~3

Kept at Wydemeet, Sherberton, Princetown
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 900 ft.

Days 17

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·69	1·02	·65		·13	·11					·23	1·62		1
2	1·75	·05	1·27		1·26	·55					·04	·22		2
3	·33	·13	·49		·12	·02								3
4	·47	·18	·45		·26									4
5	·09	·18	1·43		·53									5
6	·02	·81	·27		·67		·58		·03	·11				6
7	·04	·15	·02		·30		·23	·02		·15				7
8	·07	·06	·01		·06	·39	·24							8
9		·10			·22		·65	·02		·97	·05			9
10	·05	·15					·47	·05		1·97	·04			10
11							·18	1·23		·03				11
12				·24	·05	·30	·43	·07	·42					12
13	·04				·17	·04	·37	·08		·72	·11			13
14	·39						·30	·09		·08	·32			14
15	·49		·76				·06	·20		·13	·19			15
16		·02	1·44			·17		·02		·16				16
17	·08	·11	·33			·14		·26	·38					17
18	·22		·25			·14				·05	·05			18
19	·49		·31			·33		·06	·15	·06	·62	·11		19
20		·13	·03		·03	·23		·03	·34					20
21		·09				·05				·34				21
22				·36				·68	·55	·02	·01			22
23		1·65		·21		·13		·03	·11	1·14				23
24		·12		·51		·10			·05	·10				24
25		·06		·33	·10	·45			·34			·14		25
26		·52		·34	·07					·23				26
27		·34		·01						·55	·05	1·00		27
28		·52		·51	·11		·62		·02	·20		·20		28
29			·06	·10			·02		·09	·02				29
30	·08	✕	·17	·32			·15		·20	·09		·12		30
31	·46	✕	·41	✕	·11	✕			✕	·30	✕			31
TOTAL	5·76	6·39	8·35	2·93	4·19	3·15	4·30	2·84	2·68	7·42	1·71	3·41	Year's Total 53·13	
*Days with ·01 in. or more.	17	20	17	10	16	15	13	14	12	21	11	7	173	
*Days with .04 in. or more.	16	19	15	9	15	14	12	9	10	18	10	7	154	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Colin. M. E. May

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1706

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wydemeet Sherberton, Princetown

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 900 ft.

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11		·04			·03		1·42	·05	·03	·51	1·62		1
2	·11		·15					·04	1·12	·11	·18	·44		2
3	·20	·03			·31					·71		·98		3
4	·27		·22	·03	·83			·36	·11	·55	·01	·89		4
5	·02		·15	·02	·81	·11		1·66		·28	·04	1·39		5
6	·41		·38	·15	1·12			1·10	·11	·65	·11	·71		6
7	·18							·09		·65	·09	1·82		7
8					·03			·03	·06	·03	·97	1·46		8
9	·05		·77	·09				·10		·03	·43	·26		9
10	1·06	·02	·42	·39			·05	·09			·08	·02		10
11	1·28		·04	·58			·01	·08				·92		11
12	·08	·03			·29		·09	·46				·40		12
13	1·13			1·06		·01				·13	·42	·35		13
14	1·02		1·12	·12						·24	·07	1·00		14
15	·11		·15	·07	·21	·02	·02		·02	·30	·17	·67		15
16	·47		·77	·02	·05				·56	·06	·02	·45		16
17	·58		·13	·34	·05				·25	·06		·67		17
18	·17		·72	·76		·18			·20	·03		·80		18
19	·02		·27	·02	·04			·09	·37	·03		·69		19
20				·33			·03		·35	·06		·08		20
21			·21	·01	·13	·40	·06	·16	·03	·77		·19		21
22	·08		·04	·04		·04	·90	·23	·62			·58		22
23	·03			·47		·98			·33	·13		·90		23
24		·31	·03	·08		·23	·03		·11	·40		·43		24
25	·55			·53		·04	·01		·07	1·43		·96		25
26	·12	·03		·08		·38			·39	·05	·07	·40		26
27				·11		·29		·15	·34	·15	·05	·38		27
28				·02		·02	·15	·62	·43	·05	·03	1·89		28
29							·01	·15	·12	·08	·03	·23		29
30		×					·02	·10	·43	·14	·03	·90		30
31		×		×	·02	×		·03	×	·15	×	·12		31
TOTAL	8·05	·42	5·62	5·32	3·89	2·73	1·40	6·96	6·07	7·30	3·31	22·60	Year's Total 73·67	
*Days with ·01 in. or more.	22	5	17	22	12	13	13	19	21	27	18	31	220	
*Days with .04 in. or more.	19	1	16	16	10	9	12	17	19	22	13	30	184	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Colin M. E. May

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1706

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wydemeet, Sherberton. Princetown

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 900 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·10	·72	·03		·14	·10		·26	·20	·07	·25		1
2		·09	·08			·20	·02		·42	·35	·12	·23		2
3		·06	·15	·06	·57	·35	·03		·07	·59	·21	·12		3
4	·03	·43		·22	·03	·22			·14	·23	·31	·39		4
5	·02	·45	·04			·34			·16	·47	·08	·11		5
6				·76		2·09					·11	·17		6
7				·72		·16				·54	·13	·15		7
8				·67				·53	·04	·12	·41	·09		8
9	·01		·03	·71						1·29	·95			9
10	·15	·01	·22	·15		·16				·02	·03	·05		10
11	·13	·08		·03		·03			·31	·02	1·14			11
12	·15	·59				·37		·08	·13		·20			12
13	·20	·28		·33		·04			·03	·19	·54			13
14		·33		·23		·45			·50	·14	2·16	·41		14
15		·42		1·12	·14	·17			·25	·10	·45	·19		15
16		·26	·20	·26		·13	·06		·90	·04	·75			16
17				·16	1·23	·42	·04	·05	·06	·02	·12	·03		17
18		·34		·87	·04			·05	·69	·16	·06	·30		18
19		·13		·35	1·09	·16	·47		·30	·42	·67			19
20		·82		·75	·10	·05	·04		·03	·04				20
21		1·25	·03	·50		·02	·12		·05		·08			21
22		·03	·13	·15					·12	·15				22
23		·16	·30	·13	·03			·28	·22	·23		·67		23
24	·10	·85	·02	·56	·16			·29	·55	·08		·43		24
25	·50	·40			·40	·43						·35		25
26		1·18				·20		·53	·26	·05	·08	1·23		26
27		·40					·05	·13	·17	·22	·30	·44		27
28	·03	·20			·13		·05	·10	·20	·26	·12	·05		28
29					·04			·04	·48	·15	·24	1·23		29
30	·06	×				·25		1·47	·18	·25	1·50	1·18		30
31		×		×	·27	×		·16	×	1·10	×	·68		31
TOTAL	1·94	8·86	1·92	8·76	4·23	7·28	·98	2·71	6·52	7·38	10·83	8·75	Year's Total. 70·16	
* Days with .01 in. or more.	12	23	11	21	13	21	10	12	·25	28	24	22	222	✓
* Days with .04 in. or more.	8	12	8	19	11	20	8	12	23	24	24	21	190	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Colin W. E. May

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1706

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wydemeet Sherberton Princetown

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 900 ft.

Corr. for B.A. annual total & Mar. total.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.14	.03	.55		.33	1.00	.09			.15	.07		1
2	.02			.22		.31	.62	.05	.50		.05	.02		2
3	.08			.78		.10	.05	.03	.89		.07	.11		3
4	.04	.03	.38	.01		.17		.01	.61		.21	.30		4
5	.90	.33	.18		.06		.21	.08	.10		.05	.34		5
6	.18		.08			.03	.55	.21	.69		.86	.03		6
7	.48	1.90	.30			.01	.37		.18		.94			7
8	.53	.42	.71				.35				.81	.17		8
9	.71		.37				.54		.07		.31			9
10	.59						.02	.21			.27	.02		10
11	.17					.10	.04	.16	.21		1.03	.05		11
12	.30			.11			.81		.40	.03	.21			12
13	.14	.22			.02		.07	.02	.12	.25	.24	2.22		13
14		.04				.22	.61		.31	.23	.02	1.12		14
15							.29		.04		.41	1.06		15
16		.65		.02	.21		.19		.06		.69	.32		16
17	.41	1.98			.08		1.53	.05		.18	.25	2.36		17
18	.22	.54	.26			.09	1.22	.01		.03		.42		18
19	1.30	.02	.42	.30		.12	.17	.34						19
20	.12	.80	.16			.05	.06		.74			.05		20
21	.12	.21	.26	1.03		.01	.15		.01	.02		.07		21
22	.18	.36	.07		.09		.61		.04	.01				22
23	.12	.16	.10	.37	.14		.38			.15				23
24	.57		.12		.52	.45	1.12		.16	.49				24
25	.35		.42	.51		.39	.34		.01	.53				25
26	.62	.18	.42	.02			.14		.04	.24		.03		26
27	.64	.28	.13				.21		.07	.31				27
28	1.21	.03	1.44	.01	~~[illegible]~~		.33			.02				28
29	.13	.05	.14		.02	.02	.03			.12	.15	.84		29
30	.45	✕	.04		.03	.54	.05					.22		30
31	.45	✕	.86	✕	.04	✕	.57		✕		✕	.05		31
TOTAL	11.15	8.29	6.~~89~~ 94	3.93	1.21	2.94	12.63	1.26	5.25	2.61	6.72	9.87	Year's Total 7~~1.75~~ 2.80 ✓	
* Days with .01 in. or more.	28	19	21	10	10	16	30	12	20	13	18	21	218 ✓	
* Days with .04 in. or more.	27	17	20	8	8	12	28	8	18	9	17	16	188 ✓	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Colin M. E. May

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1706

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wydemeet, Sherberton, Princetown

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 900 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·35	·03	·11	1·21			·02		·40	·21		·83		1
2	·55	2·32		·47					·05	·11				2
3	·05	·67	·12	·29	·03	·02	·10				·01	·03		3
4	·22	1·30		·06	·08							1·01		4
5	·95			·11	·01		·63					·11		5
6	·44	·64	·91	·53	·10	·01	·12		·02					6
7		·97	·19	·15					·05		·17	·16		7
8		·06			·62	·30	·07				·02			8
9	·14		·23	·31	·12		·10	·03	·54	·04				9
10	·55	·18	1·41	1·09	·02	·16	·02	·04				·90		10
11	·20		·41	·39	·58	·11	·75							11
12	2·40	·30	·19	·07	·26	·71	·12	·30	·38			1·12		12
13		·13	1·09	·20				·46	·15			·06		13
14			·09				·18	·05	·24			·32		14
15	·78	·44	·78	·55					·36					15
16	·68	·24	·77	·23				·20	·44		·65			16
17	1·75	·10	1·00				·04	·03	·06		1·77			17
18	·39	·44	·57	·05		·15	·02	·02	·31		·26	·41		18
19	·27	·24	·20	·62	·26				·48		·16	·05		19
20	1·56	·04	·57	·38	·20		·02		·06			1·00		20
21	1·42	1·52		·15	·64		·17		·18	·10	·24	·06		21
22	·36	·02	·08		·99	·02	·32		·15	·98	·93	·34		22
23	1·00	·32			·23		·02			·47	·15			23
24	·65	·82	·15		·02		·03			1·39		·28		24
25		1·98	·66							·73		·02		25
26	·08	·42			·04				·02	·03		·03		26
27	·33	·17								·45				27
28	·12	·61			·0	·06				·16				28
29										·17	·38			29
30	·87	✕				·25				·12	·72			30
31	·36	✕		✕		✕			✕	·89	✕			31
TOTAL	16·47	13·96	9·53	6·86	4·20	1·79	2·73	1·13	3·89	5·85	5·46	6·73	Year's Total 78·60	✓
* Days with .01 in. or more.	25	24	19	18	16	10	17	8	17	14	12	17	197	✓
* Days with .04 in. or more.	25	23	19	18	16	6	11	5	15	13	10	13	174	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Colin M. E. May

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1706

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wydemeet, Sherberton Princetown

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 900 ft.

Totals ✓ VR

Days amended GB

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·16			·03	·78	·17	·42		·75	·05	·33		1
2		·12		·11	·02		·06			·65		·17		2
3					·06	·04	·03	1·40		1·26	·45			3
4					·03		·42	·91		·25		·57		4
5	·04					·09	·33		·08	·84		·11		5
6	·36					·39	1·61	·03	·11	·46	·05	·46		6
7	·46						·96		·19	·18	·03	·33		7
8	1·23	·03					·30	·01		·91		·09		8
9	·53	·47				·31		1·16		·03		1·69		9
10	·53						·20			·05		·38		10
11	·63	·04			·02	·09	·07	·53			1·30	1·95		11
12	1·03		·01		·65		·02			1·16	2·22	·02		12
13	·34				·78		·03	·01		·36	·43	1·84		13
14	1·53				·61		·27				·05			14
15	·94				·55			·14		·45	·64	·80		15
16	·54		·21					·12		·04	·10			16
17		·25	·02		·19		·02		·57	·46		·36		17
18	·67	·02			·13	·04		·59	·45	·15	·70			18
19	·01							·09	·28		1·17			19
20	·15		·01					·03	·03		·64			20
·11 21	·21		·10					·09	·21	·06	·50			21
22	·07			·05		·15		1·05			·48			22
23	·02			·07				·04			·26			23
24	·17	·01	·36		·15	·02		·05	·03		·57			24
25	·20	1·16	·10				·20			·14	2·04			25
26	·67	·80	·10		1·05	·20	·05			·17	·04			26
27	·45	·35		·05	·14	·41	1·04	·53		·16	·68			27
28	·53	·23			·10	·32		·80	·13	·06	·63	·30		28
29	·42		·04		·54		·07		·25	·16	·66	·09		29
30	·18	✕			·10	·52	·20		·30		·35	·09		30
31	·76	✕		✕	·47	✕	·02		✕	·49	✕	·79		31
TOTAL	12·57	3·44	·95	·28	5·62	3·36	6·07	8·00	2·63	9·24	13·38	10·37	Year's Total 7591 ✓	
* Days with .01 in. or more.	26	12	9	4	18	13	20	19	12	23	~~23~~ 26	22 ~~17~~	~~196~~	✓ 204
* Days with .04 in. or more.	24	9	6	4	14	12	15	15	11	22	~~21~~ 24	18	~~169~~	✓ 174

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Colin McE. May

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1706

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Wydemeet, Sherberton, Princetown

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 900 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·57		·13	·08	·03			·34			·92	·44		1
2	·04			·54			·03	·45	·32		·30	·16		2
3	·55		·31	·88				·02			·85	·63		3
4			·75	·28	·71		·49	·01		1·93	·40	·44		4
5	·06		·05	·27	·02		·47			·85	1·43	·11		5
6	·50	·13	·15	·05	·02		2·22	·02		·10	·27			6
7	·20	·80					·23	·05			·48	1·17		7
8	·32	·93	·17		·04		·37			1·44	·60	·42		8
9	·21		·10					·31		·12	·11	·55		9
10	·43					·05		·26	·20	·45	·03	·65		10
11		·19	·10			·01		·02		·30	·01	·02		11
12	·07	·13		·26					·12	·11	·10			12
13		·03		·47		·06	·80		·21	·91	·28			13
14	1·50			·08	·10	·14	·83			·04	·50			14
15	·63			·13	·14	1·31	·35				·35			15
16	·55			·28	·01		·65				·71			16
17	1·23	·27			·03	·45	·65				·30			17
18	·09	·16	·06			·08	·66				1·45	✓		18
19	·57						·59	·60			·07	} 4 ·25		19
20	·60				·03	·24	·30	1·06				✓		20
21	·25	1·01	·28	·05	·06	·49	·21	·71						21
22	1·40	·60	·25	·10		·72	·22		·05	[illegible]	1·12			22
23	·04	·07	·05	·82		·04	·19			·10	2·25			23
24	1.00	·09	·18	·11		·72	·19			·19				24
25		·32		·07			·04	·37		·11	1·45			25
26		·12		·05			·02	·60		·24	1·00			26
27	·06	·54				·21		·05			·54			27
28		·28		·22		·23	·49				·55			28
29			·09	·12		·16	·53			·30	·15			29
30		✕		·25		·11	·11	·30		·65	·30			30
31		✕		✕		✕	·17	·35	✕	·86	✕			31
TOTAL	10·87	5·61	2·67	5·11	1·19	5·02	10·81	5·42	·70	8·70	16·62	4·84	Year's Total	77·46
* Days with .01 in. or more.	22	16	14	20	11	16	24	17	5	16	27	13	201 ~~199~~	
* Days with .04 in. or more.	22	15	14	20	5	15	22	13	4	17	26	10	183	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Colin M. E. May

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1706

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Wydemeet, Sherberton, Princetown

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 900 ft.

Jan & Feb apportioned

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·22	·10						1·25			1
2		~~1·24~~ (·14)		·14	·07						·17			2
3		·36		·32			·07				1·80			3
4		1·70		·04						·14	2·02	·34		4
5	·15	·34		·25			·09			·36	·35	·20		5
6	·05						·03				·85	·35		6
7	·54	1·76					·12				·16	·45		7
8	·18	·10		·03			·10		·03			·10		8
9		·11					·70				·60	1·00		9
10							1·07	·12	·03		1·03	·46		10
11							·13	·05			·25	·77		11
12			·17	·03			·35				2·25	·12		12
13			·57			·02	1·33		·85	·01	·33			13
14		·04	·42					·03	·03	·82	1·63	3·12		14
15			·04	·12			·11	·07	·28	·77	·13	·08		15
16		·11					·10		·17	·07	·90	·70		16
17		1·75	·91	·19			·18		·44	·23		·10		17
18			1·05				·25		·05		·16	·02		18
19		1·05	·72	1·17			·02	·04	·11	·26	·10	·32		19
20		·11	·32	·27			·51		1·09	·04	·66			20
21			·09	·14			·03	·13	·04	·19	·39			21
22	·28	·02	·05		·06				·03		1·26			22
23		·12		·14		·60			·13		·03			23
24		·19	·31	·06	·12					·30	·14			24
25			·07				·27							25
26	·30		·20	·10		·14								26
27	1·06	1·47	·02		1·02	·10	·12							27
28	·60	·75	·03	·45	·60									28
29	+	·23		·05	·16			·03						29
30	(1·10) +	✕	·35	1·13		·07				·18		·66		30
31	+	✕	·03	✕	·05	✕			✕	1·22	✕	·35		31
TOTAL	4·20 ~~3·10~~	~~10·85~~ 9·75	4·35	4·95	2·18	·93	4·98	·47	3·28	4·59	1556	9·14	Year's Total 64·38	
* Days with .01 in. or more.	8 11	18	17	18	8	5	19	7	13	13	22	17	~~165~~	168
* Days with .04 in. or more.	8 11	18	14	17	8	5	16	6	10	12	21	16	~~154~~	154

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Colin M. G. May

P.T.O.

1707

Section **A** for the e
AIR MI

FOR OFFICIAL USE.
ALL ORGANIZATION.

288

FORM 10

RE 31.

Kept at Princet

in the County of D

Diameter of Funnel of Gau
Height of top of Gauge abov
,, Ground ,,

1707

PRINCETOWN PRISON.

1931-40

780307

THE MORNING DAY.

An observer who does not con he following year in the space on the rig

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	04	03	56		[illegible]	09		1·40	16	01	01	1
2	36	08	01	59		07	05		65	16	80	1·12	2
3	59		·89				34		54	10	5·39	63	3
4	13	01	31		10	02	71	04	23	30	12	23	4
5		85	17	37		88	01	04	42		25	71	5
6		05		03	13	78	05		02	·58	24	35	6
7		05			48	24	48	24		10	118	71	7
8	05	84		64		65	01	18		34	36	07	8
9	01	87	02			40	10	05		04	64	11	9
10	03	07			43	38	19	48	65		136	10	10
11	59	·94			10	92	21	05	15		41	01	11
12	02	42			02		30	04	38	22	01		12
13		24	04		35		56	35		02	10		13
14	11	34	05		13	32	74	43	13		68		14
15	20	16		07	23	11	09	39	15			02	15
16	21	22		19	08	2·42	10	07	10			02	16
17	06	17		12		19	60		06				17
18	26	02	03	36		72	37	1·62			60		18
19	45	18	23	10		09	14	55		01	52		19
20	02	53	41					112			23		20
21	111		11		17		10			11	02		21
22	146	13	05	05	22		03				07		22
23	59	03		110	·90		06	33			2·28		23
24	46	18	01	1.15	02	21	1.26	77			13		24
25	10	21		31	02		20				51	05	25
26	04	41		31			94				163	12	26
27	38	63		06	59		16			12	31	04	27
28	18	42	15	05	07	03		03		12	04	56	28
29	10	✕	06		26		50	20	02	08	12	30	29
30	15	✕			28		05	02	25	08		04	30
31	2·52	✕	20	✕	20	✕	14	02	✕	01	✕	70	31
TOTAL	10·19	8·09	2·77	6·06	4·78	8·43	8·58	7·02	5·15	2·55	18·01	5·90	YEAR'S TOTAL 87·53
*Days with ·01 in. or more.	27	26	17	17	20	17	29	21	15	17	26	20	252
*Days with ·04 in. or more.	22	23	12	16	17	15	26	18	13	14	23	16	215
40-9999	258·8	205·5	70·4	153·9	121·4	214·1	217·9	178·3	130·8	64·8	457·2	149·9	2223·0

(Signed)..............................

P.T.O.

*See Instruction 2 (*f*) on other side.

1707

288

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1931.

Kept at Princetown

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 1359 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	04	03	56		[illegible]	09		1·40	16	01	01	1
2	36	08	01	59		07	05		65	16	80	1·12	2
3	59		·89				34		54	10	5·39	63	3
4	13	01	31		10	02	71	04	23	30	12	23	4
5		85	17	37		88	01	04	42		25	71	5
6		05		03	13	78	05		02	·58	24	35	6
7		05			48	24	48	24		10	118	71	7
8	05	84		64		65	01	18		34	36	07	8
9	01	87	02			40	10	05		04	64	11	9
10	03	07			43	38	19	48	65		136	10	10
11	59	·94			10	92	21	05	15		41	01	11
12	02	42			02		30	04	38	22	01		12
13		24	04		35		56	35		02	10		13
14	11	34	05		13	32	74	43	13		68		14
15	20	16		07	23	11	09	39	15			02	15
16	21	22		19	08	2·42	10	07	10			02	16
17	06	17		12		19	60		06				17
18	26	02	03	36		72	37	1·62			60		18
19	45	18	23	10		09	14	55		01	52		19
20	02	53	41					112			23		20
21	111		11		17		10			11	02		21
22	146	13	05	05	22		03				07		22
23	59	03		110	·90		06	33			2·28		23
24	46	18	01	1·15	02	21	1·26	77			13		24
25	10	21		31	02		20				51	05	25
26	04	41		31			94				163	12	26
27	38	63		06	59		16			12	31	04	27
28	18	42	15	05	07	03		03		12	04	56	28
29	10	×	06		26		50	20	02	08	12	30	29
30	15	×			28		05	02	25	08		04	30
31	2·52	×	20	×	20	×	14	02	×	01	×	70	31
TOTAL	10·19	8·09	2·77	6·06	4·78	8·43	8·58	7·02	5·15	2·55	18·01	5·90	YEAR'S TOTAL 87·53
*Days with ·01 in. or more.	27	26	17	17	20	17	29	21	15	17	26	20	252
*Days with ·04 in. or more.	22	23	12	16	17	15	26	18	13	14	23	16	215
40-9999	258·8	205·5	70·4	153·9	121·4	214·1	[illegible]	178·3	130·8	64·8	457·2	149·9	2223·0

(Signed) ....

[P.T.O.

*See Instruction 2 (*f*) on other side.

1707

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

288

Kept at Princetown

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 1359 ft.

June 3" high.
discrep.
Also 9 [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	49			31			33	37	57		10	08	1
2	33	01	10	11	02		05	13	134	01	20	87	2
3	21		05	01		69	01		85	09	04	06	3
4	12	02	01			06	37	12			52		4
5	197		11		01		03		65				5
6	147		02	31	02		11		56	07			6
7	24		10	03	32		03		1·95	2.74			7
8	02		116	25	25				37	35	01		8
9	4·20	·03		·84	17				55	01			9
10	126		05	73	10				16	130		03	10
11	13			20	35				11	14		24	11
12	2·98			04	2·19		06		46	77	01	07	12
13	09			52	21		12	18	08	97	01	53	13
14	59			13	26			04	02	16		42	14
15	14			14	08					36	02	36	15
16	97			22			10			07	02	87	16
17	21				28				08	18		11	17
18	24				97				26	01	30	03	18
19	11			19	94		02		10	138	04		19
20	08			04	78		05	36	02	2·00	43	40	20
21	09		20	14			06	39	06	149	50	56	21
22	02		02	14	15		09	17	70	47	87	29	22
23		·03			02		52			136	25	43	23
24					02		2.03		32	49	26		24
25			42	02			48		28	108	48		25
26			43	72	02		31			38	19		26
27			77	81	17	06	20			58	07	30	27
28			25	23	18	05	78			02	04	12	28
29			1·72	43	31	175	30	·86	140	134	71	1·53	29
30		×	12	33	04	5·00	84	05	103	26	1·91	01	30
31		×	26	×	17	×	54		×	05	×	128	31
TOTAL	15·96	0·09	5·79	6·89	8·03	7·61	7·43	2·67	11·92	18·13	6·98	7·79	YEAR'S TOTAL 99·29
*Days with ·01 in. or more.	22	4	17	24	25	6	23	10	23	28	22	21	225
*Days with ·04 in. or more.	20	0	14	21	19	6	19	10	21	24	17	18	189
40-9999	405·4	2·3	147·1	175·0	204·0	193·3	188·7	67·8	302·8	459·7	177·3	197·9	

(Signed) ....

[P.T.O.

*See Instruction 2 (*f*) on other side.

1707

Section	**A**	for the entry of Daily Observations.	COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1933.

Kept at Princetown

in the County of Devon

288

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground............ft............in.

,, Ground ,, Sea Level 1359 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	76	1·54	33		09	14				01	48	1·25	1
2	2·89	04	150		1·07	50					08	15	2
3	21	23	96		18								3
4	96	58	05		21								4
5	08	17	183		85								5
6	04	94	12		38		44	[illegible]		18			6
7	14	37	11		34		29	03		16			7
8	36	20	01		12	15	55	02		03			8
9		27			24		1·33	01		83	16		9
10		16					31	30		2·92	13		10
11	18			04			25	2·16		03		02	11
12	01			14	10	32	61	03	27			01	12
13	05		01		28	22	52	14		139	29		13
14	55						30	10			52		14
15	67		74				18	46		17	28		15
16		03	2·03			23			13	18			16
17	08	17	44			24	01	40	·75				17
18	26	02	35			15				02	04		18
19	33		21			52		07	18	03	·75	04	19
20	01	20	01		06	·58		31	27		01		20
21		09				09		27		16			21
22				30		02		98	46		01		22
23		183		70		48		08	29	75			23
24				1·65	04	16			05	11			24
25		90		34	10	32			15			23	25
26		22		84	13					49			26
27		16		13						60		108	27
28		60		32			95		01	42		14	28
29	10	×	02	05			08		04	02		08	29
30	05	×	28	75			43		19	12		11	30
31	78	×	44	×	05	×	01		×	41	×	02	31
TOTAL	8·51	8·22	9·44	5·26	4·24	4·12	6·26	5·36	2·79	8·99	2·75	3·13	YEAR'S TOTAL 69·07
*Days with ·01 in. or more.	20	20	18	11	16	15	15	15	12	21	11	11	185
*Days with ·04 in. or more.	18	18	14	11	16	14	13	11	11	15	9	8	158

40-9999 216·2 208·8

70·9

(Signed).. P.T.O.

*See Instruction 2 (f) on other side.

9

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1934.

1707
~~288~~

Kept at Princetown
in the County of Devon

Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level ~~1359~~ ft.

Gauge moved to 1430 ft from 13. 1. 34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	36		09					134	15	04	60	2.76	1
2	13		17						1.44	22	29	.65	2
3	43								03	64	01	1.08	3
4	54		51	04	105			36	02	74		.99	4
5			22	03	93	14		2.08		26	02	1.60	5
6	113		27	11	1.43				24	107	07	1.14	6
7	29	02						06	01	103	10	2.07	7
8					08			10	08		.90	1.73	8
9	08		37					17		03	39	.28	9
10	109		63	33				30			08	.03	10
11	1.60	01	07	74			02	25				.70	11
12	08			01			10	50				.41	12
13	120			1.30		06				18	19	.34	13
14	95		1.21	18						30	02	1.14	14
15	43		16	15	21		02	01		22	14	.66	15
16	62		86	07	04				71	07	01	.35	16
17	118		15	28	06				10	37		.73	17
18	30		51	83	03	21		02	11	08		.86	18
19	04		24		06	21		15	65	06		.67	19
20				66	14		08		49	11	01	.28	20
21	~~40~~		21		09	68		26	26	120	03	.18	21
22	13		18	09		05		11	69	01		.68	22
23	04		03	42		71		02	45	09		.54	23
24		.41	03	12		32	11		07	54		.18	24
25	71	04	01	85		71	02		10	1.66		.80	25
26	07		07	07		69	04		71	09	10	.26	26
27				02		24		29	23	23	12	.55	27
28		01		04		01	.20	107	70	03	08	2.51	28
29							05	06	06	08	03	.19	29
30	01	×					04	24	76	26	02	1.13	30
31		×		×		×	.20	01	×	24	×	.12	31
TOTAL	11.41	0.49	5.99	6.34	4.12	4.03	0.88	~~7.40~~	8.06	9.85	3.21	25.61	YEAR'S TOTAL 87.39
*Days with ·01 in. or more.	22	5	20	20	11	(12)	11	20	22	27	20.	31	221
*Days with ·04 in. or more.	21	2	17	17	10	(11)	8.	16	19	24	12	30	187

40-9999

(Signed)..........

*See Instruction 2 (*f*) on other side.

[P.T.O.

1707

COPY FOR OFFICIAL USE.

Sect **A** for the entry of Daily Observations.

Station No. 288.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Princetown

in the County of

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level ~~1359~~ 1430 ft.

T. L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·63	·28	·14	-	-	·20	·07	-	·46	·17	-	·45		1
2	·02	·17	·50	·07	-	·20	·05	-	·90	·62	·16	·33		2
3	·09	·08	·10	·03	·37	·20	·08	-	·61	·37	·23	·24		3
4	·07	·84	·23	·27	-	·28	-	-	·16	·60	·35	·40		4
5	·01	·41	·01	·17	-	·70	-	-	·32	1·62	·15	·16		5
6	-	·06	·10	·65	-	2·37	-	-	-	·02	·11	·28		6
7	-	-	-	1·15	-	·08	-	-	-	·53	·30	·23		7
8	-	·03	-	·61	-	-	·02	-	-	·11	·38	·18		8
9	-	-	-	1·07	-	trace	·02	·08	-	1·80	1·04	-		9
10	·12	-	-	·16	-	·26	-	-	-	·02	·07	·02		10
11	·43	·07		tr	-	·96	-	-	·25	·01	1·16	·03		11
12	·35	·29	-	-	-	·49	-	·06	·21	-	·20	-		12
13	·46	·48	-	·20	-	·01	-	-	·10	·26	·47	-		13
14	·02	·15		·35	-	1·10	-	-	·64	·26	2·20	·60		14
15	trace	·53	·90	1·06	·24	·23	-	-	·14	·18	·43	·20		15
16	-	·36	·15	·50	-	·08	·08	-	1·10	·15	·78	-		16
17	-	·05	·02	·11	·47	·55	·04	·07	·04	·08	·05	·03		17
18	-	·59	·03	·90	·21	-	-	·06	1·17	·22	·05	-		18
19	-	·17	-	·50	1·08	·30	1·04	-	·42	·43	·43	·23		19
20	-	1·04	-	·50	·25	·13	·04	-	-	·02	·18	-		20
21	-	1·07	-	·40	-	·02	·35	-	·13	·07	-	-		21
22	-	·19	·01	·12	-	-	-	-	·15	·08	-	-		22
23	trace	·17	·10	·11	-	-	-	·21	·63	·40	-	·27		23
24	·10	·84	·24	·50	·18	-	-	·25	·90	·05	·05	·48		24
25	·59	·08	·06	-	·21	·46	-	-	-	-	-	·22		25
26	-	1·18	trace	-	-	·24	-	·90	·60	·15	·12	·95		26
27	-	·14	trace	-	-	trace	·26	·13	·60	·38	·35	·50		27
28	-	·14	-	-	·07	-	·09	·13	·26	·38	·11	·05		28
29	·02	×	trace	-	·10	·06	-	trace	·70	·15	·25	1·13		29
30	·15	×	-	-	trace	·27	-	1·25	·20	·34	1·30	1·45		30
31	·01	×	-	×	-	×	-	·16	×	1·40	×	·54		31
TOTAL	3·07	9·41	259 1·95	9·43	3·18	9·18	2·14	3·30	10·69	10·84	10·92	8·97 ✓	Year's Total ✓5 83·11	
*Days with ·01 in. or more.	15	25	14	21	10	22	12	11	23	29	25	23	230	
*Days with .04 in. or more.	~~10~~	~~24~~	~~10~~	~~20~~	~~10~~	~~20~~	~~10~~	~~11~~	~~23~~	~~25~~	~~25~~	~~20~~	~~208~~	

40-9999

*See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(Signed) ....

P.T.O.

1707

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Princetown

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 1430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

It seems likely that the readings were too small in Jan–Mar owing possibly to much snow. The augmented total is also too small for Princetown. It is difficult to suggest any definite adjustments. The total sh'd be printed as it appears ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date 19/6(3)
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12	·27	·03	1·13		28	176	13			35	07		1
2	·03	·02	–	13		33	88	07	65		14	04		2
3	·12	–	·08	64		07	12	03	90		13	12		3
4	·03	·03	·49			29	06	01	65		16	20		4
5	86	·24	·17		05		28	34	12		09	05		5
6	12	–	·12			09	96	18	1·00		80	26		6
7	·52	–	·22				07		15		66	18		7
8	·75	–	·72				58		01		70	39		8
9	·70	1·15	·26				58		19		35			9
10	·20	1·19	–				11				19	65		10
11	·20	–	–			17	13	18	38		1·35	13		11
12	·13	–	–	08			104	16	07	02	22			12
13	·13	04	·03	04			10	08	07	37	38	2·10		13
14	TR	·03	–		01	24	88		26	44	08	83		14
15	–	–	–		18		37		17		73	143		15
16	TR	·34	–		09		20		05		73	43		16
17	40	1·67	–		04	10	118	15		22	18	2·65 ✓		17
18	30	42	28			07	120	15		04		41		18
19	72	02	·28	41		03	15	·52						19
20	21	41	04	17		07	04	05	52	01		10		20
21	·17	–	34	67		01	14		[illegible]	05		02		21
22	·33	35	·05		02		109			06		10		22
23	·06	21	·06	40	24		41			23	01			23
24	45	·05	·12	16	09	13	2·00		20	·64				24
25	32	–	·41	55		39	41		10	52				25
26	53	31	·43	01			85			21				26
27	55	15	·02			07	19		05	23				27
28	1·12	09	1·33	03			20			07		75		28
29	·15	10	·12			05				44	28	57		29
30	80	×	·05		06	·75	31			18	02	08		30
31	42	×	98	×	·25	×	108		×		×	125		31
TOTAL	10·44 ✓	7·09 ✓	6·57 ✓	4·42 ✓	1·03 ✓	3·14 ✓	17·57 16·87	2·05 ✓	5·54 ✓	3·73	7·55 ~~5·77~~	81 12·81	Year's Total. [illegible]	
* Days with .01 in. or more.	28	20	23	13	10	17	30	13	18	16	20	25	233	✓
* Days with .04 in. or more.	26	16	20	11	8	15	30	11	17	14	18	23	209	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ....

8124

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1707 288

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

T. L.

Kept at Princetown (H. M. Prison)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 1430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	32	07	11	72			03			15		93		1
2	48	2·75	01	26					44	04		03		2
3	09	54		14	13	02	33		09					3
4	24	145			11	07						104		4
5	91			10			155							5
6	28	35	30	70	19	02	25		05			09		6
7		119	20	31		36			15		10	11		7
8		11	21	06	67	·96	36		17					8
9	14	15	25	41	08			17	60					9
10	64	03	·95	58	03	12	04	14				55		10
11	30		51	25	50	07	1·63							11
12	2·73	43	16	13	26	40	43	15	61			1·08		12
13		37	49	10				·58	33			09		13
14		22	38					05	03			30		14
15	87	60	50	·85					·66					15
16	50	19	47	18			17	39	49		28			16
17	128	25	79						07		81			17
18	14	70	49	02		27		04	57		29	32		18
19	25	14	16	65	18		05		45		14	04		19
20	94	07	56	47	31		01		01			83		20
21	157	159		18	49		31		43	03	21	17		21
22	13	04	09		1·20	02	42		08	120	107	53		22
23	57	36	05		30		02			47	16	08		23
24	63	93	30		05		17		14	1·40		29		24
25	06	190	74		04				02	23		01		25
26	03	37								03		03		26
27	15	17								44				27
28	20	13				12				09	01			28
29		X				02				35	57			29
30	57								05	04	1·14			30
31	25									40				31
TOTAL	14·27	15·10	7·72	6·11	4·54	2·45	5·77	1·52	5·44	4·87	4·78	6·52	Year's Total 79·09	
* Days with .01 in. or more.	26	26	21	18	15	12	15	7	20	13	11	18	202	
* Days with .04 in. or more.	25	25	20	17	14	8	12	7	17	11	10	15	181	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

~~288~~

Section **A** for the entry of Daily Observations

Station No. ~~1408/1~~ 1707

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM [illegible]00

REGISTER OF RAINFALL IN 1938

Kept at Princetown (H.M. Prison)
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level ~~1130~~ ~~13[illegible]~~ 1359 ft.

Raingauges removed to original site within prison walls from 1.2.38.

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		21				1·10	30	63		112	08	36		1
2		12		06			04			59	02	12		2
3					05	04	04	2·45		175	80			3
4					03		65	·35		35	03	104		4
5	05			05		13	39	18	22	55	02	11		5
6	27					64	1·71		14	68	06	31		6
7	50						64		17	25	06	30		7
8	96	09					46			120		07		8
9	29	57	04			22		75		06	03	161		9
10	67					02	36	20		10		49		10
11	93	02			06		11				152	158		11
12	103	08			100	03	08			1·90	2·80			12
13	34	01			1·05		38			48	59	2·28		13
14	1·50				60				02					14
15	88				71			32		47	45	78		15
16	112		14		02		04	22		20	08			16
17		13	04		20				66	60	02	13		17
18	87				13	03		90	·72	22	108			18
19								13	25		84			19
20	15							02	03		63			20
21	16							14	10	06	48	03		21
22	16			04				195			66	10		22
23	05			·08		32		01			34			23
24	11	04	·60		20	05		07	01		55			24
25	30	1·54	18		14	03				08	188			25
26	45	75	18		72	28	05			63	08	42		26
27	101	62		04	13	10	94	62		42	109			27
28	42	36	04		09	60	10	58	21	05	03	17		28
29	43	X	17		70		39		65	44	92	26		29
30	28	×	05		09	41			71		32	05		30
31	80	×	02	×	79	×	02		×	80	×	80		31
TOTAL	13·73	4·54	1·46	·27	6·71	4·00	6·70	9·52 ~~8·84~~	3·89	13·00	15·46	11·01	Year's Total [illegible] 89·64	
* Days with .01 in. or more.	25	13	10	5	18	15	18	17	13	23	27	20	204	
* Days with .04 in. or more.	25	11	9	5	16	11	17	14	10	23	21	19	181	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~288~~ 1707

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Princetown (H. M. Brison)

in the County of Devon

T.L.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1359 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	58		18	08	01		02	29	01		46	88		1
2	25	—		33				80	24		25	10		2
3	56		20	70				02	15		34	57		3
4	15		·83	63	·76		59	13		1·42	62	49		4
5	02		09	16	05		145			53	178	11		5
6	77		16	21	03		2·79	07		10	12			6
7	37	1·64	01				23	12			56	2·14		7
8	63	115	22		13	02	47	11		125	105	54		8
9	3	10	66					63		14	21	110		9
10	34	09	03			06		25	·35	39	08	90		10
11	03	21	12			01		03		14	01	04		11
12	07	15		36					11	08	14	03		12
13				67		15	152		09	71	37			13
14	167			16	21	34	79		03	05	71			14
15	69	04		26	16	2·35	44				59	04		15
16	25	02	06	30	01	01	99				111			16
17	1·96	26		01	02	62	79				33			17
18	12	09	05			24	68				190	16		18
19	70	04					41	43			07	05		19
20	81				06	19	54	·91				02		20
21	35	75	30	01	10	51	14	18	03					21
22	185	49	29	09	01	66	65		02		190			22
23		05	06	1·17		01	31			05	2·22			23
24	23	03	27	17		56	20			29				24
25	87	35	01	02			05	38		22	150			25
26	35	08						10		19	165			26
27		71				33	32	02			23			27
28		25		03		21	63				85	04		28
29	02	X		05		65	86			15	24			29
30			06	14		07	19	01		46	41			30
31							19	78		76				31
TOTAL	13·95	6·51	3·60	5·55	1·55	6·99	15·25	5·25	1·03	6·93	19·70	7·21	Year's Total 93·52	
* Days with .01 in. or more.	25	20	18	20	12	18	24	18	9	17	27	16	224	
* Days with .04 in. or more.	22	17	15	16	7	14	23	14	5	17	26	14	190	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ……………………………………

[P.T.O.

288

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1707

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

IA

Kept at Princetown (H. M. Prison)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1359 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		16		15	03						20			1
2		19		41			17				2·55	08		2
3	01	1·25		05			03			12	218	75		3
4	05	24		34			22			61	28	19		4
5	04	03					01			46	67	46		5
6	72	111					10			128	10	48		6
7	43	10		06			14		09	15		19		7
8		11					23	01		54	103	120		8
9		01					140	·23	06	21	97	37		9
10							08	03	10	28	35	69		10
11		01	15	06			41				249	11		11
12			56	09		12	1·54		108		23			12
13			47				11		05		121	86		13
14		07	10	13				09	43		07	1·22		14
15	02	16		06	01		04		48		105	04		15
16	07	1·25	1·28	20			39		58		14	16		16
17		24	127	02			33		02		13	02		17
18	69	108	64	91			10	11	26		09	61		18
19		22	20	30			35		1·14		108			19
20			11	23				20	04		45			20
21			08		03	02		03			149			21
22	01	12	28	10		·62			24		02			22
23	01	02	47	01	11		01				18			23
24	01	25	09	04		03	30							24
25	18		18	11	52	08					02			25
26	1·26	95		07	1·18	12	14				11			26
27	87	65	06	87	37	01					03			27
28	60	45		04	41			05				01		28
29	34		56	1·38	01	21						90		29
30	03	×	10	02	25					2·10		46		30
31	14	×	31	×	01	×			×		×	65		31
TOTAL	5·48	8·67	6·91	5·65	2·93	1·21	6·10	·75	4·57	575 9·38	17·92	9·45	Year's Total 7459 78·22	
* Days with .01 in. or more.	18	22	18	23	11	8	20	8	13	21	25	20	207	
* Days with .04 in. or more.	12.	18	18	20	6	5	17	5	12	19	22	18	172	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

1708

Section **A** for the entry

AIR MINIST

FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGIS 1931.

1708
COWSIE VALLEY
1931

780307

Kept at Cowsie V

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3					–								3
4	·90									·65			4
5				1·60			1·10						5
6									3·00			2·60	6
7						1·40							7
8		1·30	·90								7·20		8
9								·70					9
10					1·10								10
11	·70									·60			11
12				·45			1·25						12
13									1·00			·80	13
14						2·00							14
15		3·20	–								2·20		15
16								2·30					16
17					·85								17
18	·80									·05			18
19				·80			2·65						19
20									·30			–	20
21						3·00							21
22		·90	·90								1·10		22
23								3·10					23
24					1·10								24
25	4·00									–			25
26				3·00			2·40						26
27									–			·10	27
28		1·70				·10							28
29		1X	–								3·90		29
30		X				–		90	·10		–		30
31	2·80	X	–	X	1·20	X	·70	–	X	30	X	1·50	31
TOTAL	9·20	7·10	1·80	5·85	4·25	6·50	8·10	7·00	4·40	1·60	14·40	5·00	YEAR'S TOTAL 75·20
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) Frank Howarth

[P.T.O.

1708

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cowsic Valley

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 1352·46 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3					—								3
4	·90									·65			4
5				1·60			1·10						5
6									3·00			2·60	6
7						1·40							7
8		1·30	·90								7·20		8
9								·70					9
10					1·10								10
11	·70									·60			11
12				·45			1·25						12
13									1·00			·80	13
14						2·00							14
15		3·20	—								2·20		15
16								2·30					16
17					·85								17
18	·80									·05			18
19				·80			2·65						19
20									·30			—	20
21						3·00							21
22		·90	·90								1·10		22
23								3·10					23
24					1·10								24
25	4·00									—			25
26				3·00			2·40						26
27									—			·10	27
28		1·70				·10							28
29		X	—								3·90		29
30		X				—		90	·10		—		30
31	2·80	X	—	X	1·20	X	·70	—	X	30	X	1·50	31
TOTAL	9·20	7·10	1·80	5·85	4·25	6·50	8·10	7·00	4·40	1·60	14·40	5·00	YEAR'S TOTAL 75·20
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

(Signed) Frank Howarth [P.T.O.

*See Instruction 2 (*f*) on other side.

1708/1

Section **A** for the entry c

AIR MINISTR

FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGIS

1708/1

COWSIE VALLEY (NEW GUAGE)

1931 — 40

780307

193*1*.

Kept at Cowsie Va

in the County of L

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

1323.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3					–								3
4	1·00									·75			4
5				1·80			1·25						5
6									3·10			2·75	6
7						1·60							7
8		1·40	1·00								7·40		8
9								·80					9
10					1·25								10
11	·75									·65			11
12				·50			1·40						12
13									1·20			·95	13
14						2·05							14
15		3·50	–								2·25		15
16								2·45					16
17					1·00								17
18	·90									·10			18
19				·90			2·75						19
20									·25			–	20
21						3·05							21
22		1·00	1·00								1·15		22
23								3·25					23
24					1·20								24
25	4·05									–			25
26				3·10			2·50						26
27									–			·15	27
28		1·90				·15							28
29		×	–								4·10		29
30		×				–		1·10	15		–		30
31	2·90	×	–	×	1·35	×	·80	–	×	·25	×	1·65	31
TOTAL	9·60	7·80	2·00	6·30	4·80	6·85	8·70	7·60	4·70	1·75	14·90	5·50	YEAR'S TOTAL 80·50
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) Frank Howarth [P.T.O.

1708/1

Section **A** **for the entry** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Corosie Valley NEW

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ~~1200~~ 1323. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3					–								3
4	1·00									·75			4
5				1·80			1·25						5
6									3·10			2·75	6
7						1·60							7
8		1·40	1·00								7·40		8
9								·80					9
10					1·25								10
11	·75									·65			11
12				·50			1·40						12
13									1·20			·95	13
14						2·05							14
15		3·50	–								2·25		15
16								2·45					16
17					1·00								17
18	·90									·10			18
19				·90			2·75						19
20									·25			–	20
21						3·05							21
22		1·00	1·00								1·15		22
23								3·25					23
24					1·20								24
25	4·05									–			25
26				3·10			2·50						26
27									–			·15	27
28		1·90				·15							28
29		X	–								4·10		29
30		X				–		1·10	15		–		30
31	2·90	X	–	X	1·35	X	·80	–	X	·25	X	1·65	31
TOTAL	9·60	7·80	2·00	6·30	4·80	6·85	8·70	7·60	4·70	1·75	14·90	5·50	YEAR'S TOTAL 80·50
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

(*Signed*) Frank Howarth [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

1708/11

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cowsic Valley

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1323 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2										·05			2
3	1·00			·45			·30						3
4									2·60			1·45	4
5						·50							5
6			·40								·75		6
7		–						·30					7
8					·65								8
9										2·50			9
10	8·00			2·10			·05						10
11									4·35			·55	11
12						–							12
13			1·10								·05		13
14		–						·50					14
15					2·70								15
16										3·25			16
17	440			1·20			1·80						17
18									·90			1·40	18
19						–							19
20			–								·80		20
21		–						·85					21
22					2·50								22
23										6·90			23
24	·25			·55			2·00						24
25									1·95			1·70	25
26						–							26
27			1·55								1·50		27
28		–						–					28
29		–			·70								29
30		✕		1·90		4·45			2·25	4·05	2·45		30
31	–	✕	2·15	✕	·25	✕	3·25	1·15	✕	·05	✕	3·30	31
TOTAL	13·65	–	5·20	6·20	6·80	4·95	7·40	2·80	12·05	16·80	5·55	8·40 +	YEAR'S TOTAL 89·80
Days with ·01 in. or more.													
Days with ·04 in. or more.										+	32 Days		

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) Frank Howarth

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 1708/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Cowsic Valley

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1323 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				–			–						2
3									–			1·50	3
4						·65							4
5		2·50	4·05								·50		5
6								–					6
7					2·50								7
8	3·25									·43			8
9				–			2·25						9
10									–			–	10
11						–							11
12		2·05	·10								·25		12
13								·50					13
14					·90								14
15	1·40									3·25			15
16				·25			2·85						16
17									·75			–	17
18						1·00							18
19		·05	3·45								1·50		19
20								1·10					20
21					·05								21
22	·85									·50			22
23				·70			·05						23
24									1·75			–	24
25						1·75							25
26		2·10	–								–		26
27								1·05					27
28		·70			·50								28
29	·05	✕								2·00			29
30		✕		3·25		–	1·00		·50		–		30
31	1·55	✕	1·00	✕	·20	✕	–	–	✕	·50	✕	1·50	31
TOTAL	7·10+	7·40	8·60	4·20	4·15	3·40	6·15	2·65	3·00	6·68	2·25	3·00	YEAR'S TOTAL 58·58
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

+ for 30 Days

(*Signed*) Frank Howarth

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1708/11

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Cowsic Valley

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1323 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									1·40			3·50		2
3						–								3
4		–	·80								·85			4
5								3·00						5
6					3·60									6
7	2·25									3·50				7
8				·25			–							8
9									·50			9·00		9
10						·05								10
11		·05	1·50								·60			11
12								1·55						12
13					·10									13
14	4·30									·75				14
15				2·60			·03							15
16									·65			3·55		16
17						–								17
18		–	2·45								·50			18
19								·20						19
20					·25									20
21	2·35									2·50				21
22				2·25			·50							22
23									2·55			4·25		23
24						2·08								24
25		·05	·80								–			25
26								·55						26
27					–									27
28	1·05									2·75				28
29		×		1·35			·09							29
30		×		–		1·45			2·10		·25	3·50		30
31	–	×		×	–	×	·45	1·60	×	1·05	×	·55		31
TOTAL	9·95	·10	5·55	6·45	3·95	3·55	1·07	6·90	7·20	10·55	2·20	24·35	Year's Total 81·82 ✓	
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

† Spare column, no entries required.

(*Signed*) Alan Atkinson M.Eng. A.M.Inst.C.E.

P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1708/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Cowsic Valley

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1323 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2						·55								2
3		·95	1·05								1·20			3
4								–						4
5					·65									5
6	·45									3·60				6
7				2·55			·05							7
8									2·80			1·70		8
9						3·65								9
10		1·05	·05								2·45			10
11								·50						11
12					–									12
13	1·55									4·05				13
14				2·55			·05							14
15									1·50			1·20		15
16						2·95								16
17		2·35	–								4·50			17
18								·55						18
19					1·95									19
20	·05									2·75				20
21				4·05			1·45							21
22									3·50			30		22
23						1·15								23
24		3·90	1·65								2·30			24
25								·45						25
26					1·55									26
27	1·00									2·45				27
28		1·65		4·85			·50							28
29		✕							3·55			3·50		29
30		✕	–	–		1·25			·50		3·00			30
31	–	✕		✕	1·25	✕	–	3·00	✕	3·50	✕	2·00		31
TOTAL	3·35	9·90	2·75	11·00	5·40	9·55	2·05	4·50	11·85	16·35	13·45	8·70	Year's Total. 98·85	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Alan Atkinson M.Eng. A.M.Inst.C.E.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1708/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Dartmoor (Cowsic Valley) ~~new~~ 9.

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1323 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2		·15						·25						2
3					–									3
4										–				4
5	1·60			1·25			2·40							5
6									3·05			·91		6
7						1·28								7
8			1·75								3·11			8
9		2·05						·20						9
10					–									10
11										–				11
12	3·10			–			3·75							12
13									·80			2·91		13
14						·36								14
15			–								3·20			15
16		1·35						·15						16
17					·37									17
18										1·10				18
19	2·70			·80			3·70							19
20									1·45			5·85		20
21						·27								21
22			1·05								1·42			22
23		3·20						·69						23
24					·63									24
25										1·50				25
26	2·20			2·10			4·17							26
27									·35			·16		27
28						·19								28
29		1·00	2·50								·29			29
30		✕				2·00		–	–					30
31	2·65	✕	1·10	✕	20	✕	1·70		✕	1·40	✕	2·90	W	31
TOTAL	12·25	7·75	6·40	4·15	1·20	4·10	15·72	1·29	5·65	4·00	8·02	12·73	Year's Total 83·26	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Alan Atkinson [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1708/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR 090.

REGISTER OF RAINFALL IN 1937.

Kept at Dartmoor (Cowsic Valley) r.g.
in the County of S. Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 1323 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2					–									2
3	1·14									·15				3
4				1·15			·30							4
5									·55			2·15		5
6						–								6
7		6·38	·85								·03			7
8								–						8
9					1·05									9
10	2·80									–				10
11				2·72			3·40							11
12									1·53			1·75		12
13						1·53								13
14		1·20	3·35								–			14
15								1·18*						15
16					·74									16
17	5·40									–				17
18				1·27			·51							18
19									2·30			1·20		19
20						·26*								20
21		3·31	3·00								1·95			21
22								·50						22
23					2·10									23
24	4·55									3·20				24
25				1·45			1·05							25
26									·60			1·75		26
27						–								27
28		4·45	1·21								1·40			28
29		✕						–						29
30		✕			·05	·45			·15		1·50			30
31	1·55	✕		✕	–	✕	–	–	✕	1·75	✕	–		31
TOTAL	15·44	15·34	8·41	6·59	3·94	2·24	5·26	1·68	5·13	5·10	4·88	6·85	Year's Total 80·86	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Alan Atkinson [P.T.O.

* Tampered with Estimated Quantity

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1708/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Dartmoor, Cowsic Valley

in the County of S. Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM

VALUES FORWARDED MONTHLY

W

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2	—									1·60				2
3				—			·22							3
4									·05			2·45		4
5						1·18								5
6		·41	—								·88			6
7								4·20						7
8					—									8
9	2·57									4·52				9
10				·18			4·56							10
11									·50			3·84		11
12						·66								12
13		·74	—								4·10			13
14								·46						14
15					2·66									15
16	6·70									2·70				16
17				—			·43							17
18									1·62			4·05		18
19						·07								19
20		·17	·10								3·35			20
21								1·61						21
22					·31									22
23	1·75									1·00				23
24				·15			·05							24
25									·34			·15		25
26						1·00								26
27		2·24	·80								5·07			27
28		·35						3·04						28
29		✕			2·00									29
30	3·28	✕		—		·90			1·25	1·36	1·00			30
31	1·00	✕	·30	✕	·70	✕	1·50	—	✕	·70	✕	1·53		31
TOTAL	15·30	3·91	1·20	·33	5·67	3·81	6·76	9·31	3·76	11·88	14·40	12·07	Year's Total 88·40 ✓ ✓	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Alan Atkinson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1708/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Dartmoor, Cowsic Valley

in the County of S. Devonshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAV[illegible] ORA.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				·38			·05							2
3									·42					3
4						-						1·63		4
5		·10	1·16											5
6								1·10			3·40			6
7					·75									7
8	2·65													8
9				1·74			4·74			3·48				9
10									·38					10
11						·09						4·77		11
12		2·44	1·12											12
13								1·09			1·84			13
14					·25									14
15	3·30													15
16				1·76			3·26			1·36				16
17									·05					17
18						3·21						·11		18
19		·52	·10											19
20								1·65			4·90			20
21					·44									21
22	5·20													22
23				1·18			3·10			·06				23
24									·16					24
25						2·15						·15		25
26		1·60	·79											26
27								·93			7·15			27
28		·75			-									28
29	1·70	✕												29
30		✕		·55		·95	2·20		-	·90	1·90			30
31	·02	✕	·08	✕	-	✕	·32	·60	✕	1·25	✕	·07		31
TOTAL	12·87	5·41	3·25	5·61	1·44	6·40	13·67	5·37	1·01	7·05	19·19	6·73	Year's Total 88·00	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Alan Atkinson

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1708/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Dartmoor, Cowsic Valley
in the County of S. Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 1323 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2												·07		2
3			-			-								3
4		2·05						-			5·28			4
5					-									5
6														6
7	1·05			·92						1·06				7
8							·37							8
9			-						·04			2·96		9
10						-								10
11		1·12									3·40			11
12					-			·17						12
13														13
14	-			·28						1·60				14
15							4·37							15
16			3·35						1·92			2·72		16
17						·15								17
18		1·44									4·17			18
19					-			·17						19
20														20
21	·50			1·95						1·02				21
22							·90							22
23			1·77						1·89			·98		23
24						·63								24
25		·59									2·84			25
26					1·33			·18						26
27														27
4·65 28				·77						·38				28
29	4·05	1·80				·55	·48							29
30		✗	1·05	1·25					-		·70	·78		30
31	·60	✗		✗	·73	✗	-	·07	✗	2·45	✗	1·25		31
TOTAL	6·20	7·00	6·17	5·17	2·06	1·33	6·12	·59	3·85	7·41	16·39	8·76	Year's Total 71·05	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Alan Atkinson
M. Eng. M. Inst. C.E.

[P.T.O.

1709

1709
BLACK DUNGHILL
1931

780306

FORM 1090. **B** M
S

on.

₊ The following register of mont
&c., is NOT required if daily
values are given on the other

ection and also the space for

o this register should be sent:—

......in Summer......

RAINFALL IN 193

At *Black Dunghi*

In the County of *Dev*

istance...... Direction from gauge......

Nearest Parish Church at...... Distance...... Direction from gauge......

Rain Gauge
Diameter of Funnel *8* in.
Height of Top above Ground *1* *ft* *0* *in.*
Height of Ground above Sea Level *1590* *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	6·00				
FEB.	4·00				
MAR.	2·00				
APRIL	4·15				
MAY	3·75				
JUNE	5·00				
JULY	6·50				
AUG.	5·80				
SEPT.	2·60				
OCT.	1·12				
NOV.	9·15				
DEC.	2·80				
Total	52·87				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move...... Distance...... Direction......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

FORM 1090.

1709

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Black Dunghill

In the County of Devon

Rain Gauge
- Diameter of Funnel 8 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1590 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	6·00				
FEB.	4·00				
MAR.	2·00				
APRIL	4·15				
MAY	3·75				
JUNE	5·00				
JULY	6·50				
AUG.	5·80				
SEPT.	2·60				
OCT.	1·12				
NOV.	9·15				
DEC.	2·80				
Total	52·87				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

FORM 1090. **B** M
S ion.

1710

1710

BEAR DOWN TOR

1931, 1935-40

780307

*** The following register of mon
&c., is NOT required if daily
values are given on the other

section and also the space for

to this register should be sent:—

RAINFALL IN 193

At Beardown Tor

In the County of Devo

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 1550 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5·50				
FEB.	3·90				
MAR.	2·90				
APRIL	4·50				
MAY	4·00				
JUNE	5·10				
JULY	6·10				
AUG.	5·80				
SEPT.	3·70				
OCT.	1·30				
NOV.	10·50				
DEC.	3·00				
Total	56.30				

Signature

*See Instruction 2 (*f*) below.

in Summer

Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

FORM 1090. **B** of Station.

1710

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Beardown Tor

In the County of Devon

Rain Gauge
- Diameter of Funnel 8 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1550 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5·50				
FEB.	3·90				
MAR.	2·90				
APRIL	4·50				
MAY	4·00				
JUNE	5·10				
JULY	6·10				
AUG.	5·80				
SEPT.	3·70				
OCT.	1·30				
NOV.	10·50				
DEC.	3·00				
Total	56·30				

Signature Frank Stonesmith

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

660608/26

1710

S Devon/4

Do NOT PRINT

But use for Yrs. sheet with note up low. (about 24")

entered in Yrs-sheet.

Stee 7/4

C Particulars of Station,

rver is requested to fill in this section and also the space for s far as possible :—

ddress to which any inquiry relating to this register should be sent :—

....

....

rvation by the clock—in Winter Morning in Summer..................

ay Station Princetown .... Distance 2¾ M. Direction from gauge ~~N.~~ S

n Church at St Michael Princetown Distance 2½ M. Direction from gauge ~~NE.~~ SSW

ects gauge	Beardown Tor.			
ects	1664·6			
..	¼ M.			
n .	South.			

been moved during the year state –

.... Distance.............. Direction..........

ttern of gauge in use by deleting those sketches of cross sections of o not represent it. If the pattern is different from any of these please of it. (Good gauges to use are those marked A and B.) e is of a self-registering or self-recording type please give particulars.



of any record of rainfall not quoted in British Rainfall, please 's name and address :—

....

ON EXCEPTIONAL RAINFALL OF THE YEAR.

rticulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

DEC.	6·20				
TOTAL	58·10				

5" Gauge fixed 14th March 1935

Annual value about 24" low compared with White Tor & Devil's Tor.
Suggest new site about ¼ mile SE

Signature Alan [illegible]

*See Instruction 2 *(f)* below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

N

660608/26

1710

S Devon/4

B Monthly Summary.

₊ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Beardown Tor

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 1550 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·35	8" Gauge			
FEB.	4·80	do			
MAR.	·50 ·60	do 5" Gauge			
APRIL	6·75				
MAY	3·60				
JUNE	6·40				
JULY	1·35				
AUG.	4·40				
SEPT.	6·30				
OCT.	6·45				
NOV.	8·40				
DEC.	6·20				
TOTAL	58·10				

Signature Alan Atkinson

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter Morning in Summer

Nearest Railway Station Princetown Distance 2 3/4 M. Direction from gauge ~~N.~~ S

Nearest Parish Church at St Michael Princetown Distance 2 1/2 M. Direction from gauge ~~NE.~~ SSW

Nature of objects nearest to gauge	Beardown Tor.			
Height of objects	1664·6			
Distances ...	1/4 m.			
Directions from gauge ...	South.			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

5" Gauge fixed 14th March 1935

annual value about 24" low compared with White Tor + Devil's Tor.
Suggest new site about 1/4 mile SE

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

N

1710

RM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Dartmoor (Beardown Tor)

In the County of S. Devon.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 1550 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·45				
FEB.	5·15				
MAR.	5·50				
APRIL	2·55				
MAY	1·09				
JUNE	4·30				
JULY	11·85				
AUG.	·40				
SEPT.	3·65				
OCT.	3·10				
NOV.	4·00				
DEC.	6·10				
TOTAL	55·14	w/o low			

Signature ....

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— ....

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station.................Distance.................Direction from gauge.................

Nearest Parish Church at.................Distance.................Direction from gauge.................

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.................Distance.................Direction.................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :— ....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

1935 w/o low.

new site rec. 6/IX/

see file

660608/26

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1710

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

Form 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Dartmoor (Beardown Tor)

In the County of S. Devon

Rain Gauge
Diameter of Funnel..........in.
Height of Top above Ground.......ft..........in.
Height of Ground above Sea Level..........ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
Jan.	9·35 ✓				
Feb.	8·59 ✓				
Mar.	6·70 ✓				
April	3·95 ✓				
May	3·22 ✓				
June	2·00 ✓				
July	3·55 ✓				
Aug.	·65 ✓				
Sept.	4·00 ✓				
Oct.	4·75 ✓				
Nov.	4·40 ✓				
Dec.	4·15 ✓				
Total	55·31 ✓				

Signature Alan Atkinson

*See Instruction 2 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Check g to be set up in 1938

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1710

FORM 1090.

B Monthly Summary.

‚ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Dartmoor, Beardown Tor. No 3.

In the County of S. Devon

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.......ft.........in.*
- *Height of Ground above Sea Level..........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·75				
FEB.	2·00				
MAR.	·55	*			
APRIL	·20 ~~·33~~				
MAY	4·00				
JUNE	2·30				
JULY	4·65				
AUG.	6·50				
SEPT.	2·30				
OCT.	5·70				
NOV.	12·50				
DEC.	3·80				
TOTAL	52·25	wp low GB 29/3			

Signature Alan Atkinson

wp 35/36/37

f. 660608/26

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

* April figures altered by Obs. see file.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

H. ATKINSON ESQ. C.E.

1710

FORM 1090.

B Monthly Summary.

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Dartmoor, Beardown Tor.

In the County of S. Devonshire

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.......ft.........in.*
- *Height of Ground above Sea Level..........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·90	✓			
FEB.	3·10	✓			
MAR.	1·95	✓			
APRIL	4·15	✓			
MAY	1·16	✓			
JUNE	4·50	✓			
JULY	9·25	✓			
AUG.	4·30	✓			
SEPT.	·60				
OCT.	6·40	✓			
NOV.	9·10	✓			
DEC.	3·45				
TOTAL	54·86				

np low. wt

Signature Alan Atkinson

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

np low 1935-38

f 66 6608/36

TRAVELLING FORM.
VALUES FORWARDED MONTHLY.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91
S.O. Code No. 40-9999

1710

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~34~~40.

At Dartmoor, Beardown Tor

In the County of S. Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 1550 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·33				
FEB.	5·45				
MAR.	3·84				
APRIL	4·25				
MAY	2·21				
JUNE	1·05				
JULY	3·40				
AUG.	·20				
SEPT.	2·14				
OCT.	5·14				
NOV.	10·00				
DEC.	5·15				
TOTAL	46·16				

Copied to [illegible] Do not [illegible] values [illegible]

Do

Np[illegible] WH.

Signature alan atkinson
M. Eng. M. Inst. C.E.

*See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station No. 3 old gauge .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

December reading taken [illegible] 3rd Jan [illegible] owing to snow - see letter dated 9.1.41.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

This [illegible] is too small [illegible]

1939 np low

Beardown new Gauge for October = 8.68"

660602/26

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999

1710/1

1710/1

BEARDOWN TOR
1938 – 40

780306

FORM 1090. **B** Me
Su
n.

*** The following register of mont
&c., is NOT required if daily
values are given on the other
tion and also the space for
this register should be sent :—
....
....

RAINFALL IN 193

At Beardown Tor, Da
In the County of South De
........in Summer..................
Station...................... Distance..............Direction from gauge...........
Nearest Parish Church at.............................. Distance..............Direction from gauge...........

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* – *in.*
Height of Ground above Sea Level 1582 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	9·30				
FEB.	3·80				
MAR.	1·65				
APRIL	·35				
MAY	6·00				
JUNE	4·00				
JULY	7·10				
AUG.	9·05				
SEPT.	3·53				
OCT.	11·65				
NOV.	15·25				
DEC.	7·50				
TOTAL	79·18				

N plate

Signature ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

* See Instruction 3 *(f)* below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0·0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999

1710/1

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1938.

At Beardown Tor, Dartmoor

In the County of South Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* - *in.*
- *Height of Ground above Sea Level* 1582 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	9·30				
FEB.	3·80				
MAR.	1·65				
APRIL	·35				
MAY	6·00				
JUNE	4·00				
JULY	7·10				
AUG.	9·05				
SEPT.	3·53				
OCT.	11·65				
NOV.	15·25				
DEC.	7·50				
TOTAL	79·18				

Nplate

Signature ....

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station.................. Distance.................. Direction from gauge..................

Nearest Parish Church at.................. Distance.................. Direction from gauge..................

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

. **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1939..

At Beardown Tor, Dartmoor

In the County of South Devon

Rain Gauge
Diameter of Funnel..........5..........in.
Height of Top above Ground....1...*ft*....–....*in.*
Height of Ground above Sea Level...1582...*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	11·40				
FEB.	6·15				
MAR.	3·10				
APRIL	5·75				
MAY	1·46				
JUNE	6·20				
JULY	13·65				
AUG.	5·30				
SEPT.	1·50				
OCT.	7·20				
NOV.	18·60				
DEC.	6·80				
TOTAL	87·11				

np late

Signature ....

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
....
....

Hour of observation by the clock—in Winter......................in Summer..................
Nearest Railway Station.................................... Distance.................. Direction from gauge............
Nearest Parish Church at.................................... Distance.................. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—
....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005: *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 662/91
S.O. Code No. 40-9999

1710/1

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40.

At Beardown Tor, Dartmoor

In the County of South Devon.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 1582 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·88				
FEB.	10·20				
MAR.	6·45				
APRIL	5·15				
MAY	2·60				
JUNE	1·23				
JULY	4·11				
AUG.	·50				
SEPT.	3·80				
OCT.	8·68				
NOV.	16·10 ✓				
DEC.	7·75				
TOTAL	73·45 ✓				

Print WH

~~Signature~~ Alan Atkinson
M. INST. C.E.

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

~~December reading taken 3rd Jan. 1941 owing to snow – see letter with reg.~~

p 1939 (Cale) f 6606/26.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090.

1711

B

1711
WHITE TOR
1931

780307

ation.

*** The following register o
&c., is NOT required i
values are given on the

section and also the space for

to this register should be sent:—

RAINFALL IN

At White Tor

In the County of De

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1640 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	4·80				
FEB.	3·00				
MAR.	2·50				
APRIL	4·00				
MAY	3·70				
JUNE	4·90				
JULY	5·90				
AUG.	5·90				
SEPT.	3·20				
OCT.	1·25				
NOV.	10·10				
DEC.	2·90				
Total	52·15				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

in Summer

Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

FORM 1090.

1711

B Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At White Tor

In the County of Devon

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 1640 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	4·80				
FEB.	3·00				
MAR.	2·50				
APRIL	4·00				
MAY	3·70				
JUNE	4·90				
JULY	5·90				
AUG.	5·90				
SEPT.	3·20				
OCT.	1·25				
NOV.	10·10				
DEC.	2·90				
Total	52·15				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m.*, *Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January* 1*st is the rainfall for the* 24 *hours following* 9 *a.m. on January* 1*st; it is therefore the amount measured on January* 2*nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

FORM 1090. **B** Mont
Sum

1711/1

WHITE TOR (NEW G)
1931—40

780307

1711/1

*** The following register of monthly
&c., is NOT required if daily or
values are given on the other side

on and also the space for

s register should be sent:—

RAINFALL IN 193*1*

At *White Tor* NE

In the County of *Devon*

in Summer

ce Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Rain Gauge
Diameter of Funnel *5* in.
Height of Top above Ground *1* *ft* *0* *in.*
Height of Ground above Sea Level *1439* *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	*10·00*				
FEB.	*7·80*				
MAR.	*3·00*				
APRIL	*6·00*				
MAY	*4·25*				
JUNE	*6·90*				
JULY	*8·35*				
AUG.	*8·55*				
SEPT.	*4·50*				
OCT.	*2·00*				
NOV.	*15·10*				
DEC.	*5·55*				
Total	81·80				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

N

FORM 1090.

B Mont
Summary.

1711/1

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At White Tor NEW

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* ~~[illegible]~~ *ft.* 1439

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	10·00				
FEB.	7·80				
MAR.	3·00				
APRIL	6·00				
MAY	4·25				
JUNE	6·90				
JULY	8·35				
AUG.	8·35				
SEPT.	4·50				
OCT.	2·00				
NOV.	15·10				
DEC.	5·55				
Total	81·80				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

1711/1

FORM 1090. **B** Monthly Summary.

⁎ The following register of monthly totals &c., is required if daily or weekly values are not given on the other side.

RAINFALL IN 1932

At White Tor

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1439 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches.	Inches.	Date.		
JAN.	14·15				
FEB.	–				
MAR.	5·05				
APRIL	6·00				
MAY	6·10				
JUNE	4·85				
JULY	6·75				
AUG.	2·65				
SEPT.	10·25				
OCT.	15·90				
NOV.	6·00				
DEC.	6·60+				
Total	84·30				

Signature Frank Howarth

+ 32 Days

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. *Price* 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(164) Wt.2398/185/162 14,000 5/29. Gp. 119/110.

40-9999

1711/1

FORM 1090.

B Monthly Summary.

⁎ **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At White Tor

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1439 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	5·60	+			
FEB.	6·85				
MAR.	7·60				
APRIL	3·35				
MAY	3·20				
JUNE	3·25				
JULY	5·60				
AUG.	5·05				
SEPT.	2·25				
OCT.	8·05				
NOV.	2·40				
DEC.	2·60				
Total	55·80				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

+ For 30 Days.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

17111

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.*

RAINFALL IN 1934

At White Tor

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 1439 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	8·40				
FEB.	·35				
MAR.	5·00				
APRIL	5·90				
MAY	3·90				
JUNE	3·20				
JULY	1·30				
AUG.	8·15				
SEPT.	6·75				
OCT.	8·70				
NOV.	3·50				
DEC.	24·10				
Total	79·25				

Signature Alan Atkinson MEng A.M.Inst.C.E.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right|\left.\right\}\cdot14\Big|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

M.O.
15 JAN

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN ÇORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

1711/1

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1935

At White Tor

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1439 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·25				
FEB.	9·30				
MAR.	2·10				
APRIL	9·05				
MAY	3·55				
JUNE	8·05				
JULY	2·20				
AUG.	5·55				
SEPT.	9·60				
OCT.	10·60				
NOV.	11·25				
DEC.	7·10				
Total	81·60				

Signature Alan Atkinson M.Eng. A.M.Inst.C.E.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.................in Summer..................

Nearest Railway Station.................. Distance.................. Direction from gauge..................

Nearest Parish Church at.................. Distance.................. Direction from gauge..................

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
17 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1711/1

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

8)

At Dartmoor (White Tor) [illegible]

In the County of S. Devon

Rain Gauge

Diameter of Funnel..........in.

Height of Top above Ground.........ft...........in.

Height of Ground above Sea Level 1439 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10·25				
FEB.	5·65				
MAR.	6·15				
APRIL	3·70				
MAY	1·15				
JUNE	5·60				
JULY	15·55				
AUG.	1·40				
SEPT.	5·50				
OCT.	4·35				
NOV.	7·50				
DEC.	11·90				
TOTAL	78·70				

Signature ....

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1711 | 1

TRAVELLING FORM.
[illegible] MONTHLY

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Dartmoor (White Tor) n.w.o.g.

In the County of S. Devon

Rain Gauge
- Diameter of Funnel.........in.
- *Height of Top above Ground.........ft.........in.*
- *Height of Ground above Sea Level.........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	13·55				
FEB.	12·55				
MAR.	7·95				
APRIL	6·75				
MAY	3·40				
JUNE	2·65				
JULY	4·50				
AUG.	1·45				
SEPT.	5·15				
OCT.	4·80				
NOV.	4·55				
DEC.	6·50				
TOTAL	73·80				

Signature Alan Atkinson

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.........in Summer.........

Nearest Railway Station......... Distance.........Direction from gauge.........

Nearest Parish Church at......... Distance.........Direction from gauge.........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move......... Distance......... Direction.........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Dartmoor, White Tor

In the County of S. Devon

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.......ft..........in.*
- *Height of Ground above Sea Level..........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN. ✓	14·35				
FEB.	3·45				
MAR.	1·35				
APRIL	·25 ✓				
MAY	4·52 ✓				
JUNE	3·60 ✓				
JULY	6·20 ✓				
AUG.	8·70 ✓				
SEPT.	3·20 ✓				
OCT.	11·95 ✓				
NOV.	14·25 ✓				
DEC.	6·40 ✓				
TOTAL	78·22 ✓				

✓

Signature Alan Atkinson

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

TRAVELLING FORM.
VAL[illegible] FORWARDED MONTHLY

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is **NOT** required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Dartmoor, White Tor.

In the County of S. Devonshire

Rain Gauge
- Diameter of Funnel……in.
- *Height of Top above Ground……ft……in.*
- *Height of Ground above Sea Level……ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	12·40 ✓				
FEB.	5·00 ✓				
MAR.	2·90 ✓				
APRIL	5·40 ✓				
MAY	1·32 * ✓				
JUNE	5·95 ✓				
JULY	12·60 ✓				
AUG.	5·00 ✓				
SEPT.	·95 ✓				
OCT.	7·15 ✓				
NOV.	18·80 ✓				
DEC.	6·80 ✓				
TOTAL	84·27 ✓				

Signature Alan Atkinson

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

……

……

Hour of observation by the clock—in Winter……in Summer……

Nearest Railway Station…… Distance…… Direction from gauge……

Nearest Parish Church at…… Distance…… Direction from gauge……

Nature of objects nearest to gauge				
Height of objects				
Distances …				
Directions from gauge …				

If gauge has been moved during the year state—

Date of move…… Distance…… Direction……

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

……

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

* Tampered with, estimated quantity.

TRAVELLING FORM
VALUES FORWARDED MONTHLY

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

1711/1

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40.

At Dartmoor, White Tor

In the County of S. Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 1439 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·70				
FEB.	7·30				
MAR.	5·64				
APRIL	5·20				
MAY	2·40				
JUNE	1·05				
JULY	5·21				
AUG.	·69				
SEPT.	4·10				
OCT.	6·55				
NOV.	16·27				
DEC.	8·35				
TOTAL	67·46				

Signature Alan Atkinson
M. Eng. M. Inst. C.E.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

December reading
taken 3rd Jan. 1941.
owing to snow -
see letter dated 7.1.41

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 698/91
S.O. Code No. 40-9999

—
1712
POST BRIDGE
1931-1932

780806

Section **A** for the entry o
AIR MINISTR ... FALL ORGANIZATION.

Station No. 1712

FORM 1090.

REGIS ... 1932.

Kept at Archerton

in the County of Dev

Dec

Nov & Dec
est. by surr. stns

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·73	—	[illegible]	·15	—	·02	·26	·26	·20	·02			1
2	·34	—	·09	·32	—	·50	Tr	·09	1.18	Tr			2
3	·24	—	—	—	·06	·04	·16	—	1·26	—			3
4	·14	—	·01	—	—	—	·04	·07	—	·03			4
5	2·11	—	·09	—	—	—	—	—	·36	—			5
6	1·94	—	·11	·51	—	—	·05	—	—	—			6
7	·31	—	·08	·06	·29	—	—	—	2·50	2·21			7
8	—	—	1·91	·08	·15	—	—	—	·38	—			8
9	3·42	—	—	·74	·24	—	—	—	·25	1·38			9
10	·96	·07	—	·92	·08	—	—	—	·19	—			10
11	·20	—	—	·29	·30	—	—	—	·19	·69			11
12	2·01	Tr	—	·05	1·14	—	—	—	·33	·10			12
13	·21	—	—	·54		—	·21	·18	·06	—			13
14	·55	—	—	·15	·66	—	—	·11	Tr	·10			14
15	·15	—	—	·17		—	—	—	—	·01			15
16	1·39	—	—	·14		—	·95	—	—	·14			16
17	·07	—	—	·04	Tr	—	·01	—	·07	·04			17
18	·16	—	—	·10	·73	—	—	—	·33	·03			18
19	·11	—	—	·11	·57	—	—	—	·07	1·10			19
20	·02	—	—		·96	—	·02	·64	Tr	4·21			20
21	·04	—	·05		—	—	·03	·46	·09	·54			21
22	Tr	—	—	·35	·13	—	·21	·13	·42	1·27			22
23	—	Tr	—		—	—	·36	·03	—				23
24	—	·03	—		·06	—	1·42	—	·33				24
25	—	—	·13	—	—	—		—	·39	2·59			25
26	—	—	·21	·34	—	—	·44	—	·06				26
27	—	—	1·17	·36	·14	—	·30	—	—				27
28	—	—	·21	·08	·16	—	·76	—	—	·06			28
29	—	—	1·71	·39	·16	4·28	·40	1·04	1·17	1·56			29
30	—	×	·20	·38	—		·51	—	·92	·37			30
31	—	×	·18	×	·24	×	·42	—	×	·07	×		31 d.
TOTAL	16·10	·10	6·12	6·27	6·07	1·84	6·55	3·01	10·75	16·52	(5·25)	(5·50)	YEAR'S TOTAL (86·05)
*Days with ·01 in. or more.													—
*Days with .04 in. or more.													—

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) L. M. Bennett

P.T.O.

~~COPY FOR OFFICIAL USE.~~

Section **A** **for the entry of Daily Observations.** **Station No** 1712

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Archerton-Postbridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 1320 ft.

~~Est Nov & Dec~~ Nov & Dec est. by surr stns

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·73	—	—	·15	—	·02	·26	·26	·20	·02			1
2	·34	—	·09	·32	—	·50	Tr	·09	1·18	Tr			2
3	·24	—	—	—	·06	·04	·16	—	1·26	—			3
4	·14	—	·01	—	—	—	·04	·07	—	·03			4
5	2·11	—	·09	—	—	—	—	—	·36	—			5
6	1·94	—	·11	·51	—	—	·05	—	—	—			6
7	·31	—	·08	·06	·29	—	—	—	2·50	2·21			7
8	—	—	1·91	·08	·15	—	—	—	·38	—			8
9	3·42	—	—	·74	·24	—	—	—	·25	1·38			9
10	·96	·07	—	·92	·08	—	—	—	·19	—			10
11	·20	—	—	·29	·30	—	—	—	·19	·69			11
12	2·01	Tr	—	·05	1·14	—	—	—	·33	·10			12
13	·21	—	—	·54		—	·21	·18	·06	—			13
14	·55	—	—	·15	·66	—	—	·11	Tr	·10			14
15	·15	—	—	·17		—	—	—	—	·01			15
16	1·39	—	—	·14		—	·95	—	—	·14			16
17	·07	—	—	·04	Tr	—	·01	—	·07	·04			17
18	·16	—	—	·10	·73	—	—	—	·33	·03			18
19	·11	—	—	·11	·57	—	—	—	·07	1·10			19
20	·02	—	—		·96	—	·02	·64	Tr	4·21			20
21	·04	—	·05		—	—	·03	·46	·09	·54			21
22	Tr	—	—	·35	·13	—	·21	·13	·42	1·27			22
23	—	Tr	—		—	—	·36	·03	—				23
24	—	·03	—		·06	—	1·42	—	·33				24
25	—	—	·13	—	—	—		—	·39	2·59			25
26	—	—	·21	·34	—	—	·44	—	·06				26
27	—	—	1·17	·36	·14	—	·30	—	—				27
28	—	—	·21	·08	·16	—	·76	—	—	·06			28
29	—	—	1·71	·39	·16	4·28	·40	1·04	1·17	1·56			29
30	—	×	·20	·38	—		·51	—	·92	·37			30
31	—	×	·18	×	·24	×	·42	—	×	·07	×		31 d.
TOTAL	16·10	·10	6·12	6·27	6·07	1·84	6·55	3·01	10·75	16·52	(5·25)	(5·50)	YEAR'S TOTAL (86·08)
*Days with ·01 in. or more.													—
*Days with ·04 in. or more.													—

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. M. Bennett

P.T.O.

808639/27 1712

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ARCHERTON, Postbridge

in the County of Devonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 1320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	·23	—	·71	·77	Tr.	·10	—	—	·11	Tr.		1
2	·37	·11	—	·50		·19	·13	Tr.	1·23	—	·74		2
3	·57	—	1·12	—		·08	·09	·02	·64	·08	4·25		3
4	·10	—	·39	·03		·19	·47	1·37	·31	·14	·58		4
5	Tr.	·53	·22	·42		·58	·02	·02	·21	·08	·39		5
6	Tr.	·29	—	Tr.		·39	—	—	·05	·14	—		6
7	Tr.	·02	—	—		·29	·46	·16	—	·14	·91		7
8	Tr.	·38	—	—		·53	·01	·11	—	·54	·67		8
9	·12	·90	—	·22		·32	·26	·03	—	·14	·17		9
10	·02	·35	—	—		·40	·24	·34	·45	·04	2·13		10
11	·66	1·05	—	—		·69	·11	·02	·05	—			11
12	Tr.	·29	—	—	·03	—	·29	—	·35	—			12
13	Tr.	·33	—	—	·43	Tr.	·58	·64	Tr.	—		4·50	13
14	·11	·44	—	—	·06	·16	·89		·02	—		—	14
15	·15	·32	—	·07	·21	·01	·91	·88	·14	—		·09	15
16	1·96	·30	—	·28	·09	1·69		·57	—	—		·03	16
17		—	—	·27	—	·01		—	—	—		—	17
18		—	Tr.	·54	—	·60	·21	1·65	·01	—		—	18
19		·07	·23	·14	—	·18	·10	1·20	—	—		—	19
20		·51	·32	—	—	—	·09	·56	—	Tr.		—	20
21		·12	·11	—	—	—	—	·01	—	·07		—	21
22	1·81	·10	—	·11	·36	—	—	1·25	—	—	1·10	—	22
23	·66	·05	—	·74	·61	·30	·10		—	—	·01	—	23
24	·45	·09	·04	·92	—	—	1·03		—	—	—	—	24
25	·22	·75	Tr.	·53	·15	—	·15	—	—	—	1·64	·01	25
26	·03	—	—	·45	—	—	·08	—	—	—	·93	·06	26
27	·41	·98	—	·04	·61	—	·79	—	—	·11		·31	27
28	·21		·14	·07	Tr.	—	·15	—	—	—		·34	28
29	·19	—	·22	—	·28	—	·45	·26	—	·28		·31	29
30	·23	×	—	—	·22	—	·04	—	—	·10	See Dec. 13	·10	30
31	2·41	×	·30	×	·21	×	·10	—	×	—	×	·61	31
TOTAL	10·68	8·21	3·09	6·04	4·03	6·61	7·76	9·09	3·46	1·97	13·52	6·36	YEAR'S TOTAL 80·82
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 with apologies for the unsatisfactory record caused by illness + bereavement.

(Signed) Edith M. Bennett

*See Instruction 2 (*f*) on other side.

P.T.O.

1713

1713
DEVILS' TOR
1931

780306

FORM 1090. **B** tation.

*** The following register of r
&c., is NOT required if d
values are given on the ot

is section and also the space for
ng to this register should be sent:—

in Summer

RAINFALL IN 1

At Devil's Tor

In the County of Dev

Distance	Direction from gauge	
Nearest Parish Church at	Distance	Direction from gauge

Rain Gauge
- Diameter of Funnel 8 in.
- *Height of Top above Ground* 1 *ft* *in.*
- *Height of Ground above Sea Level* 1785 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5·10				
FEB.	3·90				
MAR.	2·00				
APRIL	3·80				
MAY	3·70				
JUNE	4·80				
JULY	7·00				
AUG.	4·70				
SEPT.	3·00				
OCT.	1·20				
NOV.	8·70				
DEC.	3·70				
Total	51·60				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January* 1st *is the rainfall for the* 24 *hours following* 9 *a.m. on January* 1st*; it is therefore the amount measured on January* 2nd. 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

FORM 1090.

1713

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Devil's Tor

In the County of Devon

Rain Gauge
- Diameter of Funnel 8 in.
- *Height of Top above Ground* 1 *ft* ... *in.*
- *Height of Ground above Sea Level* 1785 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	5·10				
FEB.	3·90				
MAR.	2·00				
APRIL	3·80				
MAY	3·70				
JUNE	4·80				
JULY	7·00				
AUG.	4·70				
SEPT.	3·00				
OCT.	1·20				
NOV.	8·70				
DEC.	3·70				
Total	51·60				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

1713/1

FORM 1090. **B** Monthly
Summa

1713/1
DEVILS TOR (NEW G)
1931 – 40

780306

*** The following register of monthly tota
&c., is NOT required if daily or wee
values are given on the other side.

RAINFALL IN 1931

At Devil's Tor NEW

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level ~~[illegible]~~ 1570 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	8·70				
FEB.	6·90				
MAR.	2·70				
APRIL	5·80				
MAY	4·50				
JUNE	5·70				
JULY	8·70				
AUG.	8·70				
SEPT.	4·65				
OCT.	1·85				
NOV.	14·20				
DEC.	5·15				
Total	77·55				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

and also the space for
gister should be sent:—

in Summer

Direction from gauge

Direction from gauge

Nearest Parish Church at Distance

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

N

FORM 1090. **B** Monthly
Summa

1713/1

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Devil's Tor NEW
In the County of Devon
Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level [illegible] *ft.* 1570

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	8·70				
FEB.	6·90				
MAR.	2·70				
APRIL	5·80				
MAY	4·50				
JUNE	5·70				
JULY	8·70				
AUG.	8·70				
SEPT.	4·65				
OCT.	1·85				
NOV.	14·20				
DEC.	5·15				
Total	77·55				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

N

Print

FORM 1090.

1713/1

B Monthly Summary.

*** The following register of monthly totals &c., is required if daily or weekly values are not given on the other side.

RAINFALL IN 1932

At Devils' Tor

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1570 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches.	Inches.	Date.		
JAN.	11·75				
FEB.	—				
MAR.	4·50				
APRIL	5·85				
MAY	6·70				
JUNE	4·45				
JULY	6·60				
AUG.	2·75				
SEPT.	10·35				
OCT.	14·75				
NOV.	5·65				
DEC.	6·45 +				
Total	79·80				

Signature Frank Howarth + 32 Days

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. *Price* 1*d*. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(164) Wt.2398/185/162 14,000 5/29. Gp. 119/110.

40-9999

1713/1

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Devil's Tor

In the County of Devon

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 ft. 0 in.

Height of Ground above Sea Level 1570 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	5·55	+			
FEB.	6·90				
MAR.	7·45				
APRIL	4·05				
MAY	3·85				
JUNE	3·15				
JULY	5·55				
AUG.	4·55				
SEPT.	2·75				
OCT.	7·90				
NOV.	2·25				
DEC.	3·15				
Total	57·10 ✓				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

+ For 30 Days

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

- (*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*
- (*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  - (A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  - (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- (*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.
- (*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.
- (*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.
- (*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*
- (*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

1713/1

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1934

At Devil's Tor

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1570 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	8·35				
FEB.	·40				
MAR.	4·80				
APRIL	6·15				
MAY	3·45				
JUNE	3·50				
JULY	2·05				
AUG.	8·30				
SEPT.	6·80				
OCT.	8·35				
NOV.	3·20				
DEC.	25·50				
Total	80·85 ✓				

Signature Alan Atkinson M Eng A.M.Inst.C.E.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)
If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 1935

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

1713/1

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Devil's Tor

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 1570 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·00				
FEB.	9·25				
MAR.	2·00				
APRIL	9·05				
MAY	4·05				
JUNE	7·80				
JULY	1·80				
AUG.	4·50				
SEPT.	9·35				
OCT.	1075				
NOV.	11·00				
DEC.	8·00				
Total	80·55				

Signature Alan Atkinson M.Eng. A.M.Inst. C.E.

M.O. 7
17 JAN 1936

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station................. Distance................. Direction from gauge.................

Nearest Parish Church at................. Distance................. Direction from gauge.................

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move................. Distance................. Direction.................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you **know** of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

FORM 1090.

B Monthly Summary.

, **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1936

At Dartmoor (Devil's Tor) [illegible]

In the County of S. Devon

Rain Gauge
Diameter of Funnel.........................in.
Height of Top above Ground.........ft.............in.
Height of Ground above Sea Level 1570 *ft.*

Month	**Total Depth**	**Greatest Fall in 24 hours**		**Number of Days with** ·01 in. or more	**Number of Days with** ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10.50 ✓				
FEB.	6.55 ✓				
MAR.	6.10 ✓				
APRIL	4.10 ✓				
MAY	1.00 ✓				
JUNE	5.00 ✓				
JULY	14.95 ✓				
AUG.	1.20 ✓				
SEPT.	4.95 ✓				
OCT.	4.30 ✓				
NOV.	6.50 ✓				
DEC.	11.50 ✓				
TOTAL	76.65 ✓	✓			

Signature ....

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station.................................. Distance.................. Direction from gauge..................

Nearest Parish Church at.................................. Distance.................. Direction from gauge..................

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1713/1

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Dartmoor (Devil's Tor) neog.

In the County of S. Devon.

Rain Gauge { Diameter of Funnel........................in.
Height of Top above Ground.........ft.............in.
Height of Ground above Sea Level...................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	14·80				
FEB.	13·10				
MAR.	9·15				
APRIL	6·80				
MAY	4·20				
JUNE	2·96				
JULY	5·30				
AUG.	1·80				
SEPT.	5·25				
OCT.	4·85				
NOV.	4·80				
DEC.	6·20				
TOTAL	79·21				

Signature Alan Atkinson

*See Instruction 2 *(f)* below.

C Particulars of Station,

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.........................in Summer...................

Nearest Railway Station.. Distance.................. Direction from gauge.............

Nearest Parish Church at.. Distance.................. Direction from gauge.............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move... Distance.............. Direction...........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1713/1

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Dartmoor, Devil's Tor

In the County of S. Devon

Rain Gauge
- Diameter of Funnel..................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	✓ 13·20				
FEB.	✓ 3·70				
MAR.	✓ 1·40				
APRIL	·30 ✓				
MAY	5·30 ✓				
JUNE	3·30 ✓				
JULY	5·65 ✓				
AUG.	9·35 ✓				
SEPT.	3·85 ✓				
OCT.	10·30 ✓				
NOV.	13·10 ✓				
DEC.	9·05 ✓				
TOTAL	78·50	✓ ✓			

Signature Alan Atkinson

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....................in Summer.....................

Nearest Railway Station..................... Distance........ Direction from gauge..........

Nearest Parish Church at..................... Distance........ Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move..................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

TRAVE FORM.
VALUES FORWARDED MONTHLY

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

1713/1

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Dartmoor, Devil's Tor

In the County of S. Devonshire

Rain Gauge
- Diameter of Funnel........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	13·90	✓			
FEB.	4·90	✓			
MAR.	3·20	✓			
APRIL	5·20	✓			
MAY	1·38	✓			
JUNE	5·70	✓			
JULY	12·35	✓			
AUG.	5·10	✓			
SEPT.	1·10	✓			
OCT.	7·10	✓			
NOV.	17·85	✓			
DEC.	6·32	✓			
TOTAL	84·10	✓			

Signature Alan Atkinson

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.......................in Summer......................

Nearest Railway Station.............................. Distance................ Direction from gauge.............

Nearest Parish Church at.............................. Distance................ Direction from gauge.............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

17/3/1

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At Dartmoor, Devil's Tor

In the County of S. Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 ft. in.
- *Height of Ground above Sea Level* 1570 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·25				
FEB.	8·00				
MAR.	5·75				
APRIL	5·30				
MAY	2·00				
JUNE	1·20				
JULY	5·85				
AUG.	·70				
SEPT.	4·00				
OCT.	7·05				
NOV.	14·56				
DEC.	8·45				
TOTAL	68·11				

Signature Alan Atkinson
M. Eng. M. Inst. C.E.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

X December reading taken 3rd Jan: 1941 owing to snow. See letter dated 7.1.41. X

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090. **B** Monthl
Summ

1714

—
1714
COWSIE HEAD
1931

780306

₊ The following register of monthly to
&c., is NOT required if daily or w
values are given on the other side.

and also the space for

egister should be sent:—

RAINFALL IN 1931

At Cowsie Head

In the County of Devon

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 1580 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	6·50				
FEB.	4·90				
MAR.	2·10				
APRIL	5·30				
MAY	4·00				
JUNE	6·10				
JULY	7·65				
AUG.	7·60				
SEPT.	4·40				
OCT.	1·70				
NOV.	13·80				
DEC.	4·00				
Total	68·05				

Signature Frank Howarth

*See Instruction 2·(*f*) below.

in Summer

Direction from gauge

Direction from gauge

Nearest Parish Church at Distance gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

FORM 1090.

1714

B Month Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Cowsic Head

In the County of Devon

Rain Gauge:
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 1580 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	6·50				
FEB.	4·90				
MAR.	2·10				
APRIL	5·30				
MAY	4·00				
JUNE	6·10				
JULY	7·65				
AUG.	7·60				
SEPT.	4·40				
OCT.	1·70				
NOV.	13·80				
DEC.	4·00				
Total	68·05				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.................in Summer..............

Nearest Railway Station.................. Distance.............. Direction from gauge..............

Nearest Parish Church at.................. Distance.............. Direction from gauge..............

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move.................. Distance.............. Direction..............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

FORM 1090. **B** M
S
on.

1714/1

1714/1
COWSIE HEAD (NEW 9)
1931—40

78030|6

*** The following register of mon
&c., is NOT required if daily
values are given on the other

RAINFALL IN 193

At Cowsie Head

In the County of Dwo

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1465 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	10·00				
FEB.	8·10				
MAR.	2·40				
APRIL	6·10				
MAY	4·50				
JUNE	7·00				
JULY	8·75				
AUG.	8·90				
SEPT.	4·90				
OCT.	2·05				
NOV.	16·50				
DEC.	6·10				
Total	85·30				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

ection and also the space for

o this register should be sent:—

in Summer

istance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

N

1714/1

FORM 1090.

B
M
Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Cowsie Head NEW

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1465 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	10·00				
FEB.	8·10				
MAR.	2·40				
APRIL	6·10				
MAY	4·50				
JUNE	7·00				
JULY	8·75				
AUG.	8·90				
SEPT.	4·90				
OCT.	2·05				
NOV.	16·50				
DEC.	6·10				
Total	85·30				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

C
Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter............in Summer............

Nearest Railway Station............ Distance............ Direction from gauge............

Nearest Parish Church at............ Distance............ Direction from gauge............

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D
INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

N

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932.

At Cowsic Head

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1465 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	14·55				
FEB.	–				
MAR.	490				
APRIL	6·45				
MAY	7·15				
JUNE	5·25				
JULY	6·45				
AUG.	2·90				
SEPT.	10·25				
OCT.	16·05				
NOV.	6·20				
DEC.	6·55+				
Total	86·70				

Signature Frank Howarth

+ 32 Days.

*See Instruction 2 (*f*) below.

1714/1

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter........ in Summer........

Nearest Railway Station........ Distance........ Direction from gauge........

Nearest Parish Church at........ Distance........ Direction from gauge........

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move........ Distance........ Direction........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1714/1

FORM 1090.

B Monthly Summary.

, **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1935

At Cowsic Head

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1465 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	6·10	+			
FEB.	7·05				
MAR.	7·30				
APRIL	4·05				
MAY	3·05				
JUNE	3·10				
JULY	5·75				
AUG.	4·70				
SEPT.	2·60				
OCT.	8·75				
NOV.	2·35				
DEC.	2·75				
Total	57·55				

Signature Frank Howarth

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

+ For 30 Days.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

FORM 1090.

B Monthly Summary.

1714/11

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Cowsie Head

In the County of Devon

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 0 *in.*

Height of Ground above Sea Level 1465 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	8·95				
FEB.	·45				
MAR.	4·95				
APRIL	6·20				
MAY	3·30				
JUNE	3·40				
JULY	1·60				
AUG.	7·75				
SEPT.	7·05				
OCT.	9·05				
NOV.	3·45				
DEC.	23·25				
Total	79·40				

Signature Alan Atkinson M.Eng. A.M.Inst.C.E.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\Big|\Big\}\cdot 14\Big|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O.
15 JAN 1935

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

171 4/1

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1935

At Cowsic Head

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1465 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·05				
FEB.	10·15				
MAR.	1·85				
APRIL	9·60				
MAY	4·10				
JUNE	8·50				
JULY	1·75				
AUG.	4·80				
SEPT.	9·55				
OCT.	11·45				
NOV.	11·50				
DEC.	8·30				
Total	85·60				

Signature Alan Atkinson M Eng A.M.Inst.C.E.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station................. Distance................. Direction from gauge.................

Nearest Parish Church at................. Distance................. Direction from gauge.................

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move................. Distance................. Direction.................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
17 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\Big|\Big\}\cdot14\Big|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1714/1

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Dartmoor (Cowsic Head)

In the County of S. Devon

Rain Gauge
- Diameter of Funnel .... in.
- *Height of Top above Ground .... ft. .... in.*
- *Height of Ground above Sea Level* 1465 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	11·00 ✓				
FEB.	6·10 ✓				
MAR.	6·25 ✓				
APRIL	3·85 ✓				
MAY	·95 ✓				
JUNE	4·75 ✓				
JULY	15·60 ✓				
AUG.	1·65 ✓				
SEPT.	5·30 ✓				
OCT.	4·95				
NOV.	7·70 ✓				
DEC.	12·65 ✓				
TOTAL	80·75	80·7			

Signature ....

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

17141

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Dartmoor (Cowsic Head)

In the County of S. Devon.

Rain Gauge
Diameter of Funnel..........in.
Height of Top above Ground......*ft*......*in.*
Height of Ground above Sea Level......*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	14·55				
FEB.	15·50				
MAR.	8·10				
APRIL	6·40				
MAY	4·10				
JUNE	2·60				
JULY	5·45				
AUG.	1·60				
SEPT.	5·05				
OCT.	5·20				
NOV.	4·95				
DEC.	6·65				
TOTAL	8015				

Signature Alan Atkinson

*See Instruction 2 *(f)* below.

C Particulars of Station.

TRAVELLING FORM.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1714/1

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Dartmoor, Cowsic Head

In the County of S. Devon

Rain Gauge
- Diameter of Funnel.........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	13·85				
FEB.	3·60				
MAR.	1·35				
APRIL	·35				
MAY	5·30				
JUNE	3·55				
JULY	6·45				
AUG.	9·60				
SEPT.	3·80				
OCT.	11·65				
NOV.	14·05				
DEC.	9·22				
TOTAL	82·77				

Signature Alan Atkinson

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter..........................in Summer..................

Nearest Railway Station.......................... Distance.................Direction from gauge...............

Nearest Parish Church at.......................... Distance.................Direction from gauge...............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

TRAVE[illegible] FORM.
VALUES FORWARDED MONTHLY

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Dartmoor, Cowsic Head

In the County of S. Devonshire

Rain Gauge
- Diameter of Funnel........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	12·35				
FEB.	5·25 ✓				
MAR.	3·40 ✓				
APRIL	5·35 ✓				
MAY	1·40 ✓				
JUNE	6·10 ✓				
JULY	14·20 ✓				
AUG.	5·60 ✓				
SEPT.	1·10 ✓				
OCT.	6·50 ✓				
NOV.	18·50				
DEC.	7·05 ✓				
TOTAL	86·80				

Signature Alan Atkinson

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter......................in Summer......................

Nearest Railway Station.............................. Distance.............. Direction from gauge..............

Nearest Parish Church at.............................. Distance.............. Direction from gauge..............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W.H.&S. 688/91
S.O. Code No. 40-9999

1714/1

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940.

At Dartmoor, Cowsic Head

In the County of S. Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* ... *in.*
- *Height of Ground above Sea Level* 1465 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·30				
FEB.	7·10				
MAR.	6·00				
APRIL	5·09				
MAY	2·25				
JUNE	1·20				
JULY	6·03				
AUG.	·75				
SEPT.	3·88				
OCT.	7·25				
NOV.	13·46				
DEC.	7·70				
TOTAL	65·01				

Signature Alan Atkinson
M. Eng. M. Inst. C.E.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station.................. Distance.................. Direction from gauge..................

Nearest Parish Church at.................. Distance.................. Direction from gauge..................

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

December reading taken 3rd Jan. '41 owing to snow
See letter dated 7.1.41.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

1714/3

Section **A** for the entr
AIR MINI

Station No. ~~1734~~

AINFALL ORGANIZATION

FORM 1090

REC

1938

1714/3
HEDGE BARTON
1938—40

780306

Kept at ....Hedgebarton

in the County of ......Devon

Diameter of Funnel of Gauge..

Height of top of Gauge above
,, Ground ,,

9 A.M.
50° 45' 35"
3° 45' 40"

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·18	–	–	Tr	·81	·10	Tr	–	·67	·06	·50		1
2	Tr	·01	–	·08	·03	·02	·05	–	–	·38	Tr	·11		2
3	Tr	–	–	–	·16	Tr	·05	5·86	Tr	·88	·27	·01		3
4	Tr	Tr	–	–	·01	·03	·37	·59	–	·59	Tr	·26		4
5	·01	–	–	–	–	·07	·06	–	–	·39	Tr	·06		5
6	·21	Tr	–	–	–	·22	2·08	Tr	·04	·29	·01	·25		6
7	·21	Tr	–	–	–	Tr	·80	Tr	·25	·11	–	·20		7
8	1·16	·05	–	–	–	Tr	·21	·09	·03	·52	·03	·21		8
9	·47	·14	Tr	–	–	·11	Tr	·22	–	Tr	–	1·30		9
10	·21	Tr	–	–	–	Tr	·17	·02	–	Tr	Tr	·55		10
11	·22	Tr	–	–	–	Tr	·11	·01	Tr	Tr	1·04	1·65		11
12	·77	Tr	–	–	·35	·04	Tr	–	–	·37	1·48	Tr		12
13	·25	Tr	–	–	·39	–	Tr	–	–	·13	·26	1.48		13
14	1·52	Tr	Tr	–	·45	–	·27	–	Tr	Tr	·01	Tr		14
15	·38	Tr	Tr	–	·46	–	–	·02	–	·27	·67	·81		15
16	·40	Tr	·05	–	Tr	–	–	–	Tr	Tr	·27	·03		16
17	–	·15	–	–	·21	–	Tr	–	·26	·49	Tr	·24		17
18	·33	·08	–	–	·34	·04	Tr	·31	·39	·07	·37	Tr		18
19	Tr	Tr	Tr	–	–	–	–	·06	·24	Tr	·73	Tr		19
20	·04	Tr	Tr	–	–	–	–	·01	·01	Tr	·45	Tr		20
21	·07	Tr	·05	Tr	–	Tr	–	·06	·15	Tr	·29	·02		21
22	·03	Tr	–	·07	Tr	·05	Tr	·57	·03	·08	·47	·04		22
23	Tr	Tr	Tr	·16	Tr	–	Tr	·01	Tr	Tr	·28	·10		23
24	·09	Tr	·08	–	·11	Tr	Tr	·04	·04	Tr	·47	·01		24
25	·11	·03	Tr	–	·10	Tr	·32	–	Tr	·07	1·71	·04		25
26	·34	·98	·09	Tr	·91	·21	·06	–	Tr	·25	Tr	·04		26
27	·21	·46	Tr	·02	·19	·09	·68	·43	Tr	·05	·27	Tr		27
28	·48	·17	Tr	Tr	·08	·19	Tr	·87	·06	Tr	·01	·02		28
29	·28	✕	–	Tr	·60	·03	·01	Tr	·26	·12	·30	Tr		29
30	·15	✕	Tr	–	·09	·16	·04	–	·15	Tr	·28	·04		30
31	·65	✕	Tr	✕	·28	✕	·35	–	✕	·32	✕	·46		31
TOTAL	8.60	2.25	·27	·33	4·76	2·07	5.73	9·17	1·91	6·05	9.73	8.43	Year's Total 59·30	✓
* Days with .01 in. or more.	25	10	4	4	17	14	17	16	13	19	22	24	185	✓
* Days with .04 in. or more.	22	8	4	3	15	11	16	11	10	19	18	19	156	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

1714/3

Section A for the entry of Daily Observations

Station No. 1734

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hedgebarton
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 1137.00 ft.

Time of observation 9 A.M.
Latitude 50° 45' 35"
Longtitude 3° 45' 40"

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·18	—	—	Tr	·81	·10	Tr	—	·67	·06	·50		1
2	Tr	·01	—	·08	·03	·02	·05	—	—	·38	Tr	·11		2
3	Tr	—	—	—	·16	Tr	·05	5·86	Tr	·88	·27	·01		3
4	Tr	Tr	—	—	·01	·03	·37	·59	—	·59	Tr	·26		4
5	·01	—	—	—	—	·07	·06	—	—	·39	Tr	·06		5
6	·21	Tr	—	—	—	·22	2·08	Tr	·04	·29	·01	·25		6
7	·21	Tr	—	—	—	Tr	·80	Tr	·25	·11	—	·20		7
8	1·16	·05	—	—	—	Tr	·21	·09	·03	·52	·03	·21		8
9	·47	·14	Tr	—	—	·11	Tr	·22	—	Tr	—	1·30		9
10	·21	Tr	—	—	—	Tr	·17	·02	—	Tr	Tr	·55		10
11	·22	Tr	—	—	—	Tr	·11	·01	Tr	Tr	1·04	1·65		11
12	·77	Tr	—	—	·35	·04	Tr	—	—	·37	1·48	Tr		12
13	·25	Tr	—	—	·39	—	Tr	—	—	·13	·26	1·48		13
14	1·52	Tr	Tr	—	·45	—	·27	—	Tr	Tr	·01	Tr		14
15	·38	Tr	Tr	—	·46	—	—	·02	—	·27	·67	·81		15
16	·40	Tr	·05	—	Tr	—	—	—	Tr	Tr	·27	·03		16
17	—	·15	—	—	·21	—	Tr	—	·26	·49	Tr	·24		17
18	·33	·08	—	—	·34	·04	Tr	·31	·39	·07	·37	Tr		18
19	Tr	Tr	Tr	—	—	—	—	·06	·24	Tr	·73	Tr		19
20	·04	Tr	Tr	—	—	—	—	·01	·01	Tr	·45	Tr		20
21	·07	Tr	·05	Tr	—	Tr	—	·06	·15	Tr	·29	·02		21
22	·03	Tr	—	·07	Tr	·05	Tr	·57	·03	·08	·47	·04		22
23	Tr	Tr	Tr	·16	Tr	—	Tr	·01	Tr	Tr	·28	·10		23
24	·09	Tr	·08	—	·11	Tr	Tr	·04	·04	Tr	·47	·01		24
25	·11	·03	Tr	—	·10	Tr	·32	—	Tr	·07	1·71	·04		25
26	·34	·98	·09	Tr	·91	·21	·06	—	Tr	·25	Tr	·04		26
27	·21	·46	Tr	·02	·19	·09	·68	·43	Tr	·05	·27	Tr		27
28	·48	·17	Tr	Tr	·08	·19	Tr	·87	·06	Tr	·01	·02		28
29	·28	×	—	Tr	·60	·03	·01	Tr	·26	·12	·30	Tr		29
30	·15	×	Tr	—	·09	·16	·04	—	·15	Tr	·28	·04		30
31	·65	×	Tr	×	·28	×	·35	—	×	·32	×	·46		31
TOTAL	8.60	2.25	·27	·33	4.76	2.07	5.73	9.17	1.91	6.05	9.73	8.43	Year's Total 59.30	✓
* Days with .01 in. or more.	25	10	4	4	17	14	17	16	13	19	22	24	185	✓
* Days with .04 in. or more.	22	8	4	3	15	11	16	11	10	19	18	19	156	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1714/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hedge Barton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 1137.00 ft.

Latitude 50° 45' 35"

Longtitude 3° 45' 40"

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·39	Tr	·35	·06	·01	.	Tr	·12	Tr	-	·92	·17		1
2	·04	Tr	Tr	·77	-	-	-	·21	·60	-	·31	·07		2
3	·51	Tr	·12	·79	Tr	-	·01	·08	Tr	-	·85	·64		3
4	·04	Tr	·64	·49	·60	-	·50	Tr	-	2·53	·53	·44		4
5	·02	Tr	·04	·31	-	-	·45	Tr	Tr	·51	1·53	·02		5
6	·61	Tr	·09	·17	-	-	1·30	·01	Tr	·18	·32	Tr		6
7	·12	·26	Tr	-	Tr	-	·09	·03	Tr	Tr	·53	·73		7
8	·10	·73	Tr	-	·04	Tr	·26	·02	-	1·60	·83	·13		8
9	·01	·03	·17	-	-	-	-	·18	-	·10	·10	·16		9
10	·34	Tr	·03	-	-	·04	Tr	·07	·09	·44	·06	·53		10
11	·02	·07	·07	-	-	Tr	Tr	.	-	·19	Tr	·05		11
12	·08	·04	Tr	·18	-	-	Tr	-	·08	·02	·08	Tr		12
13	Tr	Tr	-	·21	Tr	·04	·44	-	-	·99	·18	·07		13
14	1·60	Tr	Tr	Tr	·04	·09	·64	-	-	·07	·39	·06		14
15	·77	Tr	-	·12	·02	·62	·45	-	.	·03	·42	·04		15
16	·39	Tr	Tr	·16	·01	-	·46	-	-	Tr	·35	Tr		16
17	1·18	·09	Tr	-	·01	·28	·84	.	.	.	·05	Tr		17
18	·04	·05	·06	-	-	·25	·98	Tr	-	-	1·32	·30		18
19	·54	Tr	Tr	-	Tr	Tr	·17	.	.	-	Tr	·01		19
20	·56	—	Tr	-	Tr	·25	·66	1·52	.	-	-	.		20
21	·07	·74	·17	Tr	·03	·45	·03	·80	Tr	-	-	-		21
22	1·11	·61	·18	·03	.	·70	·25	·68	·02	Tr	·34	-		22
23	·02	·01	·07	·37	.	·05	·09	Tr	.	·02	1·33	Tr		23
24	x	·03	·25	·09	-	·90	·45	·01	.	·05	Tr	—		24
25	1·47	·20	Tr	·07	.	·03	·03	x	.	·14	1·14	·02		25
26	x	·04	Tr	·16	-	Tr	·01	·87	.	-	·91	Tr		26
27	Tr	·43	Tr	·01	.	·16	·01	·05	-	.	·12	-		27
28	Tr	·19	Tr	·15	-	·12	·22	Tr	.	-	·44	·01		28
29	·05	x	Tr	·12	-	·22	·45	Tr	-	·32	·13	Tr		29
30	Tr		·09	·32	.	·04	·02	·07	-	·66	·16	Tr		30
31	Tr		Tr		-		·02	·30		1·18		Tr		31
TOTAL	10.02	3.52	2·33	4·58	·76	4·24	8.83	5.02	·79	9·03	13·34	3.45	Year's Total 65.91	
* Days with .01 in. or more.	26	15	14	19	8	16	25	16	4	17	25	17 ~~16~~	202	
* Days with .04 in. or more.	22	12	13	17	3	15	18	12	3	14	25	13	167	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W.K. Kitson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1714/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Hedge Barton Widecombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 1137.00 ft.

Latitude 50° 45' 35"

Longtitude 30° 45' 40"

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·09	-	·22	·07	-	-	-	-	-	·15	Tr		1
2	Tr	·33	Tr	·20	-	-	·02	-	-	-	2·26	·07		2
3	·06	1·95	-	·03	-	-	Tr	-	-	·25	1·48	·20		3
4	·05	·32	-	·20	-	-	·03	Tr	-	·21	·23	·05		4
5	·07	Tr	-	Tr	-	-	-	Tr	-	·26	·76	·33		5
6	·51	1·18	-	-	-	-	·07	-	-	·50	·15	·32		6
7	·08	·05	-	-	-	-	·07	-	Tr	·10	Tr	·06		7
8	Tr	·12	-	-	-	-	·06	-	Tr	·70	·65	·55		8
9	Tr	Tr	-	-	-	-	·87	·09	·02	·18	·79	·46		9
10	-	·02	-	-	-	·71	·06	Tr	·03	·14	·22	·36		10
11	-	·02	·10	·02	-	Tr	·29	-	Tr	Tr	1·78	Tr		11
12	-	Tr	·27	Tr	-	·08	·82	Tr	·70	1·11	·30	-		12
13	-	Tr	·43	·01	-	-	·03	Tr	·01	·65	1·02	·93		13
14	-	·02	·05	·09	·03	-	·06	·08	·18	·04	·03	·78		14
15	·01	·06	Tr	·08	Tr	-	·12	-	·19	·49	·75	·01		15
16	·12	1·52	·71	·17	-	-	·12	-	·19	Tr	·17	Tr		16
17	Tr	·18	1·09	·03	-	-	·14	·02	Tr	·25	·07	-		17
18	·55	·64	·70	·79	-	-	·02	-	·44	Tr	·06	·14		18
19	-	·06	·27	·38	-	-	·24	-	·44	·04	·31	Tr		19
20	-	Tr	·04	·11	-	Tr	·02	·07	-	·21	·13	Tr		20
21	-	Tr	·05	Tr	·21	Tr	Tr	Tr	·05	·02	·91	-		21
22	Tr	·05	·25	·22	Tr	·65	Tr	Tr	·10	·06	Tr	-		22
23	Tr	·12	·09	Tr	-	Tr	Tr	-	Tr	·67	·05	Tr		23
24	Tr	Tr	·02	Tr	·02	Tr	·32	-	-	-	Tr	-		24
25	·29	Tr	·24	·04	·38	·08	Tr	-	-	-	Tr	-		25
26	·64	1·37	-	·25	·46	·08	·26	-	-	-	·03	Tr		26
27	·48	·34	·04	·79	1·16	-	-	-	-	-	·04	Tr		27
28	·66	·12	·04	·10	·06	Tr	-	Tr	-	Tr	Tr	-		28
29	·35	·12	·19	1·34	-	Tr	-	Tr	-	·21	Tr	·21		29
30	·07	×	·01	·03	·01	-	Tr	-	-	1·06	Tr	·16		30
31	·06	×	·07	×	-	×	-	-	×	1·10	×	·90		31
TOTAL	4·00	8·68	4·66	5·10	2·40	1·60	3·62	·26	2·35	8·25	12·34	5·53	Year's Total 58·79	
* Days with .01 in. or more.	15	21	19	20	9	5	19	4	11	21	23	16	183	
* Days with .04 in. or more.	14	18	17	15	6	5	14	3	8	20	21	15	156	

† Spare column, no entries required.

(*Signed*) W. K. Kitson.

* See Instruction 3 (f) on other side.

[P.T.O.

1715

Section **A** for the entry of I

AIR MINISTRY.

FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIST 3/.

1715

WARREN HOUSE INN

1931 — 34

7/0306

Kept at Warren House

in the County of De

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·28	–	–	·05	–	·96	·07	–	·01	1
2	·87	·04	·13	·45	–	·02	·04	–	·46	·11	·86	1·22	2
3	·21	–	·90	–	–	–	·28	·02	·41	·05	5·17	·53	3
4	·05	·05	·18	·04	·08	·18	·25	1·10	·27	·10	·53	·15	4
5	·02	·55	·10	·27	–	·55	–	·02	·02	–	·51	·85	5
6	–	·14	–	–	·10	·47	·30	–	–	·62	·15	·50	6
7	·01	·12	–	–	·35	·12	·13	·15	–	·06	·91	·26	7
8	·01	·23	–	·16	–	·58	–	·15	–	·09	·96	·09	8
9	·03	·74	–	–	–	·41	–	·12	–	–	·14	·63	9
10	·02	·19	–	–	·14	·17	·16	·19	·46	–	1·32	–	10
11	·43	·90	–	–	·05	·53	·19	·11	·09	–	·35	·04	11
12	·01	·32	–	–	·22	–	·16	–	·12	·39	–	–	12
13	–	·16	·07	–	·11	·01	·19	·35	–	·01	–	–	13
14	·06	·23	·02	–	·13	·14	·57	·58	·02	–	·54	–	14
15	·09	·20	–	·04	·28	·15	·76	·70	·05	–	–	·04	15
16	·33	·25	–	·18	·17	1·19	·03	·64	·06	–	–	–	16
17	·01	·05	–	·09	–	–	·05	–	·01	–	·33	–	17
18	·28	·01	·06	·12	–	·46	·79	1·40	–	–	·65	–	18
19	·18	·15	·18	–	–	·09	·14	·33	–	–	·24	–	19
20	·02	·24	·30	–	·06	–	·60	1·45	–	–	–	–	20
21	·45	·05	·05	–	·15	–	–	–	–	·05	·04	–	21
22	1·51	·11	·02	·05	·46	–	–	·01	–	–	·02	–	22
23	·60	·03	–	1·23	·88	–	·02	·21	–	–	1·39	–	23
24	·40	·04	·02	·85	·03	·16	·05	·28	–	–	·20	–	24
25	·23	·45	–	·49	·03	–	·96	–	–	–	·37	·03	25
26	·10	·13	–	·16	·76	–	·32	–	–	–	1·01	·05	26
27	·20	·59	–	–	·10	–	·40	·07	–	–	·31	·47	27
28	·28	·22	·45	·09	·19	–	·20	·21	–	·04	·02	·28	28
29	·16	X	–	–	·03	–	·30	–	–	·09	·08	·12	29
30	·44	X	–	–	·21	–	·02	–	·08	·12	·02	·03	30
31	1·31	X	·45	X	·26	X	–	·01	X	·03	X	·46	31
TOTAL	7·81	6·19	2·93	4·50	4·79	5·23	6·96	8·10	3·01	1·83	16·15	5·16	YEAR'S TOTAL 72·66
*Days with ·01 in. or more.	28	26	14	15	22	16	25	21	13	14	24	18	236
*Days with ·04 in. or more.	20	24	11	15	19	14	22	17	10	12	21	14	199

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Samuel Chapman

147/53/27 1715

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Warren House Inn

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·28	—	—	·05	—	·96	·07	—	·01	1
2	·87	·04	·13	·48	—	·02	·04	—	·46	·11	·86	1·22	2
3	·21	—	·90	—	—	—	·28	·02	·41	·05	5·17	·53	3
4	·05	·05	·18	·04	·08	·18	·25	1·10	·27	·10	·53	·15	4
5	·02	·55	·10	·27	—	·55	—	·02	·02	—	·51	·85	5
6	—	·14	—	—	·10	·47	·30	—	—	·62	·15	·50	6
7	·01	·12	—	—	·35	·12	·13	·15	—	·06	·91	·26	7
8	·01	·23	—	·16	—	·58	—	·15	—	·09	·96	·09	8
9	·03	·74	—	—	—	·41	—	·12	—	—	·14	·03	9
10	·02	·19	—	—	·14	·17	·16	·19	·46	—	1·32	—	10
11	·43	·90	—	—	·05	·53	·19	·11	·09	—	·35	·04	11
12	·01	·32	—	—	·22	—	·16	—	·12	·39	—	—	12
13	—	·16	·07	—	·11	·01	·19	·35	—	·01	—	—	13
14	·06	·23	·02	—	·13	·14	·57	·58	·02	—	·54	—	14
15	·09	·20	—	·04	·28	·15	·76	·70	·05	—	—	·04	15
16	·33	·25	—	·18	·17	1·19	·03	·64	·06	—	—	—	16
17	·01	·05	—	·09	—	—	·05	—	·01	—	·33	—	17
18	·28	·01	·06	·12	—	·46	·79	1·40	—	—	·65	—	18
19	·18	·15	·18	—	—	·09	·14	·33	—	—	·24	—	19
20	·02	·24	·30	—	·06	—	·60	1·45	—	—	—	—	20
21	·45	·05	·05	—	·15	—	—	—	—	·05	·04	—	21
22	1·51	·11	·02	·05	·46	—	—	·01	—	—	·02	—	22
23	·60	·03	—	1·23	·88	—	·02	·21	—	—	1·39	—	23
24	·40	·04	·02	·85	·03	·16	·05	·28	—	—	·20	—	24
25	·23	·45	—	·49	·03	—	·96	—	—	—	·37	·03	25
26	·10	·13	—	·16	·76	—	·32	—	—	—	1·01	·05	26
27	·20	·59	—	—	·10	—	·40	·07	—	—	·31	·47	27
28	·28	·22	·45	·09	·19	—	·20	·21	—	·04	·02	·28	28
29	·16	×	—	—	·03	—	·30	—	—	·09	·08	·12	29
30	·44	×	—	—	·21	—	·02	—	·08	·12	·02	·03	30
31	1·31	×	·45	×	·26	×	—	·01	×	·03	×	·46	31
													YEAR'S TOTAL
TOTAL	7·81	6·19	2·93	4·50	4·79	5·23	6·96	8·10	3·01	1·83	16·15	5·16	72·66
*Days with ·01 in. or more.	28	26	14	15	22	16	25	21	13	14	24	18	236
*Days with ·04 in. or more.	20	24	11	15	19	14	22	17	10	12	21	14	199

40-9999

(Signed) Samuel Chapman ~~F.R.O.~~

*See Instruction 2 (*f*) on other side.

1715

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Warren House Inn (Dartmoor) (Postbridge)

in the County of Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 1400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	—	—	.35	.05	—	.15	—	—	.02	.04	.33	1
2	.54	—	.18	.10	—	—	.03	.07	.57	.07	.04	.68	2
3	.12	—	—	.05	—	.36	.10	.04	.27	.03	.05	.07	3
4	.16	.01	—	—	—	.05	—	—	.12	.02	.40	—	4
5	3.03	—	.14	.01	—	—	—	—	.42	—	—	—	5
6	1.39	—	.04	.58	.23	—	.06	—	.31	.06	—	—	6
7	.13	—	.17	.05	—	—	.04	—	1.35	1.96	—	—	7
8	.02	—	1.17	.24	.24	—	—	—	.18	.21	—	—	8
9	3.78	—	—	.66	—	—	—	—	.30	—	—	—	9
10	.03	—	—	.65	.27	—	—	—	.26	.75	—	—	10
11	.03	—	—	.14	.08	—	—	.03	.10	—	—	.22	11
12	1.60	—	—	.02	1.27	—	.16	—	.06	.61	.03	.09	12
13	.19	—	—	.50	—	—	—	—	.04	1.29	—	.26	13
14	.59	—	—	.18	.19	—	—	—	—	.05	—	.45	14
15	.37	—	—	.13	.05	—	—	—	—	.20	—	.15	15
16	1.06	—	—	.02	.15	—	.61	—	—	.14	—	—	16
17	.09	—	—	.17	.48	—	—	—	.19	.16	—	.09	17
18	.01	—	—	.01	.84	—	—	—	.15	—	.20	—	18
19	.12	—	—	—	.65	—	—	—	.14	.96	—	—	19
20	—	—	—	.10	—	—	.02	.03	.02	1.58	.03	.21	20
21	.03	—	.05	—	.11	—	.02	.87	.08	1.55	.10	.32	21
22	.01	—	—	.18	—	—	—	.09	.42	.44	.20	.18	22
23	—	.02	—	—	—	—	.34	—	—	1.25	.82	.26	23
24	—	—	—	.03	.05	—	.76	—	.24	.55	.45	—	24
25	—	—	.41	—	—	—	.45	—	.28	1.12	.71	—	25
26	—	—	.53	.32	—	—	.19	—	.05	.21	.25	—	26
27	—	—	.65	.31	.15	—	.27	—	—	.64	.11	.13	27
28	—	—	.30	.20	.17	.02	.60	—	—	.05	.04	.07	28
29	—	—	1.36	.36	.12	.71	.27	.79	1.01	1.25	.66	.84	29
30	—	×	.26	.16	.03	2.04	.48	.04	.80	.20	1.13	—	30
31	—	×	.65	×	.12	×	.35	.40	×	.05	×	1.05	31
TOTAL	13.96	.03	4.91	5.52	5.25	3.18	4.90	2.36	7.36	15.42	5.26	5.40	YEAR'S TOTAL 73.55
*Days with .01 in. or more.	21	2	13	25	19	5	18	9	23	27	17	17	196
*Days with .04 in. or more.	15	—	13	20	18	4	15	7	22	24	15	17	170

40-9999

(Signed)

P.T.O.

*See Instruction 2 (*f*) on other side.

1715

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Warrenhouse Inn

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1400 ft.

Totals.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	1·52	·34	–	·25	·05	–	–	–	–	·22	1·21 ×	1
2	2·38	–	1·35	–	·50	·59	–	–	–	–	·09	–	2
3	·19	·22	·69	–	·14	–	–	–	–	–	–	–	3
4	·63	·38	·90	–	·17	–	–	–	–	–	·02	–	4
5	·12	·15	·68	–	·40	–	–	–	–	–	–	–	5
6	–	·85	·17	–	·24	–	·58	–	–	·12	·06	–	6
7	·07	·25	·01	–	·12	–	·10	–	–	·16	–	–	7
8	·13	·20	–	–	·14	–	·25	–	–	1·04	–	–	8
9	–	·13	–	–	·57	–	·81	–	–	1·35	–	–	9
10	·09	·25	–	–	–	–	·31	·05	–	·15	·12	–	10
11	·02	–	–	–	–	–	·10	1·22	–	·55	–	–	11
12	–	–	–	·22	–	·24	·49	·10	·31	·06	·11	–	12
13	–	–	–	–	·19	·18	·37	–	–	·20	·09	–	13
14	·62	–	–	–	–	–	·50	·15	–	·14	·08	–	14
15	·19	–	·67	–	–	–	·04	–	–	–	·30	–	15
16	–	–	1·45	–	–	·20	–	–	–	·04	–	·11	16
17	·14	– ×	·33	–	–	·19	–	·33	·38	·01	–	–	17
18	–	– ×	·43	–	–	·45	–	·09	–	–	·04	–	18
19	·41	–	·79	–	–	·32	–	–	·12	·15	·62	·03	19
20	–	·36	–	–	·02	·08	–	·09	–	·02	·02	–	20
21	–	·12	–	–	–	·10	–	·15	·64	·15	–	–	21
22	–	–	–	·08	–	–	–	·74	·11	·05	–	–	22
23	–	– ×	–	·14	–	·07	–	·03	–	–	·04	–	23
24	–	·51 ×	–	·44	–	–	–	–	–	·50	–	–	24
25	–	– ×	–	·19	·14	·33	–	–	·06	·35	–	·09	25
26	–	– ×	–	·32	·09	–	–	–	–	·36	–	–	26
27	–	·92	–	·33	–	–	–	–	–	–	–	·63	27
28	–	·34	–	–	·40	–	·51	–	·07	·17	–	·30	28
29	·09		–	·02	–	–	–	–	–	–	–	·03	29
30	·21	×	·25	·32	·06	–	·25	–	·01	·05	·07	·09	30
31	1·27	×	·22	×	–	×	·01	–	×	·12	×	·03	31
TOTAL	6·98	6·20	8·28	2·06	3·43	2·80	4·32	2·95	1·70	5·74	1·88	2·52	YEAR'S TOTAL 48·86
*Days with ·01 in. or more.	16	15	14	9	15	12	13	10	8	21	14	9	156
*Days with ·04 in. or more.	15	15	13	8	14	12	12	9	7	19	12	6	142

40-9999

× Snow.

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1715

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Warren House Inn

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	–	·08	–	–	·02	–	·89	·95	·03	·55	1·75		1
2	·08	–	·06	–	–	–	–	·03	–	·17	·23	·51		2
3	·15	·03	·02	–	·44	–	–	·22	·14	·62	–	·97		3
4	·40	–	·21	·15	·77	–	–	·20	–	·47	–	1·30		4
5	·05	–	·46	–	·94	·11	–	1·53	–	·25	–	1·43		5
6	·28	–	·06	·16	1·27	–	–	·30	·05	·90	·25	·80		6
7	·22	–	–	–	–	–	–	·20	–	·67	·03	1·18		7
8	–	–	–	–	–	–	–	·04	–	·05	1·08	1·95		8
9	·04	–	·38	–	–	–	–	·15	–	–	·40	·26		9
10	·74	–	·35	·41	–	–	–	·25	–	–	·11	·24		10
11	1·13	–	·05	·53	–	–	–	·25	–	–	–	·34		11
12	·15	–	–	·06	–	–	·02	·82	–	–	–	·53		12
13	1·00	–	·62	·03	–	–	·21	–	–	·16	–	·31		13
14	1·13	–	·18	·13	–	–	–	–	–	·38	·36	·98		14
15	·28	–	·60	·06	·30	–	–	–	·54	·28	·05	·71		15
16	·59	–	·26	–	·07	–	–	–	·12	·10	·15	·44		16
17	·82	–	·53	·28	–	–	–	–	–	·13	–	·61		17
18	·32	–	·26	·73	–	·22	–	–	·42	–	–	1·70		18
19	·06	–	–	–	·18	–	–	·14	·24	·04	–	·62		19
20	–	–	·02	·26	·04	–	·12	–	·14	·04	·02	·12		20
21	–	–	·23	·12	·07	·73	–	·12	·16	·76	–	·16		21
22	·17	–	–	–	–	·03	–	–	·59	–	–	·71		22
23	·04	–	–	·43	–	·87	–	·08	·41	·27	–	·48		23
24	–	·22	·06	·05	–	·31	·04	–	·04	·99	–	·26		24
25	·50	–	–	·48	–	–	·04	–	·08	·25	–	·56		25
26	·04	–	–	·12	–	·56	–	·08	·61	·12	–	·45		26
27	–	·02*	–	·09	–	·51	–	·15	·07	·19	·07	·46		27
28	–	–	–	·18	–	–	·30	·67	·57	·18	·04	1·29		28
29	–	/	–	–	–	–	–	·04	·04	·07	–	·43		29
30	·03	×	–	–	–	–	–	·07	·34	·23	–	1·18		30
31	–	×	–	×	–	×	–	·03	×	·21	×	·15		31
													Year's Total	
TOTAL	8·37	·27	4·43	4·27	4·08	3·36	·73	6·26	5·51	7·56	3·34	22·88	71·06	
*Days with ·01 in. or more.	23	3	18	18	9	9	6	21	18	25	13	31	194	
*Days with .04 in. or more.	22	1	16	17	9	7	5	19	18	24	11	31	180	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) [illegible] Chapman

[P. T. O.

1716

Section A for the entry of Da

AIR MINISTRY.-

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGISTE

1.

1716

TORQUAY, MERTON LODGE

1931—40

780506

Kept at Merton Lod

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	0·74	–	0·14	0·08	0·03	0·42	0·01	–	–	1
2	0·66	–	–	0·59	–	0·01	–	–	0·23	0·01	0·01	0·30	2
3	0·10	–	0·72	–	–	–	0·04	–	0·06	–	1·68	0·12	3
4	–	–	0·31	–	0·04	0·03	0·20	0·03	0·05	–	0·05	0·01	4
5	–	0·18	0·33	0·02	0·01	0·49	0·01	–	–	–	0·09	0·44	5
6	–	0·05	–	0·06	0·05	0·24	0·06	–	–	0·27	0·11	0·35	6
7	–	0·02	–	0·09	0·22	0·11	0·26	–	–	0·05	0·21	0·08	7
8	–	0·04	–	–	–	0·63	0·04	0·05	–	–	0·08	0·02	8
9	–	0·20	–	–	–	0·12	0·06	–	–	–	0·53	–	9
10	0·03	0·03	–	–	0·03	0·05	–	–	0·20	–	0·25	–	10
11	0·14	0·49	–	–	–	0·22	0·11	–	0·12	–	0·15	–	11
12	–	0·08	–	–	–	–	0·08	–	0·03	0·06	–	–	12
13	–	0·03	–	–	0·05	–	0·36	–	–	0·03	–	–	13
14	–	0·02	0·05	–	0·02	0·18	0·95	0·12	0·03	–	0·20	–	14
15	0·02	0·10	–	–	0·06	–	–	0·10	–	–	–	0·05	15
16	–	0·04	–	–	0·07	0·47	–	–	0·12	–	–	–	16
17	0·02	0·03	–	0·04	–	0·01	0·19	0·08	0·01	–	–	–	17
18	0·02	–	–	0·13	–	0·25	0·05	–	–	–	0·21	–	18
19	–	0·06	0·05	–	–	0·20	0·06	1·71	0·11	–	051	–	19
20	–	0·06	0·40	–	–	–	–	0·12	–	–	0·13	–	20
21	0·16	0·02	–	–	0·19	–	–	0·21	–	0·07	0·02	–	21
22	0·58	–	0·05	–	0·12	–	–	–	–	–	–	–	22
23	0·21	–	–	0·18	0·72	–	0·03	0·23	–	–	0·43	–	23
24	0·46	0·03	0·02	0·80	0·05	0·15	0·35	0·52	–	–	0·03	–	24
25	0·07	0·01	–	0·37	0·03	–	0·23	–	–	–	0·20	–	25
26	–	0·02	–	0·09	–	–	0·14	–	–	–	0·64	–	26
27	0·19	0·13	–	–	0·19	–	0·12	–	–	0·01	0·04	–	27
28	0·12	0·08	0·12	0·02	0·08	–	0·05	0·10	–	–	–	0·05	28
29	–	×	0·05	–	0·03	–	0·04	0·29	–	–	0·07	0·14	29
30	0·05	×	–	–	0·04	–	0·03	0·02	0·02	0·01	–	–	30
31	0·39	×	0·21	×	0·14	×	–	–	×	–	×	0·18	32·17 31
TOTAL	3·32	1·72	2·31	3·13 ~~2·33~~	2·14	3·10	3·54	3·61	1·40	0·52	5·64	1·74	YEAR'S TOTAL ~~31·31~~
*Days with ·01 in. or more.	16	21	11	12	19	16	23	14	12	9	21	11	185
*Days with ·04 in. or more.	12	12	10	10	14	14	20	11	8	4	18	9	142

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Lilla M. Brown

P.T.O.

1716

Section **A** for the entry of Da COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Merton Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	0·74	–	0·04	0·08	0·03	0·42	0·01	–	–	1
2	0·66	–	–	0·59	–	0·01	–	–	0·23	0·01	0·01	0·30	2
3	0·10	–	0·72	–	–	–	0·04	–	0·06	–	1·68	0·12	3
4	–	–	0·31	–	0·04	0·03	0·20	0·03	0·05	–	0·05	0·01	4
5	–	0·18	0·33	0·02	0·01	0·49	0·01	–	–	–	0·09	0·44	5
6	–	0·05	–	0·06	0·05	0·24	0·06	–	–	0·27	0·11	0·35	6
7	–	0·02	–	0·09	0·22	0·11	0·26	–	–	0·05	0·21	0·08	7
8	–	0·04	–	–	–	0·63	0·04	0·05	–	–	0·08	0·02	8
9	–	0·20	–	–	–	0·12	0·06	–	–	–	0·53	–	9
10	0·03	0·03	–	–	0·03	0·05	–	–	0·20	–	0·25	–	10
11	0·14	0·49	–	–	–	0·22	0·11	–	0·12	–	0·15	–	11
12	–	0·08	–	–	–	–	0·08	–	0·03	0·06	–	–	12
13	–	0·03	–	–	0·05	–	0·36	–	–	0·03	–	–	13
14	–	0·02	0·05	–	0·02	0·18	0·95	0·12	0·03	–	0·20	–	14
15	0·02	0·10	–	–	0·06	–	–	0·10	–	–	–	0·05	15
16	–	0·04	–	–	0·07	0·47	–	–	0·12	–	–	–	16
17	0·02	0·03	–	0·04	–	0·01	0·19	0·08	0·01	–	–	–	17
18	0·02	–	–	0·13	–	0·25	0·05	–	–	–	0·21	–	18
19	–	0·06	0·05	–	–	0·20	0·06	1·71	0·11	–	051	–	19
20	–	0·06	0·40	–	–	–	–	0·12	–	–	0·13	–	20
21	0·16	0·02	–	–	0·19	–	–	0·21	–	0·07	0·02	–	21
22	0·58	–	0·05	–	0·12	–	–	–	–	–	–	–	22
23	0·21	–	–	0·18	0·72	–	0·03	0·23	–	–	0·43	–	23
24	0·46	0·03	0·02	0·80	0·05	0·15	0·35	0·52	–	–	0·03	–	24
25	0·07	0·01	–	0·37	0·03	–	0·23	–	–	–	0·20	–	25
26	–	0·02	–	0·09	–	–	0·14	–	–	–	0·64	–	26
27	0·19	0·13	–	–	0·19	–	0·12	–	–	0·01	0·04	–	27
28	0·12	0·08	0·12	0·02	0·08	–	0·05	0·10	–	–	–	0·05	28
29	–	×	0·05	–	0·03	–	0·04	0·29	–	–	0·07	0·14	29
30	0·05	×	–	–	0·04	–	0·03	0·02	0·02	0·01	–	–	30
31	0·39	×	0·21	×	0·14	×	–	–	×	–	×	0·18	32·17 31
TOTAL	3·32	1·72	2·31	3·13 ~~[illegible]~~	2·14	3·10	3·54	3·61	1·40	0·52	5·64	1·74	YEAR'S TOTAL ~~[illegible]~~
*Days with ·01 in. or more.	16	21	11	12	19	16	23	14	12	9	21	11	185
*Days with ·04 in. or more.	12	12	10	10	14	14	20	11	8	4	18	9	142

40-9999

(Signed) Lilla M. Brown

P.T.O.

*See Instruction 2 (*f*) on other side.

Station No. 1716

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1716

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Merton Lodge Torquay
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ... in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·01	–	–	0·11	–	–	0·03	0·02	–	–	0·01	–	1
2	0·02	0·01	0·10	0·36	–	–	0·03	0·49	0·29	–	–	0·22	2
3	0·03	–	–	–	–	0·72	0·01	0·05	0·42	0·02	0·02	–	3
4	0·01	–	–	–	–	0·15	–	0·04	–	–	0·32	–	4
5	0·46	–	0·04	–	–	–	–	0·03	0·07	–	–	–	5
6	0·72	–	0·03	0·26	0·06	–	–	–	0·35	–	–	–	6
7	0·06	–	0·01	0·02	0·18	–	0·04	–	0·55	1·10	–	–	7
8	0·01	–	0·24	0·05	0·10	–	–	–	0·09	0·28	0·01	–	8
9	0·96	–	–	0·19	0·01	–	–	–	–	–	–	–	9
10	0·36	–	–	0·28	0·05	0·04	–	0·01	0·03	0·15	–	0·02	10
11	0·14	–	–	0·06	0·10	–	–	–	–	0·01	–	0·25	11
12	0·70	–	–	–	0·40	–	0·09	–	–	0·28	–	0·03	12
13	0·15	–	–	0·17	0·04	–	0·08	–	–	1·09	–	0·31	13
14	0·29	–	–	0·02	0·43	–	–	0·72	–	0·08	–	–	14
15	0·03	–	–	0·14	0·10	–	0·01	–	–	0·04	–	0·03	15
16	0·28	–	–	0·15	0·01	–	0·01	–	–	–	–	–	16
17	0·03	–	–	0·03	0·01	–	–	–	–	0·08	–	–	17
18	0·02	–	–	–	0·19	–	–	–	0·02	–	–	–	18
19	0·02	–	–	0·06	0·22	–	–	–	0·10	–	–	–	19
20	–	–	–	0·05	1·19	–	–	0·08	0·06	0·21	0·07	0·09	20
21	0·01	–	0·09	0·04	0·04	–	–	0·15	0·17	1·24	0·03	0·11	21
22	–	–	–	0·02	0·01	–	0·06	0·05	1·36	0·52	0·21	0·04	22
23	–	–	–	–	0·04	–	0·10	0·03	0·04	0·39	0·03	0·18	23
24	–	–	–	–	0·06	–	0·64	–	0·05	0·57	0·02	0·01	24
25	–	–	0·46	0·03	–	–	0·07	–	0·10	0·08	0·13	–	25
26	–	–	0·20	0·11	–	–	0·13	–	0·01	0·09	0·02	0·11	26
27	–	–	0·53	0·27	0·04	–	0·06	–	–	0·11	0·06	–	27
28	–	–	0·17	0·04	0·09	0·02	0·02	–	0·01	0·20	–	0·07	28
29	–	–	0·68	0·05	0·61	0·40	–	0·45	0·41	0·55	0·02	0·22	29
30	–	×	0·07	0·05	0·09	1·28	0·77	–	0·43	0·05	1·37	–	30
31	–	×	0·22	×	0·18	×	–	–	×	–	×	0·56	31
TOTAL	4·33	0·01	2·84	2·56	4·25	2·61	2·15	2·12	4·56	7·14	2·32	2·25	YEAR'S TOTAL 37·14
*Days with ·01 in. or more.	20	1	13	23	24	6	16	12	19	21	14	15	184
*Days with .04 in. or more.	10	–	11	18	20	5	10	8	15	19	6	11	133

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) L. M. Brown

P.T.O.

1716

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~1476~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Merton Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

~~form 906 sent suggesting addition of 1·25" to 1st Dec~~
Observer's reply to 906 ~~re~~ received 13/3/34 giving 0·96 as entry for Dec 1st: corrected accordingly J. Glasspoole

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·38	0·60	0·08	-	-	-	-	-	-	0·01	0·03	0·96 ~~0·06~~		1
2	0·63	0·04	0·76	-	0·45	0·10	-	-	-	-	-	0·11		2
3	0·06	0·05	0·20	-	0·03	0·60	-	-	-	-	-	-		3
4	0·15	0·05	0·01	-	0·18	-	-	-	-	-	-	-		4
5	0·04	0·01	0·33	-	0·05	-	-	-	-	0·03	-	-		5
6	-	0·39	0·08	-	0·05	-	0·34	-	-	0·07	-	-		6
7	0·01	0·04	0·03	-	0·08	-	0·02	-	-	0·10	-	-		7
8	-	0·03	-	-	0·02	-	0·06	-	-	-	-	-		8
9	-	0·03	-	-	0·13	0·01	0·34	0·04	-	0·35	0·02	-		9
10	0·03	0·11	-	-	-	-	0·08	-	-	0·28	-	-		10
11	-	-	-	-	-	-	0·04	0·27	-	-	-	-		11
12	-	-	-	0·25	0·05	0·16	0·24	0·08	0·54	0·01	-	0·03		12
13	0·04	-	-	-	-	-	0·09	0·04	-	0·05	-	-		13
14	0·05	-	-	-	0·03	-	0·73	0·08	-	-	0·19	-		14
15	-	-	0·34	-	-	-	0·40	0·05	-	0·08	0·33	-		15
16	0·48	-	0·83	-	-	-	-	-	-	-	-	-		16
17	0·03	0·09	0·12	-	-	0·09	-	0·09	0·08	0·03	0·02	-		17
18	0·09	-	0·16	-	-	-	-	-	-	-	0·05	-		18
19	0·25	-	0·23	-	-	0·05	-	0·10	0·06	-	0·55	0·01		19
20	-	-	-	-	-	0·14	-	-	0·13	-	-	-		20
21	-	0·01	-	-	-	0·03	-	0·17	0·02	0·13	0·01	-		21
22	-	-	-	0·11	-	0·02	-	0·27	1·00	0·03	-	-		22
23	-	0·73	-	0·15	-	0·14	-	-	0·11	0·13	-	-		23
24	-	0·44	-	0·23	-	0·02	-	-	0·54	0·05	-	-		24
25	-	1·18	-	0·14	0·05	0·04	-	-	-	0·01	-	0·03		25
26	-	0·31	-	0·16	0·03	-	-	-	-	-	-	-		26
27	-	0·01	-	0·04	0·02	-	-	-	0·01	0·27	0·03	0·32		27
28	-	0·06	-	0·41	-	-	0·28	-	-	0·16	-	0·07		28
29	-	×	-	0·03	-	-	-	-	0·09	-	-	0·06		29
30	0·03	×	0·26	-	-	-	0·04	-	0·10	-	-	0·04		30
31	0·58	×	0·15	×	0·19	×	-	-	×	0·02	×	-		31
TOTAL	2·83	4·18	3·58	1·52	1·37	1·40	2·66	1·19	2·68	1·81	1·23	1·63 ~~0·73~~	Year's Total ~~25·18~~	26·08
*Days with ·01 in. or more.	15	18	14	9	14	12	12	10	11	18	9	9	151	
*Days with ·04 in. or more.	11	12	12	9	9	8	11	10	9	7	4	6	108	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required

(*Signed*) Lilla M. Brown

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** Station No. 1716

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Mirton Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	-	0.01	-	-	0.20	-	0.59	0.19	-	0.24	0.67		1
2	0.17	-	0.02	-	-	-	-	-	0.52	0.02	0.10	0.24		2
3	0.04	-	-	-	0.02	-	-	-	-	0.32	0.02	0.34		3
4	0.12	-	0.11	0.05	0.19	-	-	0.06	0.41	0.15	0.01	0.28		4
5	-	-	0.07	-	0.13	0.27	-	0.32	-	0.10	0.07	0.52		5
6	0.05	-	0.48	0.08	0.35	0.02	-	0.01	0.02	0.20	-	0.49		6
7	0.04	-	-	-	0.12	-	-	0.07	-	0.21	0.14	0.63		7
8	-	-	-	-	-	-	-	-	-	-	0.49	0.19		8
9	-	-	0.18	0.09	-	-	-	-	-	0.02	0.40	0.11		9
10	0.11	-	0.21	0.57	-	-	0.27	0.04	-	-	0.03	0.23		10
11	0.57	-	0.26	0.38	-	-	-	0.01	-	-	-	0.48		11
12	-	-	0.01	-	-	-	0.12	0.06	-	-	-	0.23		12
13	0.45	-	-	0.28	-	-	-	-	-	-	0.69	0.24		13
14	0.61	-	0.44	0.01	-	-	-	-	-	0.02	0.18	0.20		14
15	0.06	-	0.16	-	0.10	-	-	-	-	0.18	0.10	0.20		15
16	0.21	-	0.37	-	-	-	-	-	0.07	-	-	0.44		16
17	0.32	-	0.28	0.18	0.05	-	-	-	0.22	0.08	-	0.20		17
18	0.14	-	0.20	0.67	-	0.01	-	-	0.01	-	-	0.47		18
19	-	-	0.14	0.09	-	0.01	-	0.01	0.08	-	-	0.37		19
20	-	-	0.04	0.13	-	-	0.17	-	0.13	0.03	-	0.03		20
21	-	-	0.15	0.06	-	0.09	0.09	0.01	0.01	0.41	-	0.34		21
22	-	-	0.08	-	-	0.03	0.06	0.10	0.30	-	-	0.35		22
23	0.04	-	0.02	0.16	-	0.70	-	0.17	0.13	0.02	-	0.13		23
24	-	0.04	0.02	0.05	-	0.24	0.10	0.07	0.01	0.02	-	0.02		24
25	0.22	0.10	-	0.32	-	0.01	-	-	0.07	0.26	-	0.50		25
26	0.06	-	0.03	0.11	-	0.16	-	-	-	0.02	-	0.09		26
27	-	-	-	0.06	-	0.02	-	-	0.02	0.03	0.01	0.36		27
28	-	-	-	0.02	-	-	-	0.36	0.26		0.01	0.61		28
29	-	-	-	-	-	-	-	0.09	0.07	-	-	0.04		29
30	-	×	-	-	-	-	0.04	0.14	0.08	0.02	-	0.34		30
31	0.01	×	-	×	0.14	×	-	0.11	×	0.02	×	0.01		31
TOTAL	3.26	0.14	3.28	3.25	1.10	1.76	0.85	2.22	2.60	2.13	2.59	9.25	Year's Total 32.43	
*Days with .01 in. or more.	18	2	21	18	8	12	7	17	18	19	9	31	180	
*Days with .04 in. or more.	17	2	15	16	7	6	7	13	13	9	9	28	140	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Stella M. Brown

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1716

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Merton Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·02	–	0·36	–	–	0·01	–	–	0·14	0·04	0·07	0·15		1
2	–	–	0·03	–	–	0·20	0·01	–	0·37	0·24	0·02	0·10		2
3	0·08	0·08	0·09	0·[illegible]	0·61	0·23	–	–	0·36	0·20	0·09	–		3
4	0·03	0·18	–	0·07	0·01	0·11	–	–	0·12	0·11	0·03	0·30		4
5	0·03	–	0·02	0·07	–	0·03	–	–	0·20	0·02	0·09	0·01		5
6	–	–	0·01	0·21	–	0·90	–	–	–	0·06	0·04	0·16		6
7	–	–	–	0·37	–	0·05	–	–	–	0·36	0·19	0·03		7
8	–	–	–	0·46	–	–	–	–	0·14	0·10	0·42	0·01		8
9	–	–	–	0·54	–	0·10	–	–	0·11	0·77	0·34	–		9
10	0·04	–	0·37	0·01	–	–	–	–	–	0·01	0·02	0·03		10
11	0·18	0·04	0·02	0·09	–	0·47	–	–	0·10	–	0·38	0·02		11
12	–	0·17	–	–	–	0·61	–	0·03	0·04	–	0·27	–		12
13	0·01	0·08	–	0·14	0·03	0·08	–	–	–	0·02	0·28	–		13
14	–	0·04	–	0·12	–	0·05	–	–	0·29	0·03	0·85	0·19		14
15	–	0·05	–	0·49	0·03	0·21	–	–	0·09	0·01	0·20	0·08		15
16	–	0·10	0·14	0·13	–	0·05	–	0·01	0·44	–	0·92	–		16
17	–	–	–	0·05	0·85	0·36	0·11	0·07	0·04	–	0·04	–		17
18	–	0·03	–	0·35	–	–	0·14	–	0·58	0·17	0·03	0·11		18
19	–	0·03	–	0·04	0·30	0·05	0·14	–	0·24	0·08	0·37	0·01		19
20	–	0·39	–	0·06	0·20	0·01	0·01	–	–	–	0·17	–		20
21	–	0·65	0·01	0·12	–	0·01	–	–	0·03	0·04	–	–		21
22	–	0·01	–	0·11	–	–	–	–	0·07	0·02	–	–		22
23	–	0·10	–	–	–	–	–	0·31	0·01	0·16	–	0·33		23
24	0·02	0·81	0·05	–	0·02	–	–	0·70	0·30	0·18	–	0·12		24
25	0·14	0·50	–	0·01	0·41	0·32	–	0·02	–	–	–	0·09		25
26	–	0·47	–	–	0·11	0·01	–	0·21	0·06	–	–	0·69		26
27	–	0·29	–	–	–	–	–	0·03	0·05	–	0·03	0·52		27
28	–	0·02	–	–	0·02	–	–	0·09	0·13	–	–	0·10		28
29	–	x	–	–	0·01	–	–	0·08	0·27	–	0·04	0·67		29
30	–	✕	–	–	0·03	0·13	–	0·90	0·02	0·34	0·90	0·63		30
31	–	✕	–	✕	0·01	✕	–	0·01	✕	0·82	✕	0·18		31
													Year's Total	
TOTAL	0·47	4·12	1·11	3·44	2·64	3·39	0·41	2·46	4·11	3·68	5·63	4·53	35·99	
* Days with .01 in. or more.	8	19	10	19	14	21	5	12	24	21	23	22	198	
* Days with .04 in. or more.	3	15	5	17	6	16	3	7	20	15	18	16	131	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Lilla M. Brown

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1716

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Merton Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·04	0·04	–	0·14	–	0·28	0·50	0·01	–	0·–	0·02	0·01		1
2	0·07	–	–	0·14	–	0·08	0·52	0·01	0·08	–	0·13	–		2
3	–	–	0·03	1·03	–	0·04	0·02	–	0·40	–	0·18	0·01		3
4	0·01	–	0·15	0·01	–	0·06	–	–	0·12	–	0·08	0·08		4
5	0·41	0·09	0·05	–	–	–	0·11	–	0·02	–	0·01	0·09		5
6	0·26	–	0·02	–	–	–	0·05	0·06	0·35	–	0·40	–		6
7	0·17	–	0·32	–	–	–	0·08	–	–	–	0·35	0·03		7
8	0·36	–	0·56	–	–	0·03	0·60	–	0·02	–	0·56	–		8
9	0·40	0·56	0·19	–	–	–	0·13	–	0·09	–	0·02	–		9
10	0·09	0·28	–	–	–	–	0·02	–	–	–	0·05	–		10
11	0·37	0·04	–	–	–	0·10	0·08	0·07	0·04	–	0·95	0·13		11
12	0·03	–	–	–	–	0·01	0·30	–	0·39	–	0·02	0·03		12
13	0·17	–	0·05	–	–	–	0·08	–	0·04	0·01	0·07	1·08		13
14	0·01	0·02	–	–	–	0·03	0·78	–	0·15	0·01	0·02	0·51		14
15	0·01	0·02	–	–	–	–	0·02	–	0·27	–	0·22	0·41		15
16	–	0·09	–	–	0·25	–	0·17	–	0·01	–	0·08	0·16		16
17	0·07	0·68	–	–	0·02	–	0·22	–	–	0·03	0·07	0·88		17
18	0·35	0·20	0·15	–	–	–	0·43	0·01	–	–	–	0·15		18
19	0·47	0·21	0·44	0·12	–	0·97	0·01	0·04	–	–	–	–		19
20	0·21	–	0·25	0·06	–	0·01	0·09	–	0·48	–	–	0·01		20
21	0·01	0·35	0·05	0·45	–	–	0·10	–	–	–	–	–		21
22	0·17	0·14	0·09	–	0·01	–	0·20	–	–	–	–	0·07		22
23	0·02	0·01	0·03	0·18	0·26	–	0·08	–	–	0·13	–	–		23
24	0·25	0·04	0·18	0·02	0·36	–	0·01	–	0·10	0·36	–	–		24
25	0·11	–	0·60	0·16	–	–	–	–	–	0·17	–	–		25
26	0·30	0·05	0·12	–	–	–	–	–	0·03	0·05	–	–		26
27	0·38	0·02	0·02	–	–	0·04	0·22	–	–	0·06	–	–		27
28	1·03	0·02	0·44	–	–	–	0·27	–	–	–	–	0·21		28
29	0·02	0·05	0·04	–	–	0·01	–	–	–	0·04	0·11	0·06		29
30	0·22	×	0·01		0·0	0·12	0·01	–	–	0·01	–	–		30
31	0·10	×	0·53	×		×	0·06	–	×	–	×	0·50		31
TOTAL	6·11	2·89	4·22	2·31	0·94	1·78	5·16	0·20	2·59	0·87	3·34	4·42	Year's Total 34·83	
* Days with .01 in. or more.	29	19	22	10	6	13	27	6	16	10	18	18	194	
* Days with .04 in. or more.	22	14	17	8	4	8	21	3	12	6	13	13	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. M. Browne

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1716

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Merton Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·14	0·03	0·03	0·30	–	–	–	–	0·01	0·05	0·01	0·65		1
2	0·01	0·82	0·09	0·14	0·06	–	–	–	0·05	–	–	–		2
3	0·02	0·16	0·01	0·03	0·03	–	0·02	–	–	–	–	–		3
4	0·06	0·66	–	–	–	–	–	–	–	–	–	0·57		4
5	0·12	–	0·03	0·06	–	–	0·30	–	–	–	–	0·02		5
6	0·03	0·38	0·95	0·18	0·06	–	0·02	–	–	0·01	–	0·12		6
7	–	0·69	0·13	0·01	0·01	0·01	–	–	–	–	0·04	0·23		7
8	–	0·02	–	–	0·51	–	0·02	–	–	–	–	0·26		8
9	–	0·02	0·23	0·13	0·01	–	–	–	0·48	–	–	–		9
10	0·21	0·01	0·37	0·89	0·07	0·20	0·02	0·01	–	–	–	0·45		10
11	0·03	–	0·39	0·35	0·85	0·04	0·29	–	–	–	–	–		11
12	0·67	0·19	0·03	0·03	–	0·23	0·07	0·59	0·08	–	–	0·49		12
13	–	0·02	0·81	0·18	–	0·13	–	0·50	0·13	–	–	–		13
14	–	–	0·03	0·01	–	–	0·73	0·03	0·05	–	–	0·01		14
15	0·24	0·26	0·25	0·49	–	–	0·01	0·02	0·18	–	–	0·13		15
16	0·03	0·06	0·20	–	–	–	–	–	0·46	–	0·30	–		16
17	0·74	0·08	0·43	–	–	–	–	–	–	–	0·46	–		17
18	0·03	0·05	0·19	–	–	0·21	–	–	0·06	–	0·20	0·06		18
19	0·11	0·03	0·01	0·13	0·12	–	–	–	0·19	–	–	0·05		19
20	0·36	0·03	0·30	0·11	0·05	–	–	–	–	–	–	0·53		20
21	0·77	0·36	0·08	–	0·14	–	–	–	0·09	0·05	0·10	0·07		21
22	0·78	0·01	0·04	–	0·23	1·13	0·10	–	0·03	0·47	0·16	0·12		22
23	0·11	0·23	–	–	0·02	–	0·02	–	–	0·15	0·46	0·02		23
24	0·38	0·35	0·04	–	–	–	–	–	0·03	0·45	–	0·02		24
25	0·03	0·47	0·68	–	0·15	–	–	–	0·02	0·17	–	–		25
26	–	0·52	0·03	–	–	–	–	–	–	0·01	–	0·08		26
27	0·09	0·19	–	–	–	–	–	–	–	0·37	0·01	–		27
28	0·36	0·18	–	–	–	–	–	–	–	0·15	–	–		28
29	0·11	X	–	–	–	–	–	–	–	0·23	0·05	–		29
30	0·53	✕	–	–	–		–	–	0·03	0·02	0·22	–		30
31	0·72	✕	–	✕	–	✕	–	–	✕	0·38	✕	–		31
TOTAL	6·19	5·80	5·34	3·04	2·21	2·31	1·60	1·16	1·89	2·51	2·01	3·88	Year's Total 37·94	✓
* Days with .01 in. or more.	25	25	23	15	14	7	11	5	15	13	11	18	182	✓
* Days with .04 in. or more.	18	17	16	11	10	6	5	2	10	10	9	14	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Lilla M. Brown [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1716

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Merton Lodge Torquay
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0·10	–	–	–	0·11	0·11	0·37	0·01	0·46	–	0·04		1
2	–	0·01	–	–	–	–	–	–	–	0·04	0·03	0·04		2
3	–	–	–	–	0·10	–	–	4·50	–	0·50	0·16	–		3
4	–	–	–	–	–	0·02	0·13	0·76	–	0·07	–	0·16		4
5	–	–	–	–	–	–	0·09	–	0·02	0·19	0·01	0·01		5
6	0·13	–	–	–	–	0·09	0·94	–	–	0·16	0·03	0·11		6
7	0·16	–	–	–	–	0·03	0·05	–	0·25	0·05	0·01	0·06		7
8	0·22	–	–	–	–	–	0·01	0·06	–	0·47	–	0·02		8
9	0·14	–	–	–	–	–	–	–	–	0·07	–	0·40		9
10	0·26	–	–	–	–	–	0·04	–	–	–	–	0·30		10
11	0·16	0·01	–	–	–	–	0·10	0·07	–	–	0·19	0·43		11
12	0·55	–	–	–	0·16	–	–	–	–	0·25	0·37	–		12
13	0·27	–	–	–	0·11	–	–	–	–	0·20	0·37	0·85		13
14	0·56	–	–	–	0·12	–	0·70	–	–	–	–	–		14
15	0·26	–	–	–	0·14	–	–	–	–	0·22	0·09	0·10		15
16	0·32	–	0·03	–	0·01	–	–	0·01	–	0·01	0·24	0·06		16
17	–	0·21	–	–	0·20	–	0·02	–	0·11	0·18	0·01	0·04		17
18	0·35	–	–	–	0·03	0·03	–	0·19	0·22	0·05	0·16	–		18
19	0·01	–	–	–	–	–	–	0·06	0·29	–	0·84	–		19
20	–	–	–	–	–	–	–	–	0·01	–	0·15	–		20
21	0·01	–	–	–	–	–	–	0·03	–	–	0·28	–		21
22	0·04	–	–	–	–	0·03	–	0·31	–	–	0·22	0·07		22
23	0·01	–	–	0·07	–	–	–	0·03	–	–	0·11	0·03		23
24	–	–	0·06	0·01	0·05	–	–	0·02	0·06	–	0·56	–		24
25	0·11	0·32	0·01	–	0·06	–	0·43	–	–	0·31	1·76	0·07		25
26	0·32	0·20	–	–	0·32	0·10	0·07	–	–	0·27	0·21	0·06		26
27	0·07	0·01	–	–	0·03	0·20	0·30	0·54	–	0·03	0·15	–		27
28	0·14	0·15	–	–	0·10	0·06	–	0·86	0·03	–	0·03	0·02		28
29	0·11	×	–	–	0·20	–	0·01	–	0·20	0·16	0·28	0·02		29
30	0·02	✕	–	–	0·01	–	0·04	–	0·03	–	0·30	0·01		30
31	0·31	✕	–	✕		✕	–	–	✕	0·21	✕	0·22		31
TOTAL	4·53	1·01	0·10	0·08	1·80	0·67	2·94	7·81	1·23	3·56	5·56	3·12	Year's Total 32·41	✓ ✓
* Days with .01 in. or more.	23	8	3	2	16	9	15	14	11	23	24	22	166	170 ✓
* Days with .04 in. or more.	19	5	1	1	12	5	12	10	6	16	18	16	125	121 ✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Lilla M. Brown

P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 716

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Merton Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·04	-	0·04	0·02	-	-	-	0·03	0·14	-	0·78	0·07		1
2	0·17	-	-	0·17	-	-	0·01	0·19	0·60	-	0·02	0·06		2
3	0·40	-	0·03	0·45	-	-	0·08	0·07	0·04	-	0·16	0·34		3
4	0·03	-	0·47	0·04	0·12	-	0·42	0·03	-	0·28	0·12	0·11		4
5	-	-	0·03	0·11	-	-	0·60	-	-	0·35	1·22	0·42		5
6	0·23	-	0·09	0·13	-	-	0·78	0·04	-	0·31	0·18	-		6
7	0·01	0·55	0·01	-	-	-	0·06	0·04	-	-	0·30	0·12		7
8	0·03	0·22	-	-	0·04	-	0·15	0·06	-	0·78	0·22	0·11		8
9	0·01	0·01	0·01	-	-	-	-	0·19	-	0·13	0·10	0·09		9
10	0·36	-	-	-	-	-	-	-	0·01	0·18	0·02	0·10		10
11	-	0·03	0·07	-	-	-	-	-	-	0·48	0·01	0·04		11
12	-	0·06	-	-	-	-	-	-	0·07	0·01	0·01	—		12
13	0·01	-	-	0·08	-	0·14	0·31	-	0·05	1·38	0·02	-		13
14	0·68	-	-	-	0·03	0·04	0·32	-	-	0·03	0·21	0·05		14
15	0·85	-	-	-	0·07	0·65	0·10	-	-	-	0·22	0·02		15
16	0·32	-	-	0·13	0·01	-	1·10	-	-	-	0·03	-		16
17	0·60	0·01	-	-	0·05	0·09	0·23	-	-	-	-	-		17
18	0·01	0·01	0·02	-	-	-	0·20	-	-	-	0·39	0·12		18
19	1·23	-	-	-	-	0·10	0·10	0·23	-	-	-	0·25		19
20	0·36	-	-	-	-	0·35	0·24	0·90	-	-	-	0·02		20
21	0·03	0·20	0·04	-	-	1·11	0·29	0·04	-	-	-	—		21
22	0·47	0·47	0·09	-	-	0·62	0·30	-	-	-	0·22	-		22
23	0·03	0·01	0·01	0·23	-	0·01	0·06	-	-	-	1·19	-		23
24	0·88	0·01	0·30	0·02	-	0·75	0·08	0·01	-	0·01	0·44	-		24
25	0·47	0·08	0·01	0·01	-	-	0·11	0·03	-	0·05	0·40	-		25
26	0·01	0·01	-	0·01	-	0·01	-	0·01	-	0·03	0·17	-		26
27	-	0·34	-	0·02	-	0·02	0·02	-	-	0·02	0·04	-		27
28	-	0·03	-	0·19	-	0·06	0·55	-	-	-	0·12	-		28
29	-	×	-	0·13	-	0·03	0·12	-	-	0·35	0·03	-		29
30	-		0·02	0·29	-	0·01	-	0·18		0·25	0·03	—		30
31	-		-		-		0·02	0·03		0·48		—		31
TOTAL	7·23	2·04	1·14	2·01	0·32	~~8~~ 3·29	6·17	2·08	0·91	5·04	6·55	1·92	Year's Total 38·70	✓
* Days with .01 in. or more.	23	15	15	16	6	15	24	16	6	17	26	15	193	✓
* Days with .04 in. or more.	14	7	7	11	4	11	21	10	5	12	18	13	133	✓

† Spare column, no entries required

(*Signed*) Lilla M. Brown

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1716

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Merton Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

Nov 5' adj to ·50 ref 1723 r 15

agrees annual total

HR. 11·48

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0·05	-	-	0·02	-	-	-	-	-	0·19	-		1
2	-	0·29	0·14	0·11	-	-	0·02	-	-	-	0·61	0·10		2
3	0·18	0·59	-	-	-	-	0·01	-	-	0·13	0·93	0·21		3
4	0·01	0·05	0·01	-	-	-	-	-	-	0·14	0·10	0·[illegible]1		4
5	0·04	0·01	-	-	-	-	-	-	-	0·03	0·40	0·20		5
6	0·14	0·41	-	-	-	-	-	-	-	0·47	3·50	0·18		6
7	0·05	0·01	-	-	-	-	0·11	-	-	0·01	-	0·01		7
8	-	-	-	-	-	-	-	-	-	0·30	0·30	0·26		8
9	-	-	-	-	-	-	0·76	0·05	0·04	0·13	0·40	0·09		9
10	-	0·01	0·03	-	-	-	0·24	-	0·05	0·08	0·09	0·21		10
11	-	-	0·03	0·06	-	-	0·48	-	-	-	1·22	0·01		11
12	-	-	0·58	-	-	0·12	0·01	-	0·33	-	0·10	-		12
13	-	-	0·26	0·01	-	-	0·02	-	0·01	0·32	1·40	0·27		13
14	-	-	0·01	0·05	0·36	-	0·02	-	0·18	0·15	0·01	0·36		14
15	-	0·03	-	0·01	-	0·09	0·06	-	0·06	0·22	0·57	0·01		15
16	-	0·99	0·50	0·01	-	-	0·05	-	0·07	0·33	0·27	0·02		16
17	-	0·23	0·52	0·24	-	-	0·09	-	0·60	-	0·33	-		17
18	-	0·21	0·26	0·93	-	-	-	0·04	-	0·08	-	0·03		18
19	0	0·07	0·24	0·10	-	-	0·20	-	-	0·04	0·39	-		19
20	-	-	0·01	0·01	-	-	-	-	-	0·14	0·11	-		20
21	-	-	-	-	0·21	-	-	-	0·04	0·02	0·50	-		21
22	-	0·02	0·05	0·15	-	0·61	-	-	0·04	-	-	-		22
23	-	-	0·17	0·01	0·01	-	0·05	-	-	0·03	0·02	-		23
24	-	-	0·02	-	0·05	-	0·40	-	-	-	-	-		24
25	0·15	-	0·25	0·04	0·30	0·03	-	-	-	-	-	-		25
26	0·36	0·34	-	0·01	0·31	0·02	0·02	-	-	-	-	-		26
27	0·48	0·09	0·04	0·43	0·48	-	-	-	-	-	-	-		27
28	0·61	0·27	0·01	0·14	0·03	-	-	-	-	-	-	-		28
29	-	-	0·11	1·85	-	-	-	-	-	0·01	-	0·15		29
30	0·11	×	-	0·03	-		-	-	-	0·35	-	0·29		30
31	0·36	×	0·02	×	-	×	-	-	×	0·55	×	0·80		31
TOTAL	2·49	3·67	3·26	4·19	1·77	0·87	2·54	0·09	1·32	3·58	7·94 7·[illegible]4	3·22	Year's Total 35·04	
* Days with .01 in. or more.	11	17	20	18	9	5	16	2	10	20	19	18	165	
* Days with .04 in. or more.	10	12	12	11	6	3	10	2	9	15	14	12	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. M. Brown

[P.T.O.

Section **A** for the entry of

AIR MINISTR

1716/5

Torquay, Marine Drive

1935

780306

Station No. 1716/5

FALL ORGANIZATION.

FORM 1090. · **REGIS** 1935.

S/Devon/5

Kept at X TORQUAY

in the County of DE

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·48	—	—	·28	—	—	·14	·04	·12	·19		1
2	·02	—	·03	—	—	·23	·02	—	·30	·20	·05	·16		2
3	—	—	·09	—	·59	·18	—	—	·39	·21	·12	—		3
4	—	—	—	·06	·02	·22	—	—	·12	·12	·07	·30		4
5	—	·07	·03	·06	—	·04	—	—	·22	·03	·02	—		5
6	·06	·14	—	·24	—	·94	—	—	—	·14	·13	·17		6
7	—	·03	—	·28	—	·05	—	—	—	·28	·22	·03		7
8	—	—	—	·44	—	—	—	—	·14	·14	·38	·01		8
9	—	—	—	·49	—	·13	—	—	—	·68	·28			9
10	—	—	·35	·16	—	·03	—	—	·02	·02	·02	·03		10
11	·20	—	·07	—	—	·46	—	—	—	—	·46	·03		11
12	—		—	—	—	·64	—	·05	·03		·25	—		12
13	—	·13	—	·12	—	·10	—	—	—	·01	·18	—		13
14	—	·12	—	·14	·03	·02	—	—	·12	·03	·82	·18		14
15	—		—	·65	·02	·17	—	—	·20	·02	·22	·14		15
16	—	·07	·14	·11	—	·05	—	—	·43	—	·98	—		16
17	—	·07	—	·04	SNOW ·94	·45	·03	·08	·05	—	·04	—		17
18	—		—	·32	—	—	·20	—	·42	·05	—	·18		18
19	—	·03 ~~[illegible]~~	—	·05	·26	·05	·14	—	·22	·09	·57	·02		19
20	—	·28	—	·12	·19	·02	—	—	·01	—	·13	—		20
21	—	·63	—	·16	—	—	—	—	·03	·05	—	—		21
22	—	·03	—	·15	~~[illegible]~~	—	—	—	·15	·02	—	—		22
23	—	·22	·06	—	·06	—	—	·34	—	·22	—	·43		23
24	—	·66	—	—	·31	—	—	·70	·25	·14	—	·30		24
25	·19	·52	—	—	·19	·25	—	—	—	—	—	·14		25
26	—	·56	—	—	·02	·04	—	·20	·07	—	—	·76		26
27	—	·29	—	—	—	—	—	·02	·05	—	·02	·55		27
28	—	·03	—	—	—	—	—	·04	·12	—	—	·08		28
29	—	×	—	—	·07	—	—	·07	·21	·02	·03	·69		29
30	—	×	—	—	—	·14	—	·98	·03	·30	·76	·58		30
31	—	×	—	×	·02	×	—	·04	×	·42	×	·22		31
TOTAL	·47	3·88	1·25	3·59	2·72	4·49	·39	2·52	3·72	3·53	5·97	5·19	Year's Total. 37·72	
* Days with .01 in. or more.	2	17	8	17	13	21	4	10	23	21	22	21	179	
* Days with .04 in. or more.	2	13	6	17	8	17	2	9	18	15	18	16	141	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) A. C. Edwards Lt. Col. [P.T.O.

Section **A** **for the entry of Daily Observations.** **Station No** 1716/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

S/Devon/5

Kept at TORQUAY. (Marine Drive)

in the County of DEVON. 5

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·48	—	—	·28	—	—	·14	·04	·12	·19		1
2	·02	—	·03	—	—	·23	·02	—	·30	·20	·05	·16		2
3	—	—	·09	—	·59	·18	—	—	·39	·21	·12	—		3
4	—	—	—	·06	·02	·22	—	—	·12	·12	·07	·30		4
5	—	·07	·03	·06	—	·04	—	—	·22	·03	·02	—		5
6	·06	·14	—	·24	—	·94	—	—	—	·14	·13	·17		6
7	—	·03	—	·28	—	·05	—	—	—	·28	·22	·03		7
8	—	—	—	·44	—	—	—	—	·14	·14	·38	·01		8
9	—	—	—	·49	—	·13	—	—	—	·68	·28			9
10	—	—	·35	·16	—	·03	—	—	·02	·02	·02	·03		10
11	·20	—	·07	—	—	·46	—	—	—	—	·46	·03		11
12	—		—	—	—	·64	—	·05	·03		·25	—		12
13	—	·13	—	·12	—	·10	—	—	—	·01	·18	—		13
14	—	·12	—	·14	·03	·02	—	—	·12	·03	·82	·18		14
15	—		—	·65	·02	·17	—	—	·20	·02	·22	·14		15
16	—	·07	·14	·11	—	·05	—	—	·43	—	·98	—		16
17	—	·07	—	·04	SNOW ·94	·45	·03	·08	·05	—	·04	—		17
18	—		—	·32	—	—	·20	—	·42	·05	—	·18		18
19	—	·03	—	·05	·26	·05	·14	—	·22	·09	·57	·02		19
20	—	·28	—	·12	·19	·02	—	—	·01	—	·13	—		20
21	—	·63	—	·16	—	—	—	—	·03	·05	—	—		21
22	—	·03	—	·15	~~·26~~	—	—	—	·15	·02	—	—		22
23	—	·22	·06	—	·06	—	—	·34	—	·22	—	·43		23
24	—	·66	—	—	·31	—	—	·70	·25	·14	—	·30		24
25	·19	·52	—	—	·19	·25	—	—	—	—	—	·14		25
26	—	·56	—	—	·02	·04	—	·20	·07	—	—	·76		26
27	—	·29	—	—	—	—	—	·02	·05	—	·02	·55		27
28	—	·03	—	—	—	—	—	·04	·12	—	—	·08		28
29	—	×	—	—	·07	—	—	·07	·21	·02	·03	·69		29
30	—	×	—	—	—	·14	—	·98	·03	·30	·76	·58		30
31	—	×	—	×	·02	×	—	·04	×	·12	×	·22		31
TOTAL	·47	3·88	1·25	3·59	2·72	4·49	·39	2·52	3·72	3·53	5·97	5·19	Year's Total 37·72	
* Days with .01 in. or more.	2	17	8	17	13	21	4	10	23	21	22	21	179	
* Days with .04 in. or more.	2	13	6	17	8	17	2	9	18	15	18	16	141	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) A C Edwardes [P.T.O.

1717

Section A for the entry

AIR MINIST

FOR OFFICIAL USE.

INFALL ORGANIZATION.

293

FORM

REGIS

1717

TORQUAY, ABBEY PARK

1931—40

780306

1931.

Kept at Torquay

in the County of Devo

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1.06									1
2	·69												2
3			·72								1·78		3
4													4
5												·48	5
6										·25			6
7													7
8													8
9													9
10									·41				10
11		·48											11
12													12
13													13
14							·93						14
15													15
16													16
17													17
18								1·75					18
19						·66							19
20													20
21													21
22													22
23					·71								23
24				1.06									24
25													25
26													26
27													27
28													28
29		✕											29
30													30
31		✕		✕		✕			✕		✕		31
TOTAL	3.13	1·79	2.53	3·52	2·14	3·39	3·72	3·70	1·49	0·46	6·53	1·84	YEAR'S TOTAL 34·24
*Days with ·01 in. or more.	17	21	10	12	19	13	23	14	12	6	20	11	178
*Days with ·04 in. or more.	12	13	9	10	13	12	16	12	9	4	18	8	136
40-9999	79.5	45·4	64.2	89.4	54·4	86·0	94.5	93·9	37·9	11·6	165·7	46·7	869·2

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

1717

Section **A** for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1931.

293

Kept at Torquay (Abbey Park)

in the County of Devon

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground........ft........in.

,, Ground ,, Sea Level 27 ft.

Mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1.06									1
2	·69												2
3			·72								1·78		3
4													4
5												·48	5
6										·25			6
7													7
8													8
9													9
10									·41				10
11		·48											11
12													12
13													13
14							·93						14
15													15
16													16
17													17
18								1·75					18
19						·66							19
20													20
21													21
22													22
23					·71								23
24				1.06									24
25													25
26													26
27													27
28													28
29		✕											29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	3.13	1·79	2·53	3·52	2·14	3·39	3·72	3·70	1·49	0·46	6·53	1·84	YEAR'S TOTAL 34·24
*Days with ·01 in. or more.	17	21	10	12	19	13	23	14	12	6	20	11	~~178~~
*Days with ·04 in. or more.	12	13	9	10	13	12	16	12	9	4	18	8	136
	79.5	45·4	64.2	89·4	54·4	86·0	94·5	93·9	37·9	11·6	165·7	46·7	869·2

40-9999

(Signed)............

[P.T.O.

*See Instruction 2 (*f*) on other side.

1717

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM I

REGISTER OF RAINFALL IN 1932.

293

Kept at Torquay (Abbey Park),
in the County of Devon

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7										1·59			7
8													8
9	1·16	·01											9
10													10
11													11
12													12
13								·67					13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22									1·47				22
23													23
24							·57						24
25													25
26													26
27				·32									27
28													28
29			·66										29
30		✕				1·70					1·20		30
31		✕		✕		✕			✕		✕	·74	31
TOTAL	4·67	0·01	2·67	2·46	3·69	3·16	1·37	1·76	5·25	7·78	2·22	2·75	YEAR'S TOTAL 37·79
*Days with ·01 in. or more.	16	1	14	23	20	6	17	9	16	20	13	16	171
*Days with ·04 in. or more.	10	0	11	17	16	5	10	6	15	17	7	10	124
40-9999	118·5	0·2	67·8	62·4	93·7	80·3	34·8	44·7	133·3	197·6	56·4	69·9	

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

1717

Section A for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000

REGISTER OF RAINFALL IN 1933.

293

Kept at Torquay (Abbey Park)

in the County of Devon

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1.35	1
2	0.67		1.01		.52	.59							2
3													3
4													4
5													5
6													6
7													7
8													8
9										.36			9
10													10
11								.22					11
12													12
13													13
14							.43						14
15													15
16													16
17													17
18													18
19											.50		19
20													20
21													21
22									1.12				22
23													23
24													24
25		1.18											25
26													26
27													27
28				.48									28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.86	4.59	4.05	1.70	1.36	1.38	2.02	0.99	2.83	2.06	1.22	2.11	YEAR'S TOTAL 27.17
*Days with ·01 in. or more.	14	16	13	12	14	14	12	10	12	17	8	9	151
*Days with ·04 in. or more.	12	11	12	9	10	9	11	9	10	10	5	6	114

40-9999 72.6

71.9

(Signed).......................... [P.T.O.

*See Instruction 2 (*f*) on other side.

D

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1717

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Torquay (Abbey Park)
in the County of Devon

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 27 ft.

Av. 330

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.65					1
2									·60				2
3													3
4													4
5													5
6					·39								6
7													7
8													8
9													9
10													10
11	·65												11
12													12
13											·86		13
14			·53										14
15													15
16													16
17													17
18				·61									18
19													19
20							·20						20
21										·46			21
22													22
23						·78							23
24													24
25		·10										·76	25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
													YEAR'S TOTAL
TOTAL	3·48	0·14	3·37	3·42	1·19	1·69	0·70	2·33	2·63	2·02	2·57	10·33	33·87
*Days with ·01 in. or more.	19	2	19	18	7	9	7	16	18	16	10	30	171
*Days with ·04 in. or more.	14	2	14	15	7	6.	6	12.	14.	9.	9.	27	135

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) ....

P.T.O.

1717

COPY FOR OFFICIAL USE.

Sec[illegible] **A** for the entry of Daily Observations. Station No. 293.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Torquay (Abbey Park)
in the County of Devon

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·50											1
2														2
3														3
4														4
5														5
6						1·13								6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14											1·12			14
15				·65										15
16														16
17					·93									17
18							·16		·55					18
19														19
20														20
21														21
22														22
23														23
24		·85												24
25	0·18													25
26												·80		26
27														27
28														28
29														29
30		×						1·04						30
31		×		×		×			×	·86	×			31
TOTAL	0·50	4·25	1·26	3·68	2·67	4·36	0·32	2·35	3·94	3·43	6·31	5·07	Year's Total 38·14	
*Days with ·01 in. or more.	7	19	9	19	11	20	4	11	23	19	22	20	184	
*Days with ·04 in. or more.	5	15	6	17	7	16	2	7	18	12	18	16	139	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1717 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Torquay (Abbey Park)

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3				1·11					·54					3
4														4
5														5
6								·05						6
7														7
8			·69				1·02							8
9														9
10														10
11											0·96			11
12														12
13												1·07		13
14														14
15														15
16														16
17		1·03												17
18						·60								18
19														19
20														20
21														21
22														22
23					·33									23
24										·34				24
25														25
26														26
27														27
28	1·14													28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	7·33	3·79	4·60	2·53	0·95	1·35	5·35	0·15	2·85	0·75	3·40	4·66	Year's Total. 37·71	✓
* Days with .01 in. or more.	26	17	22	8	6	11	24	6	15	7	17	18	176	
* Days with .04 in. or more.	21	12	18	8	3	8	21	2	11	5	13	14	136	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1717 293

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Torquay (Abbey Park)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2		·89												2
3														3
4														4
5														5
6			1·05											6
7														7
8														8
9									·43					9
10				·96										10
11					·88									11
12								·57						12
13														13
14							·49							14
15														15
16														16
17	·99										·67			17
18														18
19														19
20												·66		20
21														21
22						1·10								22
23														23
24										·84				24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	7·27	6·73	5·78	3·29	2·73	1·77	1·23	1·05	1·64	3·15	2·53	3·87	Year's Total 41·04	
* Days with .01 in. or more.	24	25	22	14	13	7	11	5	15	11	10	17	174	
* Days with .04 in. or more.	20	17	18	13	11	5	6	2	9	10	8	14	133	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

293

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1717

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 00

REGISTER OF RAINFALL IN 1938

Kept at Torquay (Abbey Park)
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·26								1
2														2
3								5·61		·52				3
4								·78						4
5														5
6							1·27							6
7														7
8														8
9														9
10														10
11														11
12														12
13												·75		13
14	·81													14
15														15
16														16
17														17
18														18
19									·42					19
20														20
21														21
22														22
23				·09										23
24			·05											24
25		·37									2·11			25
26					·54									26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	4·85	1·19	·06	·09	2·18	·78	3·36	8·80	1·15	3·27	4·12	3·52	Year's Total 36·37	
* Days with .01 in. or more.	21	6	2	1	15	9	15	12	12	19	21	21	154	
* Days with .04 in. or more.	19	5	1	1	12	5	12	10	5	17	18	14	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1717

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Torquay (Abbey Park)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									·55					2
3				·51										3
4			·56		·24									4
5											1·56			5
6														6
7												·47		7
8														8
9														9
10														10
11														11
12														12
13										1·33				13
14														14
15														15
16							·91							16
17														17
18														18
19														19
20								·69						20
21						1·06								21
22		·51												22
23														23
24	·98													24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
													Year's Total	
TOTAL	6·40	2·02	1·26	2·33	·44	3·78	6·02	1·90	·79	5·44	7·32	1·86	39·56	
* Days with .01 in. or more.	19	14	15	16	7	15	24	16	7	16	25	15	189	
* Days with .04 in. or more.	14	7	6	12	2	10	21	11	3	13	18	11	128	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

293

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1717

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Torquay (Abbey Park)
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 27 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9							·61	·04						9
10														10
11														11
12														12
13											1·39			13
14														14
15														15
16		1·20	·54											16
17														17
18														18
19									·57					19
20														20
21														21
22						·56								22
23														23
24														24
25					·46									25
26														26
27														27
28	·69													28
29				1·66										29
30		✕												30
31		✕		✕		✕			✕	·60	✕	1·19		31
TOTAL	2·63	4·52	2·95	3·99	1·61	·83	2·25	·07	1·34	3·97	7·82	3·63	Year's Total 35·61	
* Days with .01 in. or more.	13	17	15	16	8	5	17	3	10	21	18	15	158	
* Days with .04 in. or more.	10	12	11	11	6	3	9	1	7	18	17	12	117	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

1718

1718
TORQUAY LEICESTER LODGE
1931 — 35

780306

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGIST

31.

Kept at Leicester Lodg

in the County of Dev

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	1·10	—	·01	·02	—	·29	·02	—	·36	1
2	·72	—	—	·62	—	—	—	—	·38	—	·02	·15	2
3	·11	—	·77	—	—	—	·04	·03	·09	—	2·05	—	3
4	·01	—	·34	—	·06	—	·29	—	·05	—	·01	·53	4
5	—	·22	·42	—	·08	·41	·03	—	—	—	·16	·38	5
6	—	·06	—	·05	·09	·22	·08	—	—	·25	·09	·09	6
7	—	·01	—	—	·33	·18	·34	·04	—	·03	·50	·01	7
8	—	·08	—	·10	—	·56	·04	—	—	—	·12	—	8
9	—	·27	—	—	—	·20	·11	—	—	—	·60	—	9
10	—	·05	—	—	·08	·04	—	—	·45	—	·30	—	10
11	·14	·48	—	—	·04	·26	·10	—	·09	—	·15	—	11
12	—	·08	—	—	·04	—	·09	—	·09	·08	—	—	12
13	—	·02	—	—	·09	—	·22	·10	—	·02	—	—	13
14	—	·02	·04	—	·06	·19	1·20	·16	—	—	·35	—	14
15	·01	·10	—	—	·12	—	—	·08	—	—	—	·04	15
16	·02	·05	—	—	·11	·50	—	·10	·10	—	—	·03	16
17	—	·03	—	·01	—	·04	·21	—	·07	—	—	—	17
18	—	—	—	·11	—	·26	·05	1·75	—	—	·22	—	18
19	·01	·07	·05	—	—	·66	·04	·07	·09	—	·76	—	19
20	—	·05	·39	—	—	—	—	·20	—	—	·13	—	20
21	·20	·03	—	—	·22	—	—	—	—	·06	—	—	21
22	·61	—	·04	·04	·11	—	—	—	—	—	—	—	22
23	·24	·02	—	·14	·73	—	·04	·08	—	—	·58	—	23
24	·51	—	·01	·90	·07	·14	·64	·50	—	—	·06	—	24
25	·05	·01	—	·43	·05	—	·24	—	—	—	·24	—	25
26	—	·01	—	·09	—	—	·18	—	—	—	·69	—	26
27	·12	·15	—	—	·20	—	·10	—	—	—	·05	—	27
28	·11	·12	·19	·02	—	—	~~·05~~	·09	—	—	—	·03	28
29	·02	×	·09	—	·11	—	·05	·32	—	—	·06	·16	29
30	·07	×	—	—	·06	—	·01	·01	·03	—	—	—	30
31	·53	×	·27	×	·11	×	·03	—	×	—	×	·19	31
TOTAL	3·48	1·93	2·61	3·61	2·76	3·67	4·13	3·53	1·73	·46	7·04	1·97	YEAR'S TOTAL 36·92
*Days with ·01 in. or more.	17	21	11	12	20	14	23	14	11	6	20	11	180
*Days with ·04 in. or more.	12	13	10	10	20	13	20	12	10	3	18	8	149

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Henry Brun

P.T.O.

1718

Section **A** for the entry of Daily Observations. 852965/32 COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Leicester Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	1.10	—	·01	·02	—	·29	·02	—	·36	1
2	·72	—	—	·62	—	—	—	—	·38	—	·02	·15	2
3	·11	—	·77	—	—	—	·04	·03	·09	—	2.05	—	3
4	·01	—	·34	—	·06	—	·29	—	·05	—	·01	·53	4
5	—	·22	·42	—	·08	·41	·03	—	—	—	·16	·38	5
6	—	·06	—	·05	·09	·22	·06	—	—	·25	·09	·09	6
7	—	·01	—	—	·33	·16	·34	·04	—	·03	·50	·01	7
8	—	·08	—	·10	—	·56	·04	—	—	—	·12	—	8
9	—	·27	—	—	—	·20	·11	—	—	—	·60	—	9
10	—	·05	—	—	·08	·06	—	—	·45	—	·30	—	10
11	·14	·48	—	—	·04	·26	·10	—	·09	—	·15	—	11
12	—	·08	—	—	·04	—	·09	—	·09	·08	—	—	12
13	—	·02	—	—	·09	—	·22	·10	—	·02	—	—	13
14	—	·02	·04	—	·06	·19	1.20	·16	—	—	·35	—	14
15	·01	·10	—	—	·12	—	—	·08	—	—	—	·04	15
16	·02	·05	—	—	·11	·50	—	·10	·10	—	—	·03	16
17	—	·03	—	·01	—	·04	·21	—	·07	—	—	—	17
18	—	—	—	·11	—	·26	·05	1.75	—	—	·22	—	18
19	·01	·07	·05	—	—	·66	·04	·07	·09	—	·76	—	19
20	—	·05	·39	—	—	—	—	·20	—	—	·13	—	20
21	·20	·03	—	—	·22	—	—	—	—	·06	—	—	21
22	·61	—	·04	·04	·11	—	—	—	—	—	—	—	22
23	·24	·02	—	·14	·73	—	·04	·08	—	—	·58	—	23
24	·51	—	·01	·90	·07	·14	·64	·50	—	—	·06	—	24
25	·05	·01	—	·43	·05	—	·24	—	—	—	·24	—	25
26	—	·01	—	·09	—	—	·18	—	—	—	·69	—	26
27	·13	·15	—	—	·20	—	·10	—	—	—	·05	—	27
28	·11	·12	·19	·02	—	—	[illegible]	·09	—	—	—	·03	28
29	·02	×	·09	—	·11	—	·05	·32	—	—	·06	·16	29
30	·07	×	—	—	·06	—	·01	·01	·03	—	—	—	30
31	·53	×	·27	×	·11	×	·03	—	×	—	×	·19	31
TOTAL	3.48	1.93	2.61	3.61	2.76	3.67	4.13	3.53	1.73	·46	7.04	1.97	YEAR'S TOTAL 36.92
*Days with ·01 in. or more.	17	21	11	12	20	14	23	14	11	6	20	11	180
*Days with ·04 in. or more.	12	13	10	10	20	13	20	12	10	3	18	8	149

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Henry Brown

P.T.O.

1718

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1718

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932. 052965|20

Kept at Leicester Lodge Torquay
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 125 ft.

daily

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date Nov
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·11	—	—	·02	·38	—	—	—	—	1 —
2	·01	—	·06	·30	—	—	·02	·01	·10	—	·02	·22	2 —
3	·01	—	·03	—	—	·74	·02	—	·50	·02	2·05	—	3 ·03
4	·02	—	—	—	—	·15	—	·02	—	—	·01	—	4 ·28
5	·57	—	·09	—	—	—	—	—	·08	—	·66	—	5 —
6	·82	—	·01	·24	·12	—	·04	—	·43	—	·09	—	6 —
7	·09	—	·01	·03	·15	—	·01	—	·62	1·60	·50	—	7 —
8	—	—	·21	·04	·10	—	—	—	·25	·35	·12	—	8 —
9	1·38	·01	—	·27	—	—	—	—	—	·01	·60	—	9 —
10	·41	—	—	·19	·05	·07	—	—	·02	·16	·30	·62	10 —
11	·11	—	—	·07	·13	—	—	—	—	—	·15	·32	11 —
12	·98	—	—	—	·50	—	·06	—	—	·26	—	·03	12 —
13	·13	—	—	·20	·09	—	·08	·70	—	1·05	—	·34	13 —
14	·34	—	—	·03	·44	—	—	—	—	·06	·35	·01	14 —
15	·03	—	—	·15	·10	—	·01	—	—	·03	—	·02	15 —
16	·34	—	—	·14	—	—	—	—	—	—	—	—	16 —
17	·02	—	—	—	·09	—	—	—	—	·08	—	—	17 —
18	·02	—	—	·03	·30	—	—	—	—	—	·22	—	18 ·16
19	·02	—	—	·02	·22	—	—	—	·09	·27	·76	—	19 ·[illegible]
20	—	—	—	·06	1·02	—	—	·06	·08	1·22	·13	·16	20 ·07
21	—	—	·08	·04	—	—	—	·15	·18	·48	—	·11	21 ·02
22	—	—	—	—	·12	—	·05	·06	1·60	·62	—	·03	22 ·26
23	—	—	—	·01	·08	—	·08	·03	·05	·60	·58	·18	23 —
24	—	—	—	—	·06	—	·60	—	·05	·03	·06	—	24 ·03
25	—	—	·53	·01	—	—	·06	—	·15	·20	·24	—	25 ·15
26	—	—	·17	·10	—	—	·13	—	—	·10	·09	—	26 ·03
27	—	—	·61	·34	·09	—	·06	—	—	·30	·05	—	27 —
28	—	—	·14	·04	·13	—	·04	—	—	—	—	·20	28 —
29	—	—	·73	·10	·37	·50	·01	·50	·51	·56	·06	·04	29 ·06
30	—	×	·04	·04	·02	1·82	·19	—	·70	·08	—	·37	30 1·22
31	—	×	·13	×	·20	×	—	—	×	—	×	·22	31 [illegible]
TOTAL	5·31	·01	2·78	2·58	4·38	3·28	1·48	1·91	5·41	8·02	[illegible]	3·47	YEAR'S TOTAL 2·29
*Days with ·01 in. or more.	17	1	14	23	21	5	17	9	16	21	[illegible]	15	11
*Days with .04 in. or more.	10	0	10	17	20	5	11	6	15	10	[illegible]	11	8

40-9999
*See Instruction 2 (*f*) on other side,

(*Signed*) Henry Brown

4092
172
123

P.T.O.

1718

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~1718~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 852965/28

Kept at Leicester Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 125 ft.

Gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·65	·14	—	·04	—	—	—	—	·02	·04	1·35		1
2	·80	·03	1·04	—	·52	·59	—	—	—	—	~~·02~~	·12		2
3	·08	·05	·25	—	·01	—	—	—	—	—	—	—		3
4	·17	·05	—	—	·15	—	—	—	—	—	—	—		4
5	·03	—	·40	—	·10	—	—	—	—	·01	—	—		5
6	—	·52	·03	—	·16	—	·12	—	—	·16	—	—		6
7	—	·03	·04	—	·07	—	·01	—	—	·12	—	—		7
8	—	·01	—	—	—	—	·06	—	—	—	—	—		8
9	—	·01	—	—	·11	—	·31	·03	—	·37	·02	—		9
10	—	·08	—	—	—	—	·07	·21	—	·35	—	—		10
11	·07	—	—	—	—	—	·06	—	—	—	—	—		11
12	—	—	—	·25	·05	·14	·24	·06		—	—	·02		12
13	·13	—	—	—	·03	—	·21	·04		·13	—	—		13
14	·40	—	—	—	—	—	·38	·12		·02	·27	—		14
15	—	—	·36	—	—	—	·44	·05		·06	·32	—		15
16	—	—	·99	—		—	—	—		·03	·01	—		16
17	·17	·10	·19	—		·08	—	·09		—	—	—		17
18	·12	·01	·17	—		—	—	—		—	·09	—		18
19	·33	—	·19	—		·05	—	·09		—	·48	·01		19
20	—	—	—	—		·09	—	—		—	—	—		20
21	—	·01	—	—		·02	—	·16	·96	·13	—	—		21
22	—	—	—	·10		·06	—	·17	·70	·02	—	—		22
23	—	·81	—	·18		·11	—	—	·48	·38	—	—		23
24	—	·66	—	·27		·02	—	—	·28	·03	—	—		24
25	—	1·24	—	·24		·03	—		·36	—	—	·06		25
26	—	·30	—	·15		—	—	—	—	—	—	—		26
27	—	—	—	·05		—	—	—	—	·25	·04	·44		27
28	—	·06	—	·50		—	·21	—	—	·16	—	·08		28
29	·09	×	—	—		—	—	—	·08	—	—	·06		29
30	·04	×	·20	·05		—	·04	—	·08	—	—	·04		30
31	·43	×	·14	×	·27	×	—	—	×	—	×	—		31
TOTAL	3·18	4·62	4·14	1·79	1·51	1·19	2·15	1·02	2·94	2·24	1·27	2·18	Year's Total	28·23
*Days with ·01 in. or more.	14	17	13	9	(14)	10	12	10	(11)	16	8	9		(143)
*Days with ·04 in. or more.	13	11	12	9	(10)	7	11	9	(10)	10	6	7		(115)

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Henry Brown

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1718

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Leicester Lodge Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 125 ft.

Allocate April & May, also days

Apr & May Days } allocated by near stns

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	—	·01	—	✓	·08	—	·65	·15	·02	·28	·76		1
2	·18	·02	—	—		—	—	—	·65	·01	—	·21		2
3	·03	—	—	—	✓	—	—	—	—	·31	—	·38		3
4	·10	—	·14	·04	✗	—	—	·04	·38	·10	—	·41		4
5	—	—	·08	—	✗	·24	—	·54	—	·12	·01	·53		5
6	·03	—	·42	·05	✗	·01	—	—	·02	·26	·13	·48		6
7	·06	—	— ✓	—	✗	—	—	·08	·04	·21	—	·75		7
8	—	—	—	—		—	—	—	—	—	·55	·44		8
9	—	—	·29	·03		—	—	—	—	—	·42	·10		9
10	·15	—	·24	·60		—	·11	·03	—	—	·04	·22		10
11	·71	—	·18	·43		—	—	·01	—	—	—	·54		11
12	·03	—	—	—	1 1 0	—	·12	·06	—	—	—	·27		12
13	·55	—	—	·48		—	—	—	—	—	·73	·25		13
14	·63	—	·55	·02	1·10	—	—		—	·01	·21	·26		14
15	·08	—	·15	—	✗1 ~~1·20~~	—	—		—	·17	·12	·21		15
16	·23	—	·41	—	—	—	—		·10	—	—	·46		16
17	·30	—	·20	·12	·04	—	—		·08	·08	—	·29		17
18	·14	—	·28	·63	—	—	—		·17	—	—	·54		18
19	—	—	·12	·10	—	·03	—	✓	·07	—	—	·34		19
20	—	—	·03	·11	—	—	·02		·16	·02	—	·03		20
21	—	—	·16	·06	—	·07	·19	✓	·02	·47	—	·42		21
22	·02	—	·06	—	—	·02	·09	✗	·26	—	—	·42		22
23	·05	—	·01	·15	—	·73	—	✗	·17	·03	—	·20		23
24	—	·06	·01	·04	—	·27	·10	✗	·03	·04	—	·02		24
25	·25	·10	—	·32	—	—	—		—	·38	—	·77		25
26	·09	—	·03	·16	—	·21	—		·10	·02	—	·09		26
27	—	—	—	✗ } ·10	—	·02	—		·03	·03	·01	·38		27
28	—	—	—	✗	—	—	—	✗ ·72	·23	~~·58~~	—	·74		28
29	—	✗	—		—	—	—	·07	·08	·01	—	·04		29
30	—	✗	—		—	—	—	·14	·09	·01	—	·36		30
31	·02	✗	—	✗	·10	✗	—	·14	✗	—	✗	·01	35·34	31
TOTAL	3·68	·18	3·45	3·44 ~~3·34~~	1·24 ~~1·34~~	1·68	·63	2·48	2·65	2·30	2·50	10·91	Year's Total 35·34	
*Days with ·01 in. or more.	20	3	19	(18)	(8)	10	6	(16)	19	19	10	31	(179)	
*Days with ·04 in. or more.	14	2	14	(16)	(7)	6	5	(12)	15	10	8	20	(137)	

normal d

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Henry Benson

[P.T.O.

1718

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1718

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935. 852965/28

Kept at Lincoln Lodge Torquay
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 125 ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·49			✓			·12	·04	·11	·15		1
2			·05			4 (·97)	·01		·46	·22	·03	·11		2
3			·67		·63	4			·51	·22	·09			3
4	·03	·08		·05	·02	4 ~~1·97~~	~~1·97~~		·10	·07	·03	·31		4
5	·04	·17	·01	·06		·05			·20	·02	·08	·01		5
6		·01		·25		1·16					·06	·19		6
7				·48		·07				·35	·25	·03		7
8				·47					·10	·06	·42			8
9				·57		·12				·85	·30			9
10	·07		·41	·02		·03				·01		·03		10
11	·19	·03	·03	·16		·47			·14		·50	·01		11
12		·15				·60		·03	·05		·31			12
13		·06		·24		·10			·02	·01	·29			13
14		·06		·07	·01	·08			·11	·03	1·14	·20		14
15		·04		·66	·03	·18			·21	·01	·26	·06		15
16		·10	·14	·19		·02			·55		·93			16
17				·05	·92	·38	·05	·07	·06		·04			17
18		·05		·35			·14		·62	·06		·15		18
19		·02		·07	4	·05	·15		·23	·09	·57	·01		19
20		·41		·11	4	·01								20
21		·69		·06		·01			·04	·03				21
22				·08					·06	·02				22
23		·14	·05					·26	·02	·21		·45		23
24	·02	·84			✓			·60	·31	·14		·17		24
25	·15	·52			4	·30		·02				·11		25
26		·71			4	·02		·26	·08			·85		26
27		·28						·02	·03			·57		27
28		·02			✓			·05	·11			·07		28
29					✓			·03	·29		·02	·79		29
30		×			(1·00) ✓	·12		1·08	·04	·35	·87	·72		30
31		×		×		×		·03	×	·92	×	·27		31
TOTAL	·51	4·38	1·25	3·94	2·61 ~~1·61~~	4·54 ~~5·54~~	·35	2·45	4·46	3·71	6·45	5·16	Year's Total 39·81 ✓	
* Days with .01 in. or more.	7	19	8	18	14 ~~5~~	22 ~~19~~	4	11	24	20	22	21	~~178~~	(190)
* Days with .04 in. or more.	4	15	6	17	6 ~~2~~	16 ~~14~~	3	6	22	13	18	16	~~136~~	(142)

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

TORQUAY (ST.

1718/5

Section **A** for the entry of Da

AIR MINISTRY.

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST 35.

S Devon 5

809.60/31

1718/5

TORQUAY. ST MARY'S CHURCH

1935 — 39

780306

from 2260 moved 1934

Kept at Lindisfarne St M

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·61	—	—	·28	·01	—	·15	·05	·14	·22	1
2	—	—	·03	—	—	·02	·01	—	·14	·22	·05	·13	2
3	—	—	·11	—	·59	·23	—	—	·30	·24	·09	·01	3
4	·02	·04	—	·04	·06	·22	—	—	·13	·09	·06	·32	4
5	·02	·15	·02	·09	—	·05	—	—	·22	·04	·05	·01	5
6	—	—	—	·25	—	1·22	—	—	—	·10	·05	·19	6
7	—	—	—	·37	—	·09	—	—	—	·20	·25	·02	7
8	—	—	—	·42	—	—	—	—	·11	·05	·48	·01	8
9	—	—	—	—	—	·10	—	—	—	·77	·28	—	9
10	·05	—	·17	·10	—	·05	—	—	·04	—	—	·01	10
11	·16	·05	·04	·07	—	·41	—	—	·15	—	·45	·01	11
12	·01	·12	—	—	—	·61	—	·04	·5	—	·28	—	12
13	·01	·13	—	·41	—	·12	—	—	—	·02	·22	—	13
14	—	·04	—	·13	·02	·09	—	—	·19	·02	1·22	·20	14
15	—	·06	—	·76	·02	·15	—	—	·08	·01	·22	·02	15
16	—	·04	·15	·16	—	·02	—	—	·50	—	·94	—	16
17	—	·01	—	·03	·92	·43	·06	·08	·03	—	·03	—	17
18	—	·06	·01	·28	·01	·01	·23	·01	·35	·04	·04	·18	18
19	—	·03	—	·06	·36	·04	·16	—	·34	·10	·52	—	19
20	—	·44	—	·13	·18	·01	·03	—	·01	·01	·14	—	20
21	—	·57	·01	·06	—	·02	—	—	·04	·05	·01	—	21
22	—	·02	·02	·13	—	—	—	—	·05	·02	—	—	22
23	—	·07	·05	—	·03	—	—	·24	·06	·18	—	·37	23
24	·01	·73	—	—	·19	—	—	·61	·55	·15	—	·24	24
25	·13	·42	—	·01	·34	·22	—	·02	—	—	—	·14	25
26	—	·73	—	—	—	·04	—	·21	·15	·01	—	·93	26
27	—	·31	·01	—	·07	—	—	·01	·05	—	·04	·51	27
28	—	·04	—	—	—	—	—	·01	·13	—	·01	·05	28
29	·01	~~X~~	—	—	·04	—	—	·02	·21	·01	·03	·77	29
30	—	X	—	—	·01	·13	—	1·05	·03	·32	·65	·73	30
31	—	X	—	X	·03	X	—	·06	X	·92	X	·27	31
TOTAL	·43	4·06	1·23	3·50	2·80	4·56	·50	2·36	3·77	3·72	6·25	5·24	YEAR'S TOTAL 38·42
*Days with ·01 in. or more.	10	20	12	18	15	23	6	12	25	23	24	22	216
*Days with ·04 in. or more.	3	17	6	16	9	18	3	7	22	16	20	15	152

Print ✓

40-9999

N

*See Instruction 2 (f) on other side.

(Signed) M.E. Coulson

X MISS M.E. COULSON X

P.T.O.

TORQUAY (ST. MARYCH

1718/5

Section **A** for the entry of Da COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

5 Devon/5

80923/31

Kept at Lindisfarne St Marychurch Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 300 ft.

from 2260 moved 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·61	—	—	·28	·01	—	·15	·05	·14	·22	1
2	—	—	·03	—	—	·02	·01	—	·14	·22	·05	·13	2
3	—	—	·11	—	·59	·23	—	—	·30	·24	·09	·01	3
4	·02	·04	—	·04	·06	·22	—	—	·13	·09	·06	·32	4
5	·09	·15	·02	·09	—	·05	—	—	·22	·04	·05	·01	5
6	—	—	—	·25	—	1·22	—	—	—	·10	·05	·19	6
7	—	—	—	·37	—	·09	—	—	—	·20	·25	·02	7
8	—	—	—	·43	—	—	—	—	·11	·05	·48	·01	8
9	—	—	—	—	—	·10	—	—	—	·77	·28	—	9
10	·05	—	·17	·10	—	·05	—	—	·04	—	—	·01	10
11	·16	·05	·04	·07	—	·41	—	—	·15	—	·45	·01	11
12	·01	·12	—	—	—	·61	—	·04	·5	—	·28	—	12
13	·01	·13	—	·41	—	·12	—	—	—	·02	·22	—	13
14	—	·04	—	·13	·02	·09	—	—	·19	·02	1·22	·20	14
15	—	·06	—	·76	·02	·15	—	—	·08	·01	·22	·02	15
16	—	·04	·15	·16	—	·02	—	—	·50	—	·94	—	16
17	—	·01	—	·03	·92	·43	·06	·08	·03	—	·03	—	17
18	—	·06	·01	·28	·01	·01	·23	·01	·25	·04	·04	·18	18
19	—	·03	—	·06	·36	·04	·16	—	·34	·10	·52	—	19
20	—	·44	—	·13	·18	·01	·03	—	·01	·01	·14	—	20
21	—	·57	·01	·06	—	·02	—	—	·04	·05	·01	—	21
22	—	·02	·02	·13	—	—	—	—	·05	·02	—	—	22
23	—	·07	·05	—	·03	—	—	·24	·06	·28	—	·37	23
24	·01	·73	—	—	·19	—	—	·61	·55	·15	—	·24	24
25	·13	·42	—	·01	·34	·22	—	·02	—	—	—	·14	25
26	—	·73	—	—	—	·04	—	·21	·15	·01	—	·93	26
27	—	·31	·01	—	·07	—	—	·01	·05	—	·04	·51	27
28	—	·04	—	—	—	—	—	·01	·13	—	·01	·05	28
29	·01	×	—	—	·04	—	—	·02	·21	·01	·03	·77	29
30	—	×	—	—	·01	·13	—	1·05	·03	·32	·65	·73	30
31	—	×	—	×	·03	×	—	·06	×	·92	×	·27	31
													YEAR'S TOTAL
TOTAL	·43	4·06	1·23	3·50	2·80	4·56	·50	2·36	3·77	3·72	6·25	5·24	38·42
*Days with ·01 in. or more.	10	20	12	18	15	23	6	12	25	23	24	22	216
*Days with ·04 in. or more.	3	17	6	16	9	18	3	7	22	16	20	15	152

Print ✓

40-9999

N

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.

× MISS M.E. COULSON ×

COPY FOR OFFICIAL USE.

Station No. 1718/5

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Lindisfarne St Mary Church

in the County of Devon

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground ~~ft.~~ 12 in.

" Ground " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·09	·01	·28	—	·26	·46	—	—	—	·02	·01		1
2	·09	—	—	·15	—	·40	·43	·04	·02	—	·10	—		2
3	—	—	·03	1·11	—	·04	·12	—	·82	—	·22	—		3
4	·01	—	·17	·01	—	·07	·01	—	·17	—	·09	·09		4
5	·62	·16	·05	—	—	—	·07	·03	·04	—	·01	·10		5
6	·17	—	·02	—	—	·01	·17	·05	·42	—	·51	·01		6
7	·12	—	·34	—	—	·01	·04	—	·01	—	·35	·03		7
8	·52	—	·74	—	—	—	·76	—	—	—	·56	·02		8
9	·50	·71	·13	—	—	·01	·21	—	·16	—	·02	—		9
10	·14	·33	·01	—	—	—	·07	—	—	—	·07	·02		10
11	·61	·05	—	—	—	·07	·04	—	·04	—	1·05	·10		11
12	·03	—	—	—	—	·06	·39	·04	·45	—	·02	·06		12
13	·15	—	·04	—	—	—	·10	·01	·02	·01	·10	1·06		13
14	·01	·02	—	—	—	·03	·92	—	·20	·01	·02	·74		14
15	·01	·01	—	—	—	—	·01	—	·35	—	·16	·57		15
16	—	·14	—	—	·27	—	·23	—	·01	—	·12	·25		16
17	·06	1·14	—	—	·02	—	·27	—	—	·06	·02	1·21		17
18	·30	·21	·17	—	—	·01	·54	—	—	—	—	·19		18
19	·77	—	·44	·09	—	·84	·01	·07	—	—	—	—		19
20	·17	·30	·27	·07	—	·01	·13	—	—	—	—	·01		20
21	·01	·21	·10	·74	—	—	·15	—	—	·01	—	—		21
22	·18	·36	·9	·01	·03	—	·23	—	·12	—	—	·07		22
23	·01	·01	—	·24	·19	—	·27	—	—	·12	—	—		23
24	·41	·05	·18	·02	·42	—	·01	—	—	·34	—	—		24
25	·14	—	·65	·24	—	—	·03	—	—	·20	—	—		25
26	·35	·07	·10	—	—	—	—	—	—	·05	—	—		26
27	·41	·02	·9	—	—	—	·26	—	·03	·09	—	—		27
28	1·16	·03	·73	—	—	·06	·01	—	—	·01	—	·30		28
29	·02	·04	·7	—	—	·01	·26	—	—	·03	·13	·04		29
30	·20	✕	·2	—	—	·14	·01	—	—	·01	—	—		30
31	·10	✕	·60	✕	·03	✕	·08	—	✕	—	✕	·53	Year's Total	31
TOTAL	7·32	3·95	5·05	2·96	·96	2·03	6·29	·24	2·86	·94	3·57	5·41	41·55	✓
* Days with .01 in. or more.	29	19	23	11	6	16	30	6	15	12	18	20	205	✓
* Days with .04 in. or more.	22	14	18	8	3	9	23	4	10	6	12	14	143	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. E. Coulson [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1718/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Lindisfarne St Marychurch Torquay

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 300 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	·02	·04	·47	—	—	—	—	—	—	·01	·61		1
2	·01	1·11	·06	·18	—	—	—	—	·04	—	—	—		2
3	·02	·21	·03	·05	·10	—	·01	—	—	—	—	—		3
4	·04	·90	—	—	—	—	—	—	—	·01	—	·51		4
5	·14	—	·02	·09	—	—	·13	—	—	—	—	·01		5
6	—	·72	·81	·27	·09	—	·23	—	—	—	—	—		6
7	—	·99	·11	·02	—	·06	—	—	—	—	·04	·22		7
8	·01	·09	·01	—	·80	—	·04	—	—	—	·01	·31		8
9	·01	—	·17	·20	·05	—	·05	—	·53	—	—	—		9
10	·38	·01	·58	·80	—	·22	·01	—	—	—	—	·51		10
11	·03	—	·21	·33	1·07	·04	·29	—	—	—	—	—		11
12	·91	·27	·06	·12	—	·26	·08	·07	·11	—	—	·55		12
13	·01	·02	·86	·22	—	·07	—	·41	·09	—	—	·01		13
14	—	·01	·05	·01	—	—	·73	·03	·06	—	—	·01		14
15	·36	·27	·30	·49	—	—	·01	·01	·16	—	—	·12		15
16	·10	·07	·40	·01	—	—	·02	·02	·50	—	·70	—		16
17	1·04	·09	·60	—	—	—	—	—	·03	—	·65	—		17
18	·11	·05	·36	—	—	·19	—	—	·05	—	·24	·07		18
19	·12	·04	·04	·11	·06	—	—	—	·19	—	·01	·06		19
20	·54	·02	·24	·10	·13	—	—	—	—	—	—	·66		20
21	1·11	·35	·06	·02	·35	—	—	—	·09	·02	·26	·08		21
22	·31	·27	·04	—	·31	1·30	·03	—	—	·61	·30	·16		22
23	·25	·29	—	—	·09	—	·04	—	·06	·11	·47	·03		23
24	·65	·46	·04	—	—	—	—	—	·05	·87	—	·02		24
25	·03	·57	·83	—	·02	—	—	—	—	·51	—	·01		25
26	·01	·64	·04	—	·11	—	—	—	—	·01	—	·08		26
27	·09	·13	·01	—	—	—	—	—	—	·34	·01	—		27
28	·34	·26	—	—	—	—	—	—	—	·13	·01	—		28
29	·11	×	—	—	—	—	—	—	·07	·24	·05	—		29
30	·54	×	—	—	—	·01	—	—	—	·03	·19	—		30
31	·71	×	—	×	—	×	—	—	×	·60	×	—		31
TOTAL	8·11	7·86	5·97	3·49	3·18	2·15	1·67	·54	2·03	3·48	2·95	4·09	Year's Total 45·46	✓
*Days with ·01 in. or more.	28	25	25	17	12	8	13	5	14	12	14	19	192	✓
*Days with ·04 in. or more.	20	20	21	13	11	8	8	2	13	8	9	13	146	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) M. E. Coulson

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1718/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

f 80920/31

Kept at Lindisfarne - St Marychurch.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 300 ft.

Daff

✓ W.S.R.

See letter (gauge overflowed. torrential rain). 2·64 looks reasonable W.S.R.

snow W.J.H.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·12	—	—	—	·35	·43	·22	—	·40	—	·08		1
2	—	·01	—	—	—	—	·09	—	—	·17	·01	·14		2
overflow 3	—	—	—	—	·11	—	—	(2·64)	—	·77	·23	·01		3
4	—	—	—	—	—	·03	·08	1·57	—	·07	—	·22		4
5	·01	—	—	—	—	—	·06	—	·04	·26	—	·01		5
6	·19	—	—	—	—	·11	1·30	—	—	·21	·03	·13		6
7	·10	—	—	—	—	·02	·17	—	·15	·07	·04	·09		7
8	·41	—	—	—	—	·01	·06	·05	—	·56	—	·01		8
9	·15	·01	—	—	—	—	—	—	—	·01	—	·53		9
10	·21	—	—	—	—	—	·02	—	—	—	—	·43		10
11	·17	·01	—	—	—	—	·10	·07	—	—	·30	·68		11
12	·62	—	—	—	·24	—	·04	—	—	·21	·51	·01		12
13	·29	—	—	—	·21	—	·03	·01	—	·14	·56	·76		13
14	·85	—	—	—	·14	—	·68	—	—	—	—	—		14
15	·31	—	—	—	·21	—	—	—	—	·20	·14	·22		15
16	·42	—	·01	—	·01	—	—	·01	—	·04	·27	·05		16
17	·01	·20	·03	—	·21	—	·01	—	·15	·20	·01	·07		17
18	·29	—	—	—	·05	·03	—	·12	·09	·06	·20	—		18
19	·01	—	—	—	—	—	—	·14	·49	—	·74	—		19
20	—	—	—	—	—	—	—	·11	·02	—	·28	—		20
21	·01	—	—	—	—	—	—	·07	·07	—	·27	SNOW ·07		21
22	·04	—	—	—	—	·04	—	·35	—	·01	·31	·05		22
23	·01	—	—	·06	—	—	—	·03	—	—	·09	·01		23
24	·01	—	·09	·02	·01	—	—	·02	·07	—	·59	—		24
25	·16	·41	·01	—	·09	—	·52	·01	—	—	2·28	·01		25
26	·30	·28	—	—	·57	·05	·04	—	—	·14	·01	·12	✓	26
27	·08	·02	—	—	·11	·21	·45	·40	—	·03	·30	—		27
28	·22	·16	—	—	·09	·11	—	·99	—	—	·02	·02		28
29	·14	—	—	—	·40	—	·02	—	·15	·19	·32	—		29
30	·02	×	—	—	·04	—	·05	—	·22	·01	·24	·01		30
31	·32	×	—	×	·18	×	·01	—	×	·22	×	·23		31
													Year's Total	
TOTAL	5·35	1·22	·14	·08	2·67	·96	4·10	6·81	1·45	3·97	7·75	3·96	38·46	
*Days with ·01 in. or more.	26	9	4	2	16	10	19	17	10	21	23	24	181	
*Days with ·04 in. or more.	19	5	1	1	14	6	13	12	9	17	18	16	131	

† Spare column, no entries required.

(Signed) M. G. Toulson

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1718/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lindisfarne. St Mary Church

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·06	·03	·01	—	—	·06	·11	—	1·10	·11		1
2	·24	—	·01	·24	—	—	—	·27	·59	—	·02	·06		2
3	·63	—	·02	·65	—	—	—	·07	·01	—	·29	·35		3
4	·02	—	·62	·07	·26	—	·57	·06	—	·46	·06	·13		4
5	—	—	·03	·08	—	—	·37	—	—	·42	1·26	·01		5
6	·43	—	·14	·17	—	—	·95	·04	—	·30	·64	—		6
7	·02	·50	·01	—	—	—	·10	·07	—	—	·39	·49		7
8	·05	·31	—	—	·02	—	·14	·02	—	1·17	·40	·24		8
9	·02	·01	·01	—	—	—	·01	·07	—	·19	·04	·15		9
10	·50	—	—	—	—	—	—	·21	·03	·15	·01	·12		10
11	·01	·01	·10	—	—	—	—	—	—	·56	·01	·02		11
12	—	·03	—	·01	—	—	—	—	—	·01	·01	—		12
13	·01	—	—	·18	—	·04	·49	—	·10	1·34	·06	·01		13
14	1·01	—	—	—	·02	·05	·29	—	·01	·04	·27	·01		14
15	·66	—	—	—	·09	·69	·33	—	—	—	·31	·01		15
16	·34	—	—	·12	·02	·01	·21	—	—	—	·08	—		16
17	·69	·01	—	—	·02	·23	·37	—	—	—	·01	—		17
18	·01	·02	·02	—	—	·01	·41	—	—	—	·45	·11		18
19	·31	·01	—	—	—	·09	·17	·30	—	—	·01	·19		19
20	·39	—	—	—	—	·31	·28	1·38	—	—	—	·02		20
21	·05	·25	·05	—	·02	·78	·31	·02	—	—	—	—		21
22	·46	·52	·11	—	—	·67	·38	—	·03	—	·22	—		22
23	·01	·01	—	·31	—	·03	·06	—	—	—	1·23	—		23
24	1·20	—	·36	·07	—	·70	·07	·01	—	·01	·01	—		24
25	·51	·11	·01	·04	—	·01	·09	·02	—	·05	·37	—		25
26	·01	·03	—	—	—	—	—	·06	—	·07	·42	—		26
27	—	·35	—	·01	—	·04	·02	—	—	·01	·24	—		27
28	—	·08	—	·19	—	·08	·64	—	—	—	·16	—		28
29	—	[illegible]	—	·15	—	·07	·09	—	—	·38	·04	—		29
30	—	✕	·02	·32	—	—	·01	·26	—	·33	·07	—		30
31	—	✕	—	✕	—	✕	·02	·10	✕	·41	✕	—		31
TOTAL	7·61	2·25	1·57	2·59	·46	3·81	5·39	3·02	·88	5·90	6·18	2·03	Year's Total 43·69	
* Days with .01 in. or more.	24	15	15	16	8	16	24	17	7	17	28	16	203	
* Days with .04 in. or more.	15	7	7	13	2	12	20	13	3	14	21	10	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ......

[P.T.O.

1719

1719

HIGHER GOODSTONE

1931—36

7F0306

Section **A** for the entry

AIR MINIST

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGIS 1931.

Kept at Higher Goodst

in the County of Devo

days

Diameter of Funnel of Gauge t

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·80	–	–	·02	–	·31	·02	–	·01	1
2	·53	·05	–	·52	–	–	–	–	·42	·02	–	·44	2
3	·15	–	·96	–	–	–	·10	–	·14	·02	2·06	·18	3
4	–	–	·37	Trace	·10	·09	·37	·06	·04	·01	·05	·02	4
5	–	·42	·30	·03	–	·51	·14	–	–	–	·03	·55	5
6	–	·12	·02	–	·10	·25	·19	·08	–	·30	·15	·59	6
7	–	·02	–	–	·17	·25	·53	–	–	·05	·90	·05	7
8	Trace	·20	–	·19	–	·43	·03	·02	–	·02	·10	·03	8
9	–	·54	–	–	–	·23	·21	Trace	–	·02	·44	Trace	9
10	–	·11	–	–	·08	·08	03	·01	·28	–	1·03	–	10
11	·14	·55	–	–	–	·53	·05	–	·03	–	·31	–	11
12	Trace	·17	–	–	·03	–	·34	Trace	·04	·30	–	–	12
13	–	·16	·05	–	·10	·01	·32	·18	–	·04	Trace	–	13
14	·03	·05	–	–	·04	·13	·74	·33	·01	–	·46	–	14
15	–	·17	–	·02	·23	–	–	·35	Trace	–	·01	·02	15
16	·03	·27	–	·05	·08	·75	·02	·02	·41	–	–	·03	16
17	·02	·13	–	·03	–	·01	·23	–	·03	–	Trace	–	17
18	·02	–	·01	·12	–	·32	·14	1·78	–	–	·44	–	18
19	·03	·07	·15	·09	–	·31	·09	·03	–	–	·59	–	19
20	·02	·07	·43	–	–	–	Trace	·38	–	–	·22	–	20
21	·29	·04	·09	–	–	–	–	–	–	·12	·02	–	21
22	·78	·01	·03	·16	·21	–	–	–	–	–	·04	–	22
23	·46	–	–	·45	·24	–	·01	·25	–	–	1·04	–	23
24	·46	·01	·03	1·18	·88	·29	·68	·95	–	–	·12	Trace	24
25	·16	·02	–	·34	·10	–	·32	–	–	–	·39	Trace	25
26	·02	·09	–	·28	·10	–	·11	–	–	–	·65	·02	26
27	·02	·24	–	–	·33	–	·12	–	–	·02	·12	·01	27
28	·09	·23	·20	–	·03	–	·01	·18	–	·02	·01	·14	28
29	·07	×	·19	–	·12	–	·04	·33	–	Trace	·05	·19	29
30	·07	×	–	–	·23	–	·06	·03	·07	–	–	–	30
31	1·05	×	·25	×	·13	×	–	–	×		×	·19	31
TOTAL	4·44	3·74	3·08	4·26	3·30	4·19	4·90	4·98	1·77	·96	9·23	2·47	YEAR'S TOTAL 47·32
*Days with ·01 in. or more.	20	22	14	14	19	15	25	16	11	13	23	15	207
*Days with ·04 in. or more.	12	19	10	11	17	13	19	11	8	5	19	8	152

40-9999

½ year 23·01

(Signed) W.A. W.A.H. Booth

[P.T.O.

*See Instruction 2 (*f*) on other side.

1719

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Higher Goodstone Bickington

in the County of Devon Newton Abbot

Diameter of Funnel of Gauge ~~12~~ 5 in.

Height of top of Gauge above Ground ..... ft 12 in.

" Ground " Sea Level 400 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·80	—	—	·02	—	·31	·02	—	·01	1
2	·53	·05	—	·52	—	—	—	—	·42	·02	—	·44	2
3	·15	—	·96	—	—	—	·10	—	·14	·02	2·06	·18	3
4	—	—	·37	Trace	·10	·09	·37	·06	·04	·01	·05	·02	4
5	—	·42	·30	·03	—	·51	·14	—	—	—	·03	·55	5
6	—	·12	·02	—	·10	·25	·19	·08	—	·30	·15	·59	6
7	—	·02	—	—	·17	·25	·53	—	—	·05	·90	·05	7
8	Trace	·20	—	·19	—	·43	·03	·02	—	·02	·10	·03	8
9	—	·54	—	—	—	·23	·21	Trace	—	·02	·44	Trace	9
10	—	·11	—	—	·08	·08	·03	·01	·28	—	1·03	—	10
11	·14	·55	—	—	—	·53	·05	—	·03	—	·31	—	11
12	Trace	·17	—	—	·03	—	·34	Trace	·04	·30	—	—	12
13	—	·16	·05	—	·10	·01	·32	·18	—	·04	Trace	—	13
14	·03	·05	—	—	·04	·13	·24	·33	·01	—	·46	—	14
15	—	·17	—	·02	·23	—	—	·35	Trace	—	·01	·02	15
16	·03	·27	—	·05	·08	·75	·02	·02	·41	—	—	·03	16
17	·02	·13	—	·03	—	·01	·23	—	·03	—	Trace	—	17
18	·02	—	·01	·12	—	·32	·14	1·78	—	—	·44	—	18
19	·03	·07	·15	·09	—	·31	·09	·03	—	—	·59	—	19
20	·02	·07	·43	—	—	—	Trace	·38	—	—	·22	—	20
21	·29	·04	·09	—	—	—	—	—	—	·12	·02	—	21
22	·78	·01	·03	·16	·21	—	—	—	—	—	·04	—	22
23	·46	—	—	·45	·24	—	·01	·25	—	—	1·04	—	23
24	·46	·01	·03	1·18	·88	·29	·68	·95	—	—	·12	Trace	24
25	·16	·02	—	·34	·10	—	·32	—	—	—	·39	Trace	25
26	·02	·09	—	·28	·10	—	·11	—	—	—	·65	·02	26
27	·02	·24	—	—	·33	—	·12	—	—	·02	·12	·01	27
28	·09	·23	·20	—	·03	—	·01	·18	—	·02	·01	·14	28
29	·07	×	·19	—	·12	—	·04	·33	—	Trace	·05	·19	29
30	·07	×	—	—	·23	—	·06	·03	·07	—	—	—	30
31	1·05	×	·25	×	·13	×	—	—	×		×	·19	31
TOTAL	4·44	3·74	3·08	4·26	3·30	4·19	4·90	4·98	1·77	·96	9·23	2·47	YEAR'S TOTAL 47·32
*Days with ·01 in. or more.	20	22	14	14	19	15	25	16	11	13	23	15	207
*Days with ·04 in. or more.	12	19	10	11	17	13	19	11	8	5	19	8	152

40-9999

½ year 23·01

(Signed) W.A.A. Bouth

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Station No. 1719

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Higher Goodstone - Bickington

in the County of DEVON Newton Abbot

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 400 ft.

Arithmetical errors as under adjusted Observer on D/p. 24/5/33.
dafs
JStench.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	—	·14	—	—	·10	·13	Trace	—	—	·02	1
2	·05	—	—	·20	—	—	·01	—	·10	—	—	·28	2
3	—	—	·12	—	—	·79	·03	—	·55	·03	·04	—	3
4	·08	—	—	—	—	·22	·08	·06	—	—	·38	—	4
5	·87	—	·09	—	—	—	·02	—	·09	—	—	—	5
6	·96	—	·02	·27	—	—	·03	—	·36	Trace	—	—	6
7	·07	—	·01	—	·20	—	—	—	1·22	1·76	—	—	7
8	—	—	·30	·11	·12	—	—	—	·19	·07	·03	—	8
9	2·02	·01	—	·24	Trace	—	—	·02	—	Trace	—	—	9
10	·74	—	·03	·27	·04	—	—	—	·04	·27	—	·05	10
11	·03	[illegible]	—	·01	·09	—	·01	—	—	—	—	·40	11
12	1·39	[illegible]	—	Trace	·77	—	·05	—	·03	·24	·03	·05	12
13	·09	[illegible]	—	·28	·10	—	·10	·36	—	·99	·03	·19	13
14	·37	—	—	·04	·34	—	—	—	—	·05	—	·03	14
15	·06	—	—	·14	·07	—	·14	—	—	·01	—	·05	15
16	·03	—	—	·07	·05	—	1·01	—	—	—	—	·01	16
17	·02	—	—	—	·65	—	—	—	·01	—	·02	·02	17
18	·02	—	—	·03	·49	—	—	—	·04	—	·21	·01	18
19	·02	—	—	·02	—	—	—	—	·14	~~·37~~	—	Trace	19
20	·04	—	Trace	·01	·98	—	—	·15	·05	·37	·21	—	20
21	·02	—	·02	·13	—	—	—	·53	{·96	1·35	·04	·40	21
22	—	—	—	·01	·04	—	·04	·25		·63	·35	—	22
23	—	—	—	—	—	—	·07	·04	·12	·47	·10	·35	23
24	—	Trace	—	—	·02	—	·68	—	·19	·54	·16	—	24
25	—	—	·54	—	—	—	·07	—	·07	·19	·24	·03	25
26	—	—	·23	·08	·24	—	·14	—	—	·40	·12	·01	26
27	—	—	·54	·54	·02	—	·07	—	—	·15	·04	·07	27
28	—	—	·15	·15	·31	Trace	·10	—	—	·35	—	·26	28
29	—	—	·55	{·27	·02	·82	Trace	·72	·96	·77	·22	{·60	29
30	·02	×	·16		·01	2·09	·29	—	·90	·19	1·56		30
31	—	×	·13	×	·19	×			×	·02	×	·91	31 49·17
TOTAL	6·97	·01	2·89 ~~2·89~~	3·01 ~~2·71~~	4·75	3·92 ~~2·72~~	3·04 ~~2·04~~	2·26	6·02	8·78	3·78	3·74 ~~3·71~~	YEAR'S TOTAL 49·17 ~~46·70~~
*Days with ·01 in. or more.	20	1.	10.	21	20	4	19	9	19	20	17	20.	180
*Days with .04 in. or more.	13	Nil	14	16	15	4	14	8	16	17	13	14	144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W.A.A. Booth Comdr. R.N. (Ret'd)

R.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1719

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Higher Goodstone
in the County of Devon
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground ft 10" in.
" Ground " Sea Level 400 ft.

Commander W. A. A. BOLITHO
Royal Navy. Rtd.

corrected 11/1/34
JGO

BA

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·40	—	·18	—	·23	·17	—	—	—	·01	·08	1·98		1
2	1·40	·05	1·20	—	·52	·66	—	—	—	—	·03	—		2
3	·07	·41	·28	—	·15	—	—	—	—	—	—	—		3
4	·32	—	·14	—	·17	—	—	—	—	—	—	—		4
5	·05	·35	·57	—	·12	—	—	—	·01	·03	—	·02		5
6	·01	·15	·05	—	·24	—	·10	—	—	·12	—	—		6
7	·01	·07	·02	—	·08	—	·03	~~·02~~	—	·11	—	—		7
8	—	—	—	—	·04	—	·20	·02	—	·01	—	—		8
9	—	·05	—	—	·18	·08	·33	·03	—	·79	·03	—		9
10	Trace	—	—	—	·01	—	·35	·13	—	·41	·05	—		10
11	—	—	—	—	—	—	·22	·21	—	—	—	·02		11
12	—	—	—	·22	·06	·16	—	·12	·51	·02	—	—		12
13	·02	—	—	—	·06	·05	—	·19	—	·35	·07	·03		13
14	·35	—	—	—	—	T	—	·10	—	·08	·24	—		14
15	·28	·02	·44	—?	—	—	·74	·05	—	·04	·24	—		15
16	·04	—	1·20	—	—	—	·11	·07	·02	·05	—	—		16
17	·02	·06	·14	—	—	·16	·05	·02	·25	—	—	—		17
18	·03	·16	·19	—	—	·03	—	·01	—	—	·09	—		18
19	·49	—	·44	—	—	·05	—	—	·23	—	·61	—		19
20	—	·04	—	—	·01	·16	—	·05	·04	—	·06	·03		20
21	—	·03	—		—	·51	—	·03	—	·39	—	—		21
22	—	—	—	·16	—	·16	—	·41	·74	·58	—	—		22
23	—	95	—	·34	—	·12	Trace	·01	·09	·03	·03	—		23
24	—	1·26	—	{·52	—	—	—	—	·31	—	—	·33		24
25	—	·30	—	}	·03	·25	—	—	·77	—	—	—		25
26	—	·05	—	·10	·16	—	—	—	·01	·05	—	·12		26
27	—	—	—	{	—	—	—	—	—	·41	—	—		27
28	·02	·28	—	·64	·08	—	·37	—	—	·27	—	—		28
29	~~—~~	—	—	·01	—	—	—	—	·11	—	—	{·29		29
30	·04	×	·13	·45	—	—	·18	—	·06	—	—	}		30
31	·45	×	·22	×	·19	×	—	—	×	·11	×	Trace		31
TOTAL	4·00	4·23	5·20	2·44	2·33	2·56	2·68	1·45	3·15	3·86	1·53	2·82	Year's Total 36·25	
*Days with ·01 in. or more.	17	16	14	10	17	13	11	15	13	19	11	9	165	
*Days with .04 in. or more.	11	14	13	9	14	12	10	9	10	11	8	5	129	

40-9999
*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) W A A Bolitho.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1719

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Higher Goodstone, Bickington, Newton Abbot

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft [illegible] in.

,, Ground ,, Sea Level 400 ft.

Bayr

July ·2' high
accept TB

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	·04	—	—	·06	—	1·24	·03	·01	·47	1·02		1
2	·10	—	·02	—	—	—	—	—	1·30	·04	—	·22		2
3	·05	—	—	—	—	—	—	·12	—	·82	—	·77		3
4	—	—	·10	·01	·43	—	—	·05	·10	·35	—	·66		4
5	·13	—	·16	·03	·21	·13	—	1·29	—	·08	·06	·81		5
6	·24	—	·37	·18	·47	—	—	—	·10	·39	·04	·64		6
7	·09	—	—	—	·08	—	—	·13	—	·32	·01	1·18		7
8	—	—	—	—	—	—	—	—	·10	—	·50	·64		8
9	·03	—	·36	—	—	—	—	—	—	—	·62	·32		9
10	·46	—	·72	·54	—	—	·10	·07	—	—	·10	·02		10
11	1·08	trace	·01	·53	—	—	—	—	—	—	—	1·00		11
12	·04	—	—	—	—	—	2·38	·25	—	—	—	·34		12
13	·75	—	·03	·50	—	—	·02	—	—	—	·59	·55		13
14	·76	—	·48	·04	—	—	—	—	—	·14	·12	·42		14
15	·27	—	·18	·02	·08	—	trace	—	—	·30	·09	·38		15
16	·30	—	·46	trace	—	—	—	—	·22	—	·02	·51		16
17	·29	—	·01	·25	·04	—	—	—	·17	·06	—	·58		17
18	·09	—	·12	·62	—	·09	—	—	·08	—	—	·51		18
19	—	—	·35	·01	·02	—	—	·09	·06	·02	—	·32		19
20	—	—	·23	·07	—	—	·19	·01	—	·04	—	·05		20
21	—	—	·28	—	—	·04	—	·05	·02	·68		·38		21
22	·10	—	—	·01	—	·09	·15	·16	·32	trace		·59		22
23	·04	trace	·05	·17	—	1·01	·01	—	·27	·05		·44		23
24	—	·16	·02	·04	—	·24	—	1·28	·15	·17		·15		24
25	·40	·05	—	·31	—	·23	—	—	·03	·76		·94		25
26	—	—	—	·05	—	·23	—	—	·24	·01	·02	·25		26
27	trace	—	—	·02	—	·14	—	·02	·27	·04	·02	·35		27
28	—	—	—	·02	—	—	—	—	·26	·04	—	1·07		28
29	—	—	—	—	—	—	—	·07	—	·07	—	·15		29
30	·01	×	—	—	—	[illegible]	—	—	—	·05	·02	·61		30
31	—	×	—	×	·06	×	—	—	×	·05	×	·02		31
TOTAL	5·27	·21	3·99	3·42	1·39	2·26	2·85	4·83	3·72 ~~4·01~~	4·49	2·68	15·89	Year's Total 51·00	
*Days with ·01 in. or more.	20	2	19	19	8	10	6	14	17	22	14	31	182	
*Days with ·04 in. or more.	18	2	14	12	7	10	4	11	14	19	9	29	149	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) N. H. A. Bolitho

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1719.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Higher Goodstone. Bickington Newton Abbot

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" Ground " Sea Level 400 ft.

Wet days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·03	·44	—	—	·29	·01	—	·27	·11	·06	·51		1
2	—	·02	·02	—	—	·24	·03	—	·18	—	·02	·36		2
3	—	—	·04	—	·57	·29	—	—	·09	x	·13	—		3
4	—	·09	·12	·19	·09	·23	—	—	·07	1·27 ✓	·12	·14		4
5	—	·25	—	·12	—	·40	—	—	·06	x	·02	·33		5
6	—	—	—	·46	—	1·62	—	—	·11	—	·05	·24		6
7	—	—	—	·46	—	·20	—	—	—	·34	·12	·03		7
8	—	—	—	·55	—	—	Trace	—	—	·06	·45	·07		8
9	·01	—	—	·65	—	·03	—	—	·16	1·19	·37	—		9
10	·08	—	·49	·12	—	·15	—	—	—	—	·01	—		10
11	·35	·08	—	Trace	—	·49	—	—	—	·02	·76	·05		11
12	·01	·17	—	—	—	·16	—	·11	·22	—	·24	—		12
13	·01	·12	—	·22	—	·09	—	—	·09	·01	·46	—		13
14	—	·11	—	·15	—	·24	—	—	·02	·02	1·93	·13		14
15	—	·06	·02	1·00	·02	·17	—	—	·14	·02	·53	·09		15
16	—	·09	·34	·24	·65	·04	—	—	·09	—	·84	Trace		16
17	—	—	—	·03	—	·34	Trace	·13	·60	—	·09	·17		17
18	—	·07	—	·29	—	—	Trace	—	·07	—	·04	—		18
19	—	·09	—	·11	·52	·04	·24	—	·63	·34	·67	—		19
20	—	·98	—	·35	·38	·01	·02	—	·10	—	·06	—		20
21	—	·04	·12	·21	—	Trace	—	—	·03	—	·01	—		21
22	·58	·68	—	·15	—	—	—	—	·02	·13	—	—		22
23	·14	·21	·03	·05	·06	—	—	·51	·02	·24	—	·53		23
24	—	·92	—	—	·08	—	—	·49	·07	·05	—	·27		24
25	—	·61	—	—	·54	·24	—	—	·42	—	—	·19		25
26	—	·46	—	—	—	·11	—	·29	·17	·01	—	1·13		26
27	—	·21	—	—	—	—	—	—	·05	·07	·01	·55		27
28	—	·14	—	—	—	—	—	·04	—	·04	·06	·09		28
29	—	—	—	—	·10	—	—	—	·24	·02	—	·75		29
30	—	✕	—	—	·06	·13	—	1·02	·45	·26	1·17	·90		30
31	·06	✕	—	✕	·16	✕	—	·04	✕	1·26	✕	·47		31
TOTAL	1·27	5·43	1·62	5·65	3·23	5·51	3·30	2·63	4·07	5.46	8·22	7·00	Year's Total 50·39	
* Days with .01 in. or more.	8	21	9	18	12	21	4	8	25	21 ~~19?~~	24	20	~~189~~	191
* Days with .04 in. or more.	5	19	6	17	11	19	1	8	21	14?	19	19		159

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W.A.A. Bolitho

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1719

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Higher [illegible] [illegible] Ashburton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

corr: for annual total

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·08	—	·35	—	·42	x {·83} x	—	—	—	Trace	—		1
2	Trace	—	—	·19	—	·23		·03	·57	—	·09	·01		2
3	·01	—	Trace	·88	—	·10	·06	·03	·85	—	·13	—		3
4	·01	·01	·20	·02	—	·03	—	—	·40	—	·12	·25		4
5	·51	·22	·13	—	—	—	·24	—	·10	—	Trace	·20		5
6	·16	—	·05	—	—	·02	·42	·03	·55	—	·39	·03		6
7	·18	—	·33	—	—	—	·10	—	·04	—	·53	—		7
8	·32	—	—	—	—	—	·28	—	·01	—	1·20	—		8
9	·40	1·42	x {·84} x	—	—	·04	·23	—	·06	—	·14	—		9
10	·67	·88		—	—	—	·02 ·63	—	—	—	·22	Trace		10
11	[illegible]	·08	·01	—	—	·10	·41	·02	·26	—	1·17	·04		11
12	·17	—	—	·14	—	—	·06	—	1·45	·06	·08	—		12
13	·01	Trace	—	Trace	—	—	·84	·01	—	—	·17	1·77		13
14	—	·07	—	—	—	·03	·31	—	·04	—	·03	1·02		14
15	~~·01~~	—	—	—	·03	—	·46	—	·34	—	·22	·80		15
16	·01	·16	—	·02	·21	—		—	·06	—	·12	·43		16
17	·17	1·07	—	—	·06	—	—	·02	—	·05	—	1·89		17
18	·34	·26	·23	—	—	·10	·46	—	—	Trace	—	·16		18
19	·78	~~·17~~	·80	·16	—	·45	·07	—	—	—	—	—		19
20	·06	[illegible]	·55	1·03	—	·01	02	—	·52	—	—	·06		20
21	Trace	·17	·07	—	—	—	·32	—	—	—	—	—		21
22	·18	·21	·03	—	·05	—	·49	—	—	—	—	Trace		22
23	—	·03	·03	·20	·15	—	·26	—	—	·16	—	—		23
24	·49	—	·10	·03	·61	—	·01	—	·14	·40	·01	·02		24
25	·54	—	·46	·10	—	—	·14	—	—	·33	—	—		25
26	·41	·07	·25	—	—	—	·02	—	—	·13	—	—		26
27	·12	·07	·08	—	—		24	—	Trace	·23	—	—		27
28	1·57	—	·87	—	—	·02	·32	—	·03	Trace	Trace	·40		28
29	·15	·01	·06	—	—	·16	·32	—	—	·02	·01	·22		29
30	·12	✕	—	—	·01	·09	—	—	—	·01	—	·02		30
31	·23	✕	1·02	✕	·02	✕	—	—	✕	—	✕	·85		31
TOTAL	7·69	4·81	6·11	3·12	1·14	1·80	7·56	·14	5·42	1·39	4·63	8·17	Year's Total ~~48·96~~ 51·98	
* Days with .01 in. or more.	21	16	20	11	8	14	27	6	16	9	16	17	180	
* Days with .04 in. or more.	21	13	17~~14~~	8	5	9	23	—	14	7	13	13	14~~4~~ 3	

† Spare column, no entries required.

(Signed) W. A. A. Bolitho [P.T.O.

* See Instruction 3 (f) on other side.

1720

Section **A** for the entry of Daily

AIR MINISTRY.—ME

Y FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER

1720

NEWTON ABBOT
HIGH WEEK
1931

780306

Kept at Highweek Newton A

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level ab

THE MORNING MEASUREME

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·63	·07	·01	·01	—	·38	·01	—	—	1
2	·53	·01	·01	·58	—	—	—	—	·24	—	·27	·40	2
3	·06	—	·77	—	—	—	·07	—	·08	·01	2·20	·07	3
4	—	—	·18	—	·04	·21	·33	·05	·01	·01	·01	—	4
5	·04	·27	·36	·01	—	·42	·13	—	—	—	·05	·44	5
6	—	·11	—	—	·05	·35	·27	—	—	·23	·16	·42	6
7	—	·02	—	—	·20	·05	1·56	·05	—	·03	1·31	·05	7
8	—	·08	—	·10	—	·46	·02	—	—	·02	·22	·03	8
9	—	·20	—	—	—	·16	·14	—	—	—	·38	—	9
10	—	·07	—	—	·05	·07	·02	·06	·06	—	·70	—	10
11	·09	·38	—	·01	·01	·40	·08	—	·02	—	·33	—	11
12	—	·08	—	—	—	—	·20	—	·05	·15	—	—	12
13	—	·04	·01	—	·08	·01	·52	·14	—	·06	·10	—	13
14	—	·03	·04	—	·04	·13	·83	·06	·01	—	·28	—	14
15	—	·08	—	—	·12	—	—	·66	—	—	—	—	15
16	—	·12	—	·01	·05	·64	—	·03	·14	—	—	·03	16
17	—	·09	—	—	—	·02	·17	·01	·01	—	—	—	17
18	·01	—	·03	·07	—	·25	·05	1·59	—	—	·30	—	18
19	·01	·13	·07	·04	—	·23	·09	·02	·04	—	·57	—	19
20	—	·05	·33	—	—	—	—	·25	—	—	·17	—	20
21	·20	·01	—	—	·15	—	—	—	—	·04	·01	—	21
22	·60	—	·01	·10	·18	—	—	—	—	—	·01	—	22
23	·31	—	—	·22	·95	—	·10	·28	—	—	·73	—	23
24	·32	·01	·01	1·04	·02	·13	·62	·74	—	—	·06	—	24
25	·06	·01	—	·11	·03	—	·25	—	—	—	·25	—	25
26	·01	·02	—	·07	—	—	·10	—	—	—	·59	—	26
27	·09	·18	—	—	·47	—	·05	—	—	—	·06	—	27
28	·08	·13	·13	·01	·01	—	—	·10	—	·02	—	·07	28
29	·02	X	·09	—	·10	—	·05	·40	—	—	·05	·08	29
30	·09	×	—	—	·10	—	—	·07	·04	—	—	—	30
31	·60	×	·42	×	·12	×	·08	—	×	—	×	·20	31
TOTAL	3·12	2·12	2·46	3·00	2·84	3·54	5·74	4·51	1·08	·58	8·81	1·79	YEAR'S TOTAL 34·59
*Days with ·01 in. or more.	17	22	14	14	20	16	23	16	12	10	23	10	197
*Days with ·04 in. or more.	13	15	9	10	16	13	20	13	8	4	20	8	149

40-9999

(Signed) MB Mapleton

P.T.O.

*See Instruction 2 (*f*) on other side.

1720

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Highweek Newton Abbot

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level about 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·63	·07	·01	·01	—	·38	·01	—	—	1
2	·53	·01	·01	·58	—	—	—	—	·24	—	·27	·40	2
3	·06	—	·77	—	—	—	·07	—	·08	·01	2·20	·07	3
4	—	—	·18	—	·04	·21	·33	·05	·01	·01	·01	—	4
5	·04	·27	·36	·01	—	·42	·13	—	—	—	·05	·44	5
6	—	·11	—	—	·05	·35	·27	—	—	·23	·16	·42	6
7	—	·02	—	—	·20	·05	1·56	·05	—	·03	1·31	·05	7
8	—	·08	—	·10	—	·46	·02	—	—	·02	·22	·03	8
9	—	·20	—	—	—	·16	·14	—	—	—	·38	—	9
10	—	·07	—	—	·05	·07	·02	·06	·06	—	·70	—	10
11	·09	·38	—	·01	·01	·40	·08	—	·02	—	·33	—	11
12	—	·08	—	—	—	—	·20	—	·05	·15	—	—	12
13	—	·04	·01	—	·08	·01	·52	·14	—	·06	·10	—	13
14	—	·03	·04	—	·04	·13	·83	·06	·01	—	·28	—	14
15	—	·08	—	—	·12	—	—	·66	—	—	—	—	15
16	—	·12	—	·01	·05	·64	—	·03	·14	—	—	·03	16
17	—	·09	—	—	—	·02	·17	·01	·01	—	—	—	17
18	·01	—	·03	·07	—	·25	·05	1·59	—	—	·30	—	18
19	·01	·13	·07	·04	—	·23	·09	·02	·04	—	·57	—	19
20	—	·05	·33	—	—	—	—	·25	—	—	·17	—	20
21	·20	·01	—	—	·15	—	—	—	—	·04	·01	—	21
22	·60	—	·01	·10	·18	—	—	—	—	—	·01	—	22
23	·31	—	—	·22	·95	—	·10	·28	—	—	·73	—	23
24	·32	·01	·01	1·04	·02	·13	·62	·74	—	—	·06	—	24
25	·06	·01	—	·11	·03	—	·25	—	—	—	·25	—	25
26	·01	·02	—	·07	—	—	·10	—	—	—	·59	—	26
27	·09	·18	—	—	·47	—	·05	—	—	—	·06	—	27
28	·08	·13	·13	·01	·01	—	—	·10	—	·02	—	·07	28
29	·02	X	·09	—	·10	—	·05	·40	—	—	·05	·08	29
30	·09	×	—	—	·10	—	—	·07	·04	—	—	—	30
31	·60	×	·42	×	·12	×	·08	—	×	—	×	·20	31
TOTAL	3·12	2·12	2·46	3·00	2·84	3·54	5·74	4·51	1·08	·58	8·81	1·79	YEAR'S TOTAL 34·59
*Days with ·01 in. or more.	17	22	14	14	20	16	23	16	12	10	23	10	197
*Days with ·04 in. or more.	13	15	9	10	16	13	20	13	8	4	20	8	149

40-9999

(Signed) M B Mapleton

P.T.O.

*See Instruction 2 (*f*) on other side.

1721.

284

Section A for the entry of D

AIR MINISTRY.

FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM No.

REGIST

1.

1721

NEWTON ABBOT

1931 —— 40

780306

Kept at Newton Ab

in the County of Devon

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·40				1
2													2
3			·91								1·89		3
4													4
5													5
6										24		·52	6
7							1·49						7
8													8
9													9
10													10
11		·39											11
12													12
13													13
14													14
15													15
16						·58							16
17													17
18								1·46					18
19													19
20													20
21													21
22													22
23					·85								23
24				1·07									24
25													25
26													26
27													27
28													28
29													29
30		×											30
31	·80	×		×		×			×		×		31
TOTAL	3·56	2·46	2·60	3·47	2·92	3·61	5·32	4·80	1·15	0·66	8·80	1·96	YEAR'S TOTAL 41·31
*Days with ·01 in. or more.	22	24	16	15	20	14	22	14	9	10	21	11	198
*Days with ·04 in. or more.	13	16	9	10	15	13	18	13	7	4	18	7	148
40-9999	90·4	62·5	66·0	88·1	74·2	91·7	135·1	121·9	29·2	16·8	223·5	49·8	1049·2

(Signed) P.T.O.

*See Instruction 2 (*f*) on other side.

1721.

Section **A** for the entry of Daily

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM o.

REGISTER OF RAINFALL IN 1931.

284

Kept at Newton Abbot

in the County of Devon

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·40				1
2													2
3			·91								1·89		3
4													4
5													5
6										24		·52	6
7							1·49						7
8													8
9													9
10													10
11		·39											11
12													12
13													13
14													14
15													15
16						·58							16
17													17
18								1·46					18
19													19
20													20
21													21
22													22
23					·85								23
24				1·07									24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31	·80	✕		✕		✕			✕		✕		31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	3·56	2·46	2·60	3·47	2·92	3·61	5·32	4·80	1·15	0·66	8·80	1·96	41·31
*Days with ·01 in. or more.	22	24	16	15	20	14	22	14	9	10	21	11	198
*Days with ·04 in. or more.	13	16	9	10	15	13	18	13	7	4	18	7	143
40-9999	90·4	62·5	66·0	88·1	74·2	91·7	135·1	121·9	29·2	16·8	223·5	49·8	1049·2

(Signed).................................

P.T.O.

*See Instruction 2 (*f*) on other side.

1721

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

284

Kept at Newton Abbot

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7										1·41			7
8													8
9	1·48	·03											9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20					·80								20
21													21
22													22
23													23
24							·67						24
25			·60										25
26													26
27				·33									27
28													28
29								·53					29
30		X				1·81			1·12		1·18		30
31		X		X	✓	X			X		X	·66	31
TOTAL	4·98 ✓	0·05 ✓	2·57 ✓	2·50 ✓	4·09 ✓	3·58 ✓	1·71 ✓	1·79 ✓	5·15 ✓	7·00 ✓	2·76 ✓	2·94 ✓	YEAR'S TOTAL 39·12
*Days with ·01 in. or more.	20	2	15	20	20	5	17	11	18	19	17	15	179
*Days with ·04 in. or more.	13	0	11	17	15	4	14	6	13	17	9	12	131
40-9999	126·5	1·3	65·3	63·5	103·9	90·9	43·4	45·5	130·8	177·8	70·1	74·7	

(Signed) ....

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 1721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1933.

Kept at Newton Abbot

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 375 ft.

284

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1·54	1
2	·73		·98		(·75)	·60							2
3													3
4													4
5													5
6													6
7													7
8													8
9							·37						9
10										·76			10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19											·70		19
20													20
21													21
22								·30					22
23													23
24													24
25		·98							·89				25
26													26
27													27
28													28
29													29
30		×		·63									30
31		×		×		×			×		×		31
TOTAL	2·91 ✓	4·21 ✓	3·99 ✓	2·58 ✓	2·33 ✓	2·28 ✓	2·29 ✓	1·10 ✓	3·12	3·44 ✓	1·47 ✓	2·25 ✓	YEAR'S TOTAL 31·97 ✓
*Days with ·01 in. or more.	12	17	13	11	15	12	14	13	11	18	11	9	156 ✓
*Days with ·04 in. or more.	9	10	11	10	9	8	11	7	9	13	7	8	112 ✓

40-9999 73·9

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090●

REGISTER OF RAINFALL IN 1934.

173 ~~284~~

Kept at Newton Abbot

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									1·05				2
3										·87			3
4					·36								4
5								·85					5
6													6
7													7
8													8
9											·63		9
10			·50										10
11	·58												11
12							1·44						12
13													13
14													14
15													15
16													16
17													17
18				·66									18
19													19
20													20
21													21
22													22
23						·89							23
24		·08											24
25													25
26													26
27													27
28												·87	28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·94	0.12	2·98	3·10	1·08	1·82	2·00	3·01	3·08	3·18	2·26	11·73	YEAR'S TOTAL 37·30
*Days with ·01 in. or more.	20	3	18	18	7	10	9	16	18	20	14	31	184
*Days with ·04 in. or more.	18	1	13	12	6	8	5	10	14	11	9	27	134

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*)

[P.T.O.

1721

COPY FOR OFFICIAL USE.

Sect **A** for the entry of Daily Observations.

Station No. 284

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Newton Abbot.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 375 ft.

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·59											1
2														2
3														3
4														4
5														5
6						1·16								6
7														7
8														8
9										·95				9
10														10
11	0·25													11
12														12
13														13
14											1·44			14
15				·87										15
16														16
17					·89									17
18									·47					18
19							·14							19
20														20
21														21
22														22
23														23
24		·76												24
25														25
26												·97		26
27														27
28														28
29														29
30		×						·89						30
31		×		×		×			×	·95	×			31
													Year's Total	
TOTAL	062	4·18	1·53	4·31	2·80	4·46	0·16	2·30	3·50	3·96	6·21	5·64	39·67	
*Days with ·01 in. or more.	9	20	9	19	14	22	3	7	24	18	22	23	190	
*Days with .04 in. or more.	4	15	7	16	7	20	1	6	20	12	17	17	142	

40-9999

*See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

1721

Secti **A** for the entry of Daily Observations. Station No. 284

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

TL

Kept at Newton Abbot

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3				1·02					·73					3
4														4
5								·05						5
6														6
7														7
8														8
9		1·18												9
10														10
11											·84			11
12														12
13														13
14							·85							14
15														15
16														16
17												1·27		17
18						·61								18
19														19
20														20
21														21
22														22
23														23
24					·46					·32				24
25														25
26														26
27														27
28	1·15		·71											28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	7·28	4·66	4·94	2·88	1·04	1·60	5·10	0·12	3·24	0·93	3·26	5·32	Year's Total. 40·37	✓
* Days with .01 in. or more.	26	16	21	13	6	12	27	6	17	8	16	18	186	✓
* Days with .04 in. or more.	20	13	17	10	5	9	21	1	14	5	11	13	139	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

284

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

TL

Kept at Newton Abbot (Seale Hayne Coll.)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1												·62		1
2		1·10												2
3														3
4														4
5							·30							5
6														6
7														7
8					·76									8
9									·46					9
10				·71										10
11														11
12	·97													12
13			·92					·82						13
14														14
15														15
16														16
17											1·01			17
18						·35								18
19														19
20														20
21														21
22														22
23														23
24										1·14				24
25														25
26														26
27														27
28														28
29														29
30		☒												30
31		☒		☒		☒			☒		☒			31
													Year's Total	
TOTAL	7·37	7·39	6·01	3·61	2·98	1·22	·72	1·70	2·14	3·69	3·07	3·46	43·36	
* Days with .01 in. or more.	26	23	20	16	14	8	13	6	15	14	11	18	184	
* Days with .04 in. or more.	25	18	16	15	13	7	4	4	10	10	9	13	144	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

284

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 0

REGISTER OF RAINFALL IN 1938

Kept at Newton Abbot (Seale Hayne Coll)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 375 ft.

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·39								1
2														2
3								4·35		·63				3
4								·52						4
5														5
6							1·42							6
7														7
8														8
9														9
10														10
11												·86		11
12														12
13														13
14	·97													14
15														15
16														16
17														17
18														18
19									·36					19
20														20
21														21
22														22
23				·06										23
24			·03											24
25		·56	·03								1·30			25
26					·48									26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Year's Total	
TOTAL	5·59	1·30	·09	·08	2·72	1·21	3·27	7·84	1·63	4·19	6·48	4·38	38·78	
* Days with .01 in. or more.	21	10	4	3	19	13	13	14	12	20	22	21	172	
* Days with .04 in. or more.	18	5	0	1	13	8	10	13	8	17	17	15	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

~~204~~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1721

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM [illegible]0

REGISTER OF RAINFALL IN 1939

Kept at Newton Abbot (Seale Hayne Coll.)

in the County of Devon

T.L.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									·49					2
3				·85										3
4			·71		·36									4
5														5
6							1·09							6
7		·36										·56		7
8										1·26				8
9														9
10														10
11														11
12														12
13										1·26				13
14	1·11													14
15														15
16														16
17														17
18														18
19														19
20								1·46						20
21														21
22						·87								22
23											1·23			23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	6·95	1·90	1·65	3·47	·50	3·35	6·76	2·99	·60	6·01	7·45	2·14	43·77	
* Days with .01 in. or more.	23	13	16	18	6	15	24	16	5	16	24	13	189	
* Days with .04 in. or more.	16	8	8	14	2	12	19	12	2	14	21	12	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE 284

Station No. 1721

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Newton Abbot (Seale Hayne Coll.)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 375 ft.

J. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9							·65							9
10														10
11														11
12														12
13											1·22	·50		13
14														14
15														15
16		1·04	·59											16
17														17
18			·59					·11						18
19									·38					19
20														20
21														21
22						·52								22
23														23
24														24
25														25
26														26
27					·44									27
28	·63													28
29				1·90										29
30		✕								·75				30
31		✕		✕		✕			✕		✕	·50		31
TOTAL	3·35	5·16	3·59	3·96	1·53	·89	2·61	·17	1·26	5·40	7·63	3·27	Year's Total 38·82	
* Days with .01 in. or more.	15	20	16	19	10	5	19	3	10	21	20	16	174	
* Days with .04 in. or more.	11	15	14	12	7	4	10	2	7	17	16	11	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

1723

1723

WOODLANDS. TEIGNMOUTH

1931 — 40

7P0306

Section **A** for the entry

AIR MINISTI

FORM 1090. **REGIS**

931.

FOR OFFICIAL USE.

NFALL ORGANIZATION.

Kept at Woodlands

in the County of Dev

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS... DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	01	-	84	08	02	01	-	25	tr	-	-	1
2	50	-	tr	61	-	tr	-	-	39	tr	06	18	2
3	04	-	73	-	-	-	05	-	03	-	1.25	04	3
4	05	tr	22	-	06	08	23	28	06	tr	01	-	4
5	-	29	26	06	-	51	02	tr	-	tr	03	26	5
6	-	04	-	01	06	16	56	-	-	17	12	42	6
7	-	02	-	-	22	19	06	07	-	06	60	11	7
8	-	06	-	07	-	41	02	01	-	-	13	01	8
9	-	12	-	-	-	07	02	-	-	-	49	tr	9
10	-	02	-	-	03	07	tr	01	25	-	45	-	10
11	07	46	-	-	-	26	06	-	11	-	25	tr	11
12	tr	10	-	-	-	-	13	-	~~[illegible]~~	09	tr	-	12
13	tr	03	02	-	06	tr	12	08	tr	03	-	-	13
14	tr	04	03	-	02	14	98	tr	06	-	34	-	14
15	01	09	-	-	09	tr	-	17	tr	-	-	-	15
16	-	13	-	04	12	39	-	07	11	-	-	06	16
17	-	08	-	06	-	03	08	tr	tr	-	tr	-	17
18	tr	-	tr	15	-	29	03	1.45	-	-	20	-	18
19	-	10	05	10	-	15	03	04	08	-	70	-	19
20	01	03	38	-	-	-	-	19	-	-	13	-	20
21	13	tr	01	-	21	-	-	-	-	03	tr	-	21
22	37	-	-	05	12	-	-	-	-	-	tr	-	22
23	25	01	-	15	68	-	02	10	-	-	43	-	23
24	15	01	01	75	10	31	71	76	-	-	02	-	24
25	12	tr	-	50	05	-	15	-	-	-	19	-	25
26	01	tr	-	08	-	-	18	-	-	-	59	tr	26
27	10	14	-	-	38	-	01	-	-	tr	09	-	27
28	05	11	13	01	01 ~~38~~	01	-	02	-	02	tr	04	28
29	05	-	17	-	14	-	01	22		tr	10	-	29
30	08	X	tr	-	06	-	04	02	01	01	-	-	30
31	58	X	23	X	13	X	-	-	X	-	X	21	31
TOTAL	2.57	1,89	2,24	3,48	2.62	3,09	3,52	3.49	1.35	,41	6.68	1.33	YEAR'S TOTAL 32.67
*Days with ·01 in. or more.	17	20	12	15	19	16	22	15	10	7	20	9	182
*Days with ·04 in. or more.	14	14	8	13	16	13	13	11	8	3	17	8	138

40-9999

(Signed) Sydney B Harris

[P.T.O.

*See Instruction 2 (*f*) on other side.

1723

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Woodlands Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	01	–	84	08	02	01	–	25	tr	–	–	1
2	50	–	tr	61	–	tr	–	–	39	tr	06	18	2
3	04	–	73	–	–	–	05	–	03	–	1.25	04	3
4	05	tr	22	–	06	08	23	28	06	tr	01	–	4
5	–	29	26	06	–	51	02	tr	–	tr	03	26	5
6	–	04	–	01	06	16	56	–	–	17	12	42	6
7	–	02	–	–	22	19	06	07	–	06	60	11	7
8	–	06	–	07	–	41	02	01	–	–	13	01	8
9	–	12	–	–	–	07	02	–	–	–	49	tr	9
10	–	02	–	–	03	07	tr	01	25	–	[illegible]	–	10
11	07	46	–	–	–	26	06	–	11	–	25	tr	11
12	tr	10	–	–	–	–	13	–	[illegible]	09	tr	–	12
13	tr	03	02	–	06	tr	12	08	tr	03	–	–	13
14	tr	04	03	–	02	14	98	tr	06	–	34	–	14
15	01	09	–	–	09	tr	–	17	tr	–	–	–	15
16	–	13	–	04	12	39	–	07	11	–	–	06	16
17	–	08	–	06	–	03	08	tr	tr	–	tr	–	17
18	tr	–	tr	15	–	29	03	1.45	–	–	20	–	18
19	–	10	05	10	–	15	03	04	08	–	70	–	19
20	01	03	38	–	–	–	–	19	–	–	13	–	20
21	13	tr	01	–	21	–	–	–	–	03	tr	–	21
22	37	–	–	05	12	–	–	–	–	–	tr	–	22
23	25	01	–	15	68	–	02	10	–	–	43	–	23
24	15	01	01	75	10	31	71	76	–	–	02	–	24
25	12	tr	–	50	05	–	15	–	–	–	19	–	25
26	01	tr	–	08	–	–	18	–	–	–	59	tr	26
27	10	14	–	–	38	–	01	–	–	tr	09	–	27
28	05	11	13	01	~~38~~ 01	01	–	02	–	02	tr	04	28
29	05	–	17	–	04	–	01	22	–	tr	10	–	29
30	08	×	tr	–	06	–	04	02	01	01	–	–	30
31	58	×	23	×	13	×	–	–	×	–	×	21	31
TOTAL	2.57	1,89	2,24	3,48	2.62	3,09	3,52	3.49	1.35	,41	6.68	1.33	YEAR'S TOTAL 32.67
*Days with ·01 in. or more.	17	20	12	15	19	16	22	15	10	7	20	9	182
*Days with ·04 in. or more.	14	14	8	13	16	13	13	11	8	3	17	8	138

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Sydney B Harris

[P.T.O.

1723

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Woodland Seymours
in the County of Devon
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 98 ft.

1723 Station number
660494/26 Side

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	
1	tr	-	-	08	-	-	03	28	-	-	tr	tr	1
2	tr	-	03	38	-	-	01	03	02	-	-	.14	2
3	tr	-	03	-	-	96	03	-	50	-	.04	02	3
4	tr	-	-	-	-	13	01	-	-	-	25	-	4
5	28	-	03	-	-	-	02	-	02	-	-	-	5
6	49	-	-	09	tr	-	01	-	27	01	-	-	6
7	03	-	tr	06	16	-	01	-	68	1.41	-	-	7
8	-	-	28	tr	12	-	-	-	07	06	01.	-	8
9	1.19	snow 01	-	15	12	-	-	01	-	05	tr	-	9
10	35	-	-	22	01	06	-	-	tr	27	tr	-	10
11	01	-	-	-~~13~~	17	-	-	tr	tr	01	-	24	11
12	57	-	-	10	32	-	04	-	-	07	-	01	12
13	03	-	-	13	02	01	18	62	-	88	-	27	13
14	33	-	-	11	48	-	-	01	-	04	-	tr	14
15	01	-	-	07	09	-	05	-	tr	02	-	tr	15
16	18	-	-	11	-	-	-	-	tr	-	-	-	16
17	tr	-	-	tr	02	-	-	-	tr	01	-	-	17
18	tr	-	-	-	22	-	-	-	04	-	23	-	18
19	03	-	-	01	21	-	-	-	07	11	tr	-	19
20	-	-	-	03	1.09	-	02	04	03	92	14	17	20
21	02	-	08	09	tr	-	~~09~~	15	11	37	03	16	21
22	-	-	-	-	.03	-	.07	14	1.82	37	09	02	22
23	-	-	-	-	02	tr	07	03	tr	54	tr	16	23
24	-	-	-	-	tr	-	70	-	13	03	07	01	24
25	-	-	62	02	-	-	10	-	05	10	04	01	25
26	-	-	08	03	-	-	02	-	-	06	09	tr	26
27	-	-	49	23	08	-	03	-	-	33	02	14	27
28	-	-	06	02	27.	-	tr	-	tr	-	-	08	28
29	-	-	47	08	25	46	-	43	52	43	03	45	29
30	02	×	04	09	01	1.65	20	~~03~~	57	15	1.08	tr	30
31		×	17	×	17	×	02		×	01	×	.80	31
TOTAL	3.54	.01	2,38	2,10	3,86	3.27	1.62	1.74	4.90	6.25	2.12	2.68	YEAR'S TOTAL 34.47
*Days with ·01 in. or more.	14	1	12	20	19	6	19	10	15	23	13	15	167
*Days with ·04 in. or more.	7	-	9	15	13	5	8	6	12	17	9	10	111

40-9999

(Signed) Sydney B Harris

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section | **A** | for the entry of Daily Observations. Station No. 1723

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Woodlands Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	43	32	14	-	05	27	-	-	-	02	-	1·63	1
2	45	tr	89	-	60	54	-	-	-	-	02	.04	2
3	02	04	35	-	01	-	-	-	-	-	-	-	3
4	29	tr	01	-	14	-	-	-	tr	-	-	-	4
5	02	tr	30	-	11	-	-	-	-	01	-	-	5
6	-	52	01	-	12	-	17	-	-	07	tr	-	6
7	tr	01	tr	-	02	-	02	-	-	08	-	.01	7
8	-	tr	tr	-	02	-	06	-	-	tr	-	-	8
9	-	01	-	-	12	01	22	02	-	31	02	-	9
10	-	18	-	-	-	-	23	tr	-	45	02	-	10
11	06	-	-	01	~~03~~	tr	09	14	-	-	-	-	11
12	-	-	-	27	03	12	17	01	67	tr	-	01	12
13	tr	-	-	-	07	-	07	24	-	13	02	-	13
14	03	-	-	-	-	-	27	48	-	12	22	-	14
15	49	-	25	-	-	-	46	tr	-	03	21	-	15
16	-	-	1·05	-	-	01	-	-	tr	07	tr	-	16
17	03	02	·16 ~~14~~	-	-	06	-	tr	06	-	-	-	17
18	10	-	14	-	-	05	-	-	-	-	02	-	18
19	22	-	31	-	-	03	-	03	05	-	48	02	19
20	-	03	-	-	tr	61	-	-	08	-	tr	tr	20
21	-	01	-	-	tr	21	-	08	02	14	tr	tr	21
22	-	-	-	10	-	31	-	25	70	02	tr	-	22
23	-	95	-	12	-	14	-	.	14	32	-	-	23
24	-	41	-	20	-	03	tr	,	37	04	-	-	24
25	-	1.02	-	28	02	15	-	-	63	01	-	06	25
26	-	29	-	16	06	-	-	-	-	36	-	tr	26
27	-	01	.	01	-	-	-	.	01	26	tr	41	27
28	-	10	-	37	14	-	33	-	tr	=	-	15	28
29	05	-	-	12	04	-	-	-	06	-	-	12	29
30	02	×	05	03	-	-	03	-	05	-	-	17	30
31	17	×	15	×	02	×		-	×	06	×		31
TOTAL	2.38	3.92	3.83	1.67.	1.57	2.54	2.12	1.25	2.84	2.50	1.01	2.67	YEAR'S TOTAL 28.30
*Days with ·01 in. or more.	14	15	13	11	16	14	12	8	12	18	8	10	151
*Days with .04 in. or more.	9	9	11	8	10	10	10	5	10	13	3	7	105

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Sydney B Harris

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1723

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Woodlands Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	-	tr	-	-	02	-	77	07	tr	26	53		1
2	08	-	01	-	-	-	-	-	70	02	23	16		2
3	04	tr	-	-	-	-	-	08	-	47	-	32		3
4	06	-	13	02	32	-	-	01	24	10	-	36		4
5	tr	-	06	tr	19	17	-	64	-	09	01	38		5
6	03	tr	35	17	30	-	-	-	01	14	04	43		6
7	01	-	-	-	-	-	-	09	-	14	-	71		7
8	-	-	-	-	07	-	-	-	07	-	48	34		8
9	tr	-	28	-	-	-	-	-	-	tr	45	18		9
10	17	01	27	50	-	-	02	07	tr	-	04	03		10
11	51	-	15	43	-	-	-	01	tr	-	-	·40		11
12	tr	-	-	-	-	-	13	20	-	-	-	21		12
13	58	-	-	43	-	-	01	-	-	-	27	25		13
14	46	-	40	tr	-	-	-	-	-	12	35	38		14
15	05	-	06	tr	04	-	-	-	-	21	13	21		15
16	07	-	35	-	02	-	-	-	17	06	tr	45		16
17	12	-	09	14	01	-	tr	-	06	-	-	25		17
18	11	-	24	71	tr	tr	-	-	04	tr	-	40		18
19	01	-	11	21	tr	tr	-	01	10	tr	-	21		19
20	-	-	02	05	tr	-	01	-	03	01	-	tr		20
21	-	-	13	02	-	05	03	04	-	32	-	69		21
22	tr	-	06	-	-	tr	13	14	20	-	-	88		22
23	04	-	01	14	-	64	tr	16	19	02	-	18		23
24	-	07	02	03	-	22	08	07	-	09	-	tr		24
25	27	10	-	19	-	tr	-	-	tr	37	-	73		25
26	10	-	05	01	-	17	tr	-	03	-	tr	15		26
27	-	-		04	-	02	-	02	04	01	01	31		27
28	-	-		14	-		-	41	27	04	01	76		28
29	-			-	-		-	02	06	05	tr	·03		29
30	01	×		-	-		02	08	05	tr	tr	25		30
31	01	×		×	-	×	tr	20	×		×	·03		31
TOTAL	2.75	.18	2.79	3.23	.95	1.29	.43	3.02	2.33	2.26	2.28	10·21	Year's Total 31.72	
*Days with ·01 in. or more.	20	3	19	16	7	7	8	18	17	17	12	29	173	
*Days with .04 in. or more.	14	2	15	12	5	5	3	13	14	13	9	26	131	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Sydney B Harris

[P.T.O.

COPY FOR OFFICIAL USE.

Station No. 1723

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Woodlands Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Tr	–	·54	–	–	·21	–	–	15	10	07	·12		1
2	–	–	·02	–	–	·08	Tr	–	05	29	08	·12		2
3	–	–	·19	–	·46	·23	–	–	02	58	12	Tr		3
4	·04	·07	–	05	·02	·26	–	–	09	02	02	·35		4
5	·02	·15	·07	05	–	·03	–	–	06	03	05	Tr.		5
6	–	Tr.	Tr.	28	–	89	–	–	–	Tr	02	·22		6
7	–	–	–	26	–	·10	–	–	–	25	08	Tr.		7
8	–	–	–	37	–	–	–	–	·18	02	44	·03		8
9	Tr	–	Tr Sn	37	–	·16	–	–	·02	65	22	–		9
10	·09	–	·32 Sn	·06	–	·03	–	–	–	Tr	Tr	·01		10
11	19	·01	Tr. Sl.	Tr	–	·40	–	–	·12	Tr	43	Tr.		11
12	·02	·13	–	–	–	·34	–	·10	·03	–	22	–		12
13	·02	·02	–	36	–	·10	–		·03	–	23	–		13
14	Tr	·04	–	·07	Tr	·22	–		·15	Tr	98	·17		14
15	–	·01	Tr.	70	·07	·19	–		·02	Tr	27	·09		15
16	–	·03	·17	·11	–	·05	Tr.		·52	Tr	92	–		16
17	–	–	–	·02	93	27	–	·09	·01	–	–	–		17
18	–	·04	–	16	Tr.	–	·06	71	·21	01	03	·12		18
19	–	Tr	–	·05	·41	Tr	·06	–	05	19	37	–		19
20	–	33	–	11	·39	Tr	·04	–	01	–	17	–		20
21	–	·65	–	13	–	Tr	·01	–	04	03	Tr	–		21
22	–	·02	·07	25	–	–	–	–	01	02	–	–		22
23	Tr.	·13	·01	–	·07	–	–	31	04	25	–	·43		23
24	Tr.	·66	–	–	·28	–	–	61	16	04	–	·17		24
25	·18	·36	–	·02	·11	16	–	·018	10	–	–	·10		25
26	–	·81	–	–	–	02	–	18	–	–	Tr	·69		26
27	–	·21	Tr fog.	–	·14	–	–	04	02	01	06	·54		27
28	–	·06	Tr fog	–	–	–	–	03	09	Tr	01	·04		28
29	Tr	×	–	–	·06	–	–	Tr	13	~~33~~ Tr	03	58		29
30	Tr.	×	–	–	·03	·12	–	76	01	33	67	55		30
31		×	–	×	Tr	×	–	03	×	72	×	·25		31
TOTAL	56	3,73	1.33	3.42	2.97	3.86	.19	2,87	2.32	3.59	5,49	4·58	Year's Total 34·91	34·89
*Days with ·01 in. or more.	7	18	8	18	12	19	4	11	26	17	22	18	180	
*Days with .04 in. or more.	4	13	6	16	10	16	3	8	16	10	17	16	135	

40-9999

*See Instruction 2 (*f*) on other side.

X The late S.B. Harris X

† Spare column, no entries required.

(*Signed*) B Harris

mayor.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1723

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Woodlands Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·12	Trace	·12	—	·24	·47	·02		—	·01	·01		1
2	Trace	Trace	—	·15	—	·16	·82	Trace	18	—	·14	Trace		2
3	—	Trace	Trace	1·06	—	·02	·14	—	85	—	·15	Trace		3
4	Trace	—	·18	—	—	·05	Trace		18	—	·29	·12		4
5	·57	·12	·06	—	Trace	—	·09	Trace	22	—	·01	·05		5
6	·05	—	·03	—	—	·02	·16	·01	Trace	—	·27	Trace		6
7	·16	—	·25	—	—	Trace	·01	—	·01	—	·44	·05		7
8	·34	—	·68	—	—	—	·22	—	—	—	·30	·01		8
9	·55	·66	·07	—	—	·01	·42	—	·09	—	·03	—		9
10	·21	·41	—	—	—	—	Trace	—		—	·02	Trace		10
11	71	·03	—	—	·04	·07	·04	·01	·05	—	80	·12		11
12	·01	—	Trace	·04	—	·02	·49	Trace	·37	Trace	·04	·01		12
13	·12	Trace	·03	—	—	—	Trace	Trace	Trace	·02	·08	·89		13
14	Trace	·01	—	—	Trace	Trace	·70	~~·06~~	·14	—	—	·53		14
15	·01	Trace	—	—	—	—	·07	—	·21	—	·13	·34		15
16	—	·15	—	·07	·26	—	·23	—	·02	—	·03	·19		16
17	·05	·84	—	Trace	Trace	—	·26	—	—	·01	Trace	·64		17
18	·27	·15	·20	—	—	·28	·31	Trace	—	·01	—	·07		18
19	·61	Trace	·36	·08	—	·18	·06	06	—	·08	—	—		19
20	·06	28	·21	·06	—	Trace	·03	—	—	—	—	Trace		20
21	Trace	33	·06	·84	—	Trace	·08	—	·26	—	—	Trace		21
22	·13	·13	·11	—	—	—	·15	—	Trace	—	—	·01		22
23	Trace	Trace	Trace	·16	·14	—	·06	—	—	·08	—	—		23
24	·01	·03	·21	Trace	·44	—	Trace	—	—	·24	—	Trace		24
25	·17	—	·59	·14	—	—	·14	—	Trace	·12	—	—		25
26	·29	·05	·10	—	Trace	—	·01	—	·07	·01	—	—		26
27	·55	·05	·03	—	—	—	·15	—	Trace	·18	—	—		27
28	·93	·02	·65	Trace	—	·03	·07	—	—	·01	—	·23		28
29	Trace	·06	Trace	—	—	Trace ~~·03~~	·29	—	—	·04	·12	·03		29
30	21	×	Trace	—	Trace	·11 ~~Trace~~		—	—	·05	—	—		30
31	4	×	·62	×	Trace	×	·03	—	×	—	×	·39		31
TOTAL	6·44	3·44	4·43	2·72	·88	1·20	5·20	·10	2·65	·77	2·66	3·69	Year's Total. 34·18	
* Days with .01 in. or more.	23	17	18	10	4	12	26	4	13	11	16	17	171	
* Days with .04 in. or more.	21	13	15	10	4	7	22	1	11	6	11	12	133	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1723

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at WOODLANDS TEIGNMOUTH
in the County of DEVON
Diameter of Funnel of Gauge 8 in. Type D.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·02	·02	·42		–	–				Trace	·72		1
2	Trace	·43	·04	·19		–	–		·04	Trace	Trace	Trace		2
3	Trace	·15	·02	·04	·03	–	·01			Trace				3
4	·07	·83	Trace	–	Trace	–		Trace				·49		4
5	·05	–	Trace	·07	Trace	–	·31					·10		5
6	·02	·57	·70	20	·02	–	·05					–		6
7	–	·88	·09	–	–	·02					·03	·46		7
8	–	·03	Trace	–	·78		·05				Trace	·08		8
9	·01		·21	·18	·02		Trace	Trace	·50	·05		·02		9
10	·23	·03	·57	·49	Trace	·25	·01					·41		10
11	·03	–	·43	·27	·80	·03	·32	Trace						11
12	·62	·18	·06	·05	Trace	·30	·01	72	·21			·56		12
13	–	Trace	·97	·15			–	·51	Trace					13
14	–	·02	·08	·01			·45	·02				·04		14
15	·36	·09	·28	·28			·02	Trace	·17			·23		15
16	·09	·14	·26	Trace		·02	·01	·07	·75		·49			16
17	·84	·08	·59	–					·04		·67			17
18	·02	·02	·22	Trace		·19	Trace		·26		·14	·16		18
19	·14	·02	·06	·04	·06	Trace	Trace				·02	·04		19
20	·43	·03	·15	·07	·07						–	·39		20
21	·84	·25	·05	Trace	·29				·30	·03	·56	·02		21
22	·27	~~·20~~ Trace	·03	–	·29	21	·06			·54	·29	·04		22
23	·24	·20	–		·06	–	Trace			·12	·38	Trace		23
24	·46	·48	·02		Trace	–			·01	·78		Trace		24
25	Trace	·60	·67		·06	–			·05	·39		Trace		25
26	–	·19	·06		·07	–				Trace		·04		26
27	·08	·27	–			–				·39	·02	–		27
28	·39	·14	–			·02				·16	Trace	Trace		28
29	·07	✕	–			·01				·25	·03	Trace		29
30	·57	✕	–			Trace				·04	·14	–		30
31	·80	✕	–	✕		✕			✕	1·13	✕	Trace		31
TOTAL	6·71	5·65	5·56	2·46	2·55	1·03	1·3	1·32	2·33	3·87	2·77	3·80	Year's Total 39·35	✓
* Days with .01 in. or more.	23	23	22	14	12	8	11	4	10	11	11	16	165	✓
* Days with .04 in. or more.	19	16	18	13	9	4	6	3	9	10	7	14	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T.B. Harris [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1723

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Woodlands Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·02			·03	·35	·05	·35	Trace	·54	Trace	·03		1
2					Trace	·02	Trace			·18	·04	·04		2
3	Trace				·09	Trace	Trace	65		·36	·11	Trace		3
4	Trace				Trace.	·03	·08	·88		·10	Trace	·07		4
5	·01					·01	·03		·04	·19		·01		5
6	·08					·10	1·16		Trace	·12		·07		6
7	·04					·02	·12		·23	·03	Trace	·05		7
8	·48	Trace				·02	·01	·06		·28		Trace		8
9	·14					·25	TH	~~·06~~		Trace		·51		9
10	·10					·02						·40		10
11	·08					·04	·08	·02	Trace		·34	·61		11
12	·36				·16	Trace				·11	·67	·04		12
13	·27				·19					·03	·12	·68		13
14	·78				·16		·54				—	—		14
15	·19				·19		Trace			·14	·09	·19		15
16	·18		·02		Trace					Trace	·18	·05		16
17		·25	·02		·22					·14	Trace	·02		17
18	·16				Trace	·05	Trace	·09	·05	·02	·17	—		18
19	Trace								36		·89	Trace s		19
20	Trace							Trace	·01		·13	Trace s		20
21	Trace								·03		·21	·05		21
22	·02			·03		·05		55		·01	·25	·02		22
23	Trace			·10	Trace						·07	·02		23
24	Trace		·21		·02			·09	·94		·36	—		24
25	·05	·31	·01		·12		·43			·03	1·58	·08		25
26	·31	·20	Trace		·56	Trace	·11			·16	~~·24~~	·03		26
27	·06	Trace		Trace.	·07	·11	·34	·10		·04	·24	—		27
28	·17	·08			·09	·06		1·03	·17	–	Trace	Trace		28
29	·07	×			·29	—			30	·18	·23			29
30	·01	✕			·02	·13	~~·02~~		·03		·14	·05		30
31	·26	✕		✕	·12	✕			✕	·13	✕	·14		31
TOTAL	3·82	·86	26	·13	2·33	1·26	2·97	3·82	2·16	2·79	5·82	3·24	Year's Total 29·46	
* Days with .01 in. or more.	21	5	4	2	15	15	12	10	10	19	18	21	152	
* Days with .04 in. or more.	18	4	1	1	12	9	9	9	7	14	18	15	117	

† Spare column, no entries required.

(Signed) T B Harris Major

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1723

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Woodlands Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12		·04	·03	~~·02~~		Trace	·10	·15		·85	·04		1
2	·20		—	·21			·02	·31	·61		·06	·05		2
3	·47		·03	·60			·04	·05	Trace		·21	·65		3
4	·01		·65	·05	·29		·46	·02		·42	·06	·08		4
5	Trace		·04	·07			·27	·14		·44	·93	·01		5
6	·39		·15	·11			·72	·05		·32	·17	—		6
7	Trace	·36	Trace				·03	·02			·53	·37		7
8	·01	·25	Trace		·03		·07	·02		1·11	·33	·06		8
9	Trace	Trace	·02					·04		·07	·06	·04		9
10	·43					·03		·14	·13	·10	Trace	·14		10
11	—	·02	·07						—	·19	Trace	·02		11
12	Trace	Trace		·02					·01	·02	·01			12
13	·01			·11	Trace	·10	·38		·08	1·11	·04			13
14	·96			Trace	·03	·03	·46		·02	·04	·23	Trace		14
15	·48		Trace	Trace	·04	·54	·20				·13	·02		15
16	·14			·13	Trace		·24				·02			16
17	·74				·03	·20	·32							17
18	Trace	·02	Trace				·59				·42	·14		18
19	·30						·28				·01	·15		19
20	·27					·13	·11	·80				·03		20
21	·01	·21	·04		·01	·27	2·38	·14						21
22	·35	·36	·20	Trace		·67	·16		Trace		·09			22
23	·01		·03	·34		·03	·17				·89			23
24	·94	Trace	·43	·02		·47	·02			·04				24
25	·56	·16	Trace	·04		—	·02	·08		·18	·21			25
26	·01	·03	Trace	·06		·11	Trace	Trace		·12	·18	Trace		26
27		·26		Trace		·04	Trace	·05		·01	·10			27
28		·05		·10		·07	·25		TBH	~~·20~~	·11	Trace		28
29		×		·11		·07	·10			·80	·02			29
30		✕	·02	·29		·05	—	·16		·30	·01			30
31		✕		✕		✕	·02	·07	✕	·33	✕			31
TOTAL	TBH 6·41 ~~6·47~~	1·72	1·72	2·29	·45	2·81	7·31	2·19	1·0	5·1	5·67	1·80	Year's Total 38·47	✓
* Days with .01 in. or more.	20 ~~19~~	10	12	16	7	15	23	16	6	17	24	14	180	✓
* Days with .04 in. or more.	TBH 14	7	8	13	2	13	18	13	4	15	19	10	136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T B Harris major

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1723

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Woodlands TEIGNMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·08		Trace	·04						·11			1
2		·24		·12			·01				·43	·13		2
3	·17	·74		Trace						·10	·58	·19		3
4	·01	·11		·02			·02			·10	·11	Trace		4
5	·03	Trace					Trace			·02	·49	·13		5
6	·21	·56					·01			·23	·04	·17		6
7	·03	Trace		Trace			·19		Trace			·03		7
8	Trace	·06			Trace		·12		Trace	·36	·26	·21		8
9		Trace					·59	·04	·04	·15	·41	·09		9
10			Trace				·30	Trace	Trace	·03	·06	·31		10
11			·03	·06			·21				·67	·05		11
12			·23	Trace		·05	·02		·23		·09			12
13		Trace	·36	·01			Trace			·51	1·29	·21		13
14		·03	·03	·02	·32		·01		·13	·29	·01	·36		14
15		·01		·03			·15		·07	·36	·45	Trace		15
16	·06	·91	·49	·05			·07		·05	·27	·19			16
17		·21	·39	·06			·14				·11			17
18	·09	·19	·30	·65			Trace	Trace	·03	·09	·02	·03		18
19		·11	·14	·13			·18		·60	·02	·17			19
20		Trace	Trace	·01				Trace		·17	·03			20
21		Trace	Trace		·14	Trace		Trace	·01	·02	·39			21
22		·02	·07	·09	·01	·56	Trace	Trace	·04	·02	Trace			22
23	~~·04~~		·13	·02			·02	Trace		·06	·02			23
24	·01 ~~·12~~		Trace	Trace	·06	Trace	·29				Trace			24
25	·12		·25	·07	·20	·02	·01							25
26	·26	·49		·04	·47	·03	·08							26
27	·35	·09	·07	·14	·33						·01			27
28	·40	·13	·01	·08	·01			Trace						28
29	·29		·11	1·36						·02		·16		29
30	·03	✕		·13	·05					·38		·17		30
31	·07	✕	·03	✕		✕			✕	(·68)	✕	1·05		31
TOTAL	2·13	3·98	2·63	3·09	1·63	·66	2·42	·04	1·20	3·88	5·94	3·29	Year's Total 30·89	^
* Days with .01 in. or more.	15	16	15	19	10	4	18	1	9	20	22	15	164	^
* Days with .04 in. or more.	10	13	11	13	8	2	11	1	6	14	17	13	119	^

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T B Harris major
late Devonshire Regt

P.T.O.

Section **A** for the entry of D

AIR MINISTRY.

FORM 1090.

REGIST

1724

FONTIGARY TEIGNMOUTH

1931—34

780306

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

/ .

1724

Kept at Fontigary Coombe

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	Tr	-	1.01	.13	.03	.01	Tr	.35			-	1
2	.48	.01	Tr	.67	Tr	Tr	-	-	.38			.15	2
3	.08	-	.86	-	-	-	.07	.44	.04			.07	3
4	.04	-	.28	Tr	.06	.08	.23	-	.05			-	4
5	-	.30	.33	.06	.01	.53	.02	-	-			.25	5
6	Tr	.05	-	.01		.20	.48	-	-			.40	6
7	-	.03	-	-	.28	.19	.04	.07	-			.12	7
8	Tr	.08	-	.08	Tr	.49	.03	Tr	-			.02	8
9	-	.13	Tr	Tr	-	.12	.05	-	-			-	9
10	Tr	.02	-	-	.04	.06	.01	.02	.25			-	10
11	.07	.34	-	-	Tr	.29	.09	-	.09	1 to 22		-	11
12	Tr	.09	Tr	-	Tr	Tr	.12	-	.02	.46	1 to 23	-	12
13	-	.04	.02	-	.07	.01	.32	.12	-		4.30	-	13
14	Tr	.04	.03	-	.02	.14	.83	Tr	.08			-	14
15	.01	.08	Tr	.01	.14	Tr	Tr	.21	Tr			Tr	15
16	-	.12	-	.03	.16	.45	-	.09	.13			.10	16
17	Tr	.09	-	.05	Tr	.05	.09	.01	Tr			-	17
18	Tr	Tr	Tr	.22	-	.29	.03	1.65	-			-	18
19	.01	.10	.07	.05	-	.32	.04	.04	.07			-	19
20	Tr	.04	.38	Tr	-	-	-	.21	-			-	20
21	.14	Tr	Tr	-	.24	-	-	Tr	-			-	21
22	.34	-	Tr	.10	.14	-	-	-	-			-	22
23	.22	.02	-	.16	.75	-	.03	.25		.05		-	23
24	.14	Tr	.02	1.03	.08	.25	.69	.64			-	-	24
25	.10	.01	Tr	.26	.05	-	.18	-			.26	-	25
26	Tr	-	-	.05	Tr	-	.16	-	.37		.56	Tr	26
27	.14	.14	-	Tr	.35	-	.01	-			.12	-	27
28	.06	.12	-	.01	.08	.01	-	.03			Tr	.03	28
29	.04		.15	-	.08	-	.01	.23			.12	.15	29
30	.08	×	.17	-	.09	-	.01	.02			-	-	30
31	.51	×	.24	×	.16	×	.03	Tr	×		×	.22	31
TOTAL	2.46	1.85	2.55	3.80	2.93	3.51	3.58	4.03	1.83	.51	5.36	1.51	YEAR'S TOTAL 33.92
*Days with ·01 in. or more.	16	20	11	16	20	17	24	15				10	
*Days with ·04 in. or more.	14	15	8	12	17	14	14	11				8	

40-9999

(Signed) John F. Caley

P.T.O.

*See Instruction 2 (*f*) on other side.

1734

Section **A** for the entry of D COPY FOR OFFICIAL USE.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fontigary, Coombe Vale, Teignmouth
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level about 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	Tr	–	1.01	.13	.03	.01	Tr	.35			–	1
2	.48	.01	Tr	.67	Tr	Tr	–	–	.38			.15	2
3	.08	–	.86	–	–	–	.07	.44	.04			.07	3
4	.04	–	.28	Tr	.06	.08	.23	–	.05			–	4
5	–	.30	.33	.06	.01	.53	.02	–	–			.25	5
6	Tr	.05	–	.01	.28	.20	.48	–	–			.40	6
7	–	.03	–	–		.19	.04	.07	–			.12	7
8	Tr	.08	–	.08	Tr	.49	.03	Tr	–			.02	8
9	–	.13	Tr	Tr	–	.12	.05	–	–			–	9
10	Tr	.02	–	–	.04	.06	.01	.02	.25			–	10
11	.07	.34	–	–	Tr	.29	.09	–	.09	1 to 22		–	11
12	Tr	.09	Tr	–	Tr	Tr	.12	–	.02	.46	1 to 23	–	12
13	–	.04	.02	–	.07	.01	.32	.12	–		4.30	–	13
14	Tr	.04	.03	–	.02	.14	.83	Tr	.08			–	14
15	.01	.08	Tr	.01	.14	Tr	Tr	.21	Tr			Tr	15
16	–	.12	–	.03	.16	.45	–	.09	.13			.10	16
17	Tr	.09	–	.05	Tr	.05	.09	.01	Tr			–	17
18	Tr	Tr	Tr	.22	–	.29	.03	1.65	–			–	18
19	.01	.10	.07	.05	–	.32	.04	.04	.07			–	19
20	Tr	.04	.38	Tr	–	–	–	.21	–			–	20
21	.14	Tr	Tr	–	.24	–	–	Tr	–			–	21
22	.34	–	Tr	.10	.14	–	–	–	–			–	22
23	.22	.02	–	.16	.75	–	.03	.25		.05		–	23
24	.14	Tr	.02	1.03	.08	.25	.69	.64			–	–	24
25	.10	.01	Tr	.26	.05	–	.18	–			.26	–	25
26	Tr	–	–	.05	Tr	–	.16	–	.37		.56	Tr	26
27	.14	.14	–	Tr	.35	–	.01	–			.12	–	27
28	.06	.12	–	.01	.08	.01	–	.03			Tr	.03	28
29	.04		.15	–	.08	–	.01	.23			.12	.15	29
30	.08	×	.17	–	.09	–	.01	.02			–	–	30
31	.51	×	.24	×	.16	×	.03	Tr	×		×	.22	31
TOTAL	2.46	1.85	2.55	3.80	2.93	3.51	3.58	4.03	1.83	.51	5.36	1.51	YEAR'S TOTAL 33.92
*Days with ·01 in. or more.	16	20	11	16	20	17	24	15				10	
*Days with ·04 in. or more.	14	15	8	12	17	14	14	11				8	

40-9999

(Signed) John F. Caley [P.T.O.

*See Instruction 2 (*f*) on other side.

1724

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level about 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	-	-	.08	Tr	-	.02	.20	-	-			1
2	Tr	-	.02	.35	-	-	.05	.04	.14	-			2
3	Tr	-	.04	Tr	-	1.05	-	Tr	.37	.02			3
4	.01	-	-	-	-	.14	.02	.02	Tr	-			4
5	.25	-	.03	-	-	-	.02	-	.04	-	.33		5
6	.38	-	Tr	.09	-	-	.03	-	.26	-			6
7	.03	-	Tr	.06	.19	-	Tr	-	.72	1.56			7
8	Tr	-	.27	.01	.13	-	-	-	.06				8
9	1.01	.02	Tr	.11	.10	-	-	.01	-			.75	9
10	.32	-	-	.20	.02	.06	-	-	Tr		-		10
11	.01	-	-	.13	.17	-	-	-	-		.01		11
12	.52	-	-	Tr	.36	-	.06	-	-				12
13	.02	-	-	.13	.02	.01	.17	.65	-				13
14	.26	-	-	.09	.46	-	-	.01	-	2.75			14
15	.01	-	-	.08	.10	-	.06	-	-		.25		15
16	.15	-	-	.13	-	-	-	-	-				16
17	.01	-	-	Tr	.02	-	-	-	.04				17
18	.01	-	-	-	.24	-	-	-	.02			-	18
19	.02	-	-	.02	.28	Tr	-	-	.08		.16	-	19
20	-	-	-	.04	1.03	-	.02	.03	.03			.14	20
21	.02	-	-	.09	Tr	-	Tr	.18	.13		.02	.16	21
22	Tr	-	-		.03	-	.08	.20	1.78	.21	.10	.02	22
23		-	-		.01	Tr	.09	.02	-		.01	.15	23
24		-	-		Tr	-	.70	-	.14		.07	-	24
25		-	-		-	-	.10	-	.03		.06	.02	25
26		-		.64	-	-	.02	-	-			-	26
27	.02	-			.07	-	.04	-	-	2.02	.11	.20	27
28		-	1.82		.30	Tr	.01	-	-		Tr	.08	28
29					.30	.66	-	.41	.57			.46	29
30		×			.02	1.37	.24	-	.76		1.00	-	30
31		×		×	.20	×	.11	-	×		×	.78	31
TOTAL	3.06	.02	2.18	2.25	4.05	3.29	1.84	1.77	5.17	6.56	2.12	2.76	YEAR'S TOTAL 35.07
*Days with ·01 in. or more.		~~1~~			~~20~~	~~6~~	~~18~~	~~11~~	~~16~~				
*Days with .04 in. or more.					~~14~~	~~5~~	~~11~~	~~6~~	~~13~~				

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) John F Caley

[P.T.O.

1724

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1724

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Teignmouth

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Being away from home I regret I am unable to fill in from memory. Nothing altered since 1932 report. J. F. Caley

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.52	.33	.15		.07	.22	–	–	–	.01	Tr	1st to 6th		1
2	.53	.01	.89		.64	.53	–	–	–	–	.02			2
3	.01	.06	.39		.02	Tr	–	–	–	–	–			3
4	.30	.01	.02		.16	–	–	–	–	–	–			4
5	.02	Tr	.28		.15	–	–	–	Tr	.01	–			5
6	Tr	.56	.02		.13	–	.18	–	–	.10	–	2.02		6
7	Tr	.01	–		.02	–	.04	–	–	.07	Tr			7
8	–	Tr	.01		.02	Tr	.04	–	–	–				8
9	–	.01	–		.11	.01	.37	.02	–	.31				9
10	–	.21	–		–	Tr	.15	Tr	–	.47				10
11	.05	Tr	–	10th to 20th	–	–	.08	.13	Tr	Tr	8th to 20th			11
12	Tr	–	–		.08	.13	.23	.02	.85	–				12
13	–	–	–		.03	.01	.04	.56	Tr	.14				13
14	.09	–	–		Tr	–	.33	.42	–	.10				14
15	.44	–	.29		–	Tr	.35	Tr	–	.02				15
16	.Tr	–	.94		–	.01	–	–	–	.06				16
17	.05	.03	.20		–	.06	–	.02	.07	–				17
18	.08	–			–	.04	–	–	Tr	Tr				18
19	.23	–			–	.03	–	.04	.05	–				19
20	Tr	.02		.27	–	.64	–	–	.07	–	1.09			20
21	–	–	18th to 31st	–	Tr	.24	–	.06	.01	.20				21
22	–	–		.11	–	22nd to 28th	–	.14	.76	.02	21st to 30th	7th to 31st		22
23	–	1.03		.17	–		–	.01	.07	.34				23
24	–	.46		.28	–		Tr	–	.41	.05				24
25	–	1.00		.24	.01		–	–	.65	–				25
26	–	.30		.17	.09	.48	–	–	Tr	–				26
27	–	.02		.02	–	–	–	–	.01	.33				27
28	–	.09		.28	.15	–	.34	–	Tr	.27				28
29	.04	×		.16	.03	–	Tr	–	.07	–				29
30	.02	×		.08	–	–	.05	–	.07	–	.02			30
31	.15	×	.13	×	.11	×	–	–	×	.06	×	.99		31
TOTAL	2.53	4.15	3.32	1.78	1.82	2.40	2.20	1.52	3.09	2.56	1.13	3.01	Year's Total 29.51	
*Days with ·01 in. or more.	~~14~~	~~16~~			~~16~~		~~12~~	~~10~~	~~12~~	~~17~~				
*Days with .04 in. or more.	~~11~~	~~9~~			~~10~~		~~12~~	~~6~~	~~10~~	~~13~~				

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John F. Caley

[P.T.O.

1724

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. ~~1724~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Fontigary Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level about 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		Tr				·03	-	·83						1
2						-	-							2
3						-	-							3
4	·22		·15		·36	-	-		1.10	·68		1.16		4
5			·04			·18	-		·03			·93		5
6			·35		·59	-	-		-					6
7						-	-		Tr					7
8						-	-	·94						8
9					·07	-	-	-						9
10				·76	·01	-	·02	Tr		·40		2.04		10
11					-	-	-	·10				·54		11
12						Tr	-		·04		1.64	·22		12
13						-	·14					·33		13
14						-	-					·41		14
15					·04	-	-					·17		15
16	1.91	Tr			·02	-	-					·46		16
17	·11				·01	-	-					·29		17
18	·13				-	-	-			·45		·40		18
19	·09			2.04	·01	·03	-				·80	·21		19
20			2.37		-	-	-	·20				·81		20
21				·06	Tr	·05						·40		21
22				·03	-	·01				·37				22
23				·17										23
24				·02		·96	·17							24
25				·78		·01	-							25
26				·03		·21	-		1.07			1.68		26
27				·04		·02	-				·02	·31		27
28						·01	-					·78		28
29				·23		-	-					·03		29
30		×		Tr		-	Tr	1.00	·40			·28		30
31	·47	×	·30	×		×	·24	·15	×	·63	×	·01		31
TOTAL	2.93	·18	3.21	3.56	1.11	1.51	·57	3.22	2.64	2.53	2.46	11.46	Year's Total 35.38	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John F. Caley

P.T.O.

1725

Section **A** for the entry of

AIR MINISTRY

FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIST 31.

1725

THE HAVEN, TEIGNMOUTH

1931 — 33

SP03.6

Kept at The Haven.

in the County of Dev

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	T	—	.88	.08	.03	.02	—	.21	T	—	—	1
2	.47	.01	—	.61	—	—	—	—	.47	—	.06	.17	2
3	.10	—	.76	—	—	—	.06	—	.04	—	1.50	.08	3
4	.05	—	.23	—	.07	.06	.21	.30	.05	—	.01	—	4
5	—	.31	.31	.06	T	.51	.04	T	—	—	.05	.28	5
6	—	.06	—	.01	.05	.15	.47	—	—	.17	.12	.41	6
7	—	.03	—	—	.22	.22	.06	.07	—	.06	.56	.12	7
8	—	.07	—	.08	—	.41	.01	—	—	—	.07	.02	8
9	.01	.14	T	—	—	.09	.04	—	—	—	.53	—	9
10	—	.02	—	—	.04	.08	.02	.03	.23	—	.44	—	10
11	.06	.39	—	—	—	.27	.04	—	.05	—	.24	—	11
12	—	.12	—	—	—	—	.16	—	.07	.10	—	—	12
13	T	.04	.02	—	.07	T	.08	.09	—	.03	—	—	13
14	T	.04	.03	—	.02	.15	1.04	.01	.06	—	.39	—	14
15	.01	.09	—	.02	.12	—	—	.20	T	—	—	T	15
16	—	.11	—	.02	.12	.42	T	.09	.11	—	—	.09	16
17	T	.09	—	.07	—	.02	.08	—	T	—	.02	—	17
18	—	—	—	.19	—	.20	.03	1.54	—	—	.21	—	18
19	.01	.09	.06	.07	—	.27	.03	.03	.07	T	.53	—	19
20	T	.04	.38	—	—	—	—	.17	—	.03	.18	—	20
21	.18	T	T	—	.23	—	—	—	—	—	—	—	21
22	.41	—	T	.06	.12	—	—	—	—	—	T	—	22
23	.25	.01	—	.16	.73	—	.02	.06	—	—	.43	—	23
24	.16	T	.01	.70	.10	.29	.67	.78	—	—	.03	—	24
25	.11	—	—	.56	.06	—	.15	—	—	—	.20	—	25
26	T	T	—	.08	—	—	.19	—	—	—	.57	T	26
27	.13	.13	—	—	.33	—	.02	—	—	T	.09	—	27
28	.06	.12	.14	.01	T	.01	—	.02	—	.03	—	.04	28
29	.04	×	.18	—	.15	—	.01	.22	—	—	.09	.14	29
30	.07	×	—	—	.08	—	.02	.02	.01	T	—	—	30
31	.57	×	.23	×	.13	×	.03	—	×	T.	×	.21	31
TOTAL	2.69	1.91	2.35	3.58	2.72	3.18	3.50	3.63	1.37	.42	6.32	1.56	YEAR'S TOTAL 33.23
*Days with ·01 in. or more.	17	19	11	16	18	16	24	15	11	6	21	10	184
*Days with ·04 in. or more.	14	15	8	12	16	13	14	10	10	3	18	9	143

40-9999

(Signed) E. E. Moore MD ~~F.R.~~

*See Instruction 2 (*f*) on other side.

1725

Section | **A** | for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Haven, Teignmouth
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 143 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	T	—	.88	.08	.03	.02	—	.21	T	—	—	1
2	.47	.01	—	.61	—	—	—	—	.47	—	.06	.17	2
3	.10	—	.76	—	—	—	.06	—	.04	—	1.50	.08	3
4	.05	—	.23	—	.07	.06	.21	.30	.05	—	.01	—	4
5	—	.31	.31	.06	T	.51	.04	T	—	—	.05	.28	5
6	—	.06	—	.01	.05	.15	.47	—	—	.17	.12	.41	6
7	—	.03	—	—	.22	.22	.06	.07	—	.06	.56	.12	7
8	—	.07	—	.08	—	.41	.01	—	—	—	.07	.02	8
9	.01	.14	T	—	—	.09	.04	—	—	—	.53	—	9
10	—	.02	—	—	.04	.08	.02	.03	.23	—	.44	—	10
11	.06	.39	—	—	—	.27	.04	—	.05	—	.24	—	11
12	—	.12	—	—	—	—	.16	—	.07	.10	—	—	12
13	T	.04	.02	—	.07	T	.08	.09	—	.03	—	—	13
14	T	.04	.03	—	.02	.15	1.04	.01	.06	—	.39	—	14
15	.01	.09	—	.02	.12	—	—	.20	T	—	—	T	15
16	—	.11	—	.02	.12	.42	T	.09	.11	—	—	.09	16
17	T	.09	—	.07	—	.02	.08	—	T	—	.02	—	17
18	—	—	—	.19	—	.20	.03	1.54	—	—	.21	—	18
19	.01	.09	.06	.07	—	.27	.03	.03	.07	T	.53	—	19
20	T	.04	.38	—	—	—	—	.17	—	.03	.18	—	20
21	.18	T	T	—	.23	—	—	—	—	—	—	—	21
22	.41	—	T	.06	.12	—	—	—	—	—	T	—	22
23	.25	.01	—	.16	.73	—	.02	.06	—	—	.43	—	23
24	.16	T	.01	.70	.10	.29	.67	.78	—	—	.03	—	24
25	.11	—	—	.56	.06	—	.15	—	—	—	.20	—	25
26	T	T	—	.08	—	—	.19	—	—	—	.57	T	26
27	.13	.13	—	—	.33	—	.02	—	—	T	.09	—	27
28	.06	.12	.14	.01	T	.01	—	.02	—	.03	—	.04	28
29	.04	×	.18	—	.15	—	.01	.22	—	—	.09	.14	29
30	.07	×	—	—	.08	—	.02	.02	.01	T	—	—	30
31	.57	×	.23	×	.13	×	.03	—	×	T.	×	.21	31
													YEAR'S TOTAL
TOTAL	2.69	1.91	2.35	3.58	2.72	3.18	3.50	3.63	1.37	.42	6.32	1.56	33.23
*Days with ·01 in. or more.	17	19	11	16	18	16	24	15	11	6	21	10	184
*Days with ·04 in. or more.	14	15	8	12	16	13	14	10	10	3	18	9	143

40-9999

(Signed) E. E. Moore M.D. ~~[P.T.O.~~

*See Instruction 2 (*f*) on other side.

1725

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at THE [illegible], LANDSCORE ROAD

in the County of TEIGNMOUTH. Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 143 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .48

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	T	—	—	.09	—	—	.03	.17	—	T	T	—	1
2	T	—	.02	.35	—	—	.01	.04	.01	—	—	.15	2
3	—	—	.04	—	—	.96	.04	—	.48	.02	.03	.03	3
4	.01	—	—	—	—	.14	.01	.02	T	—	.28	—	4
5	.30	—	.05	—	—	—	.02	—	.03	—	T	T	5
6	.52	—	T	.09	—	—	.02	—	.27	—	—	—	6
7	.03	—	T	.06	.19	—	.02	—	.48	1.50	—	—	7
8	T	—	.25	T	.13	—	—	—	.30	.08	T	—	8
9	1.20	snow .02	—	.13	.09	—	—	T	T	.06	—	—	9
10	.37	—	—	.27	.02	.06	—	—	.01	.26	—	.01	10
11	.02	—	T	.09	.18	—	—	—	—	.01	—	.26	11
12	.61	—	—	—	.36	—	.03	—	—	.08	T	.01	12
13	.04	—	—	.15	.02	—	.19	.62	—	.83	T	.25	13
14	.32	—	—	.10	.46	T	—	.02	—	.04	—	T	14
15	.01	—	—	.07	.10	—	.06	—	—	.02	—	T	15
16	.20	—	—	.12	—	—	—	—	—	—	—	—	16
17	T	—	—	.01	.02	—	—	—	T	—	—	—	17
18	—	—	—	—	.23	—	—	—	.04	T	.22	—	18
19	.02	—	—	.02	.18	—	—	—	.08	.11	T	—	19
20	—	—	—	T	1.10	—	T	.04	.03	.91	.15	.16	20
21	.02	—	.08	.14	—	—	—	.17	.11	.35	.02	.17	21
22	—	—	—	—	.04	—	.10	.16	1.86	.35	.10	.01	22
23	—	—	—	—	.02	—	.06	.03	T	.67	T	.17	23
24	—	—	—	—	T	—	.7[illegible]	—	.12	.03	.07	—	24
25	—	—	.63	.03	—	—	.10	—	.06	.10	.05	.01	25
26	—	—	.08	.03	—	—	.04	—	T	.07	.08	—	26
27	—	—	.54	.32	.07	—	.02	—	—	.35	.03	.17	27
28	—	—	.04	.03	.27	—	.01	—	—	T	T	.08	28
29	—	—	.49	.10	.28	.42	—	.42	.53	.45	.03	.48	29
30	.03	×	.02	.13	.01	1.77	.21	T	.71	.14	1.12	T	30
31	—	×	.15	×	.18	×	.01	—	×	.01	×	.77	31
TOTAL	3.70	.02	2.39	2.33	3.96	3.35	1.68	1.69	5.12	6.23	2.18	2.73	YEAR'S TOTAL 35.14
*Days with ·01 in. or more.	15	1	12	20	20	5	19	10	16	22	12	15	167
*Days with ·04 in. or more.	8	—	10	15	15	5	9	7	12	17	8	10	114

40-9999

(Signed) E. E. Moore M.D. P.T.O.

*See Instruction 2 (*f*) on other side.

1725

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Haven · Landscore Rd Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 143 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	·34	.14	—	.06	.27	—	—	—	.02	T	1.90	1
2	.46	.01	.92	—	.63	.52	—	—	—	—	.02	—	2
3	.03	.04	.38	—	.02	—	—	—	—	—	—	—	3
4	.28	T	.02	—	.15	—	—	—	—	—	—	—	4
5	.02	T	.32	—	.13	—	—	—	T	.01	T	—	5
6	—	.57	.02	—	.12	—	.18	—	T	.08	—	—	6
7	T	.01	—	—	.02	—	.02	—	—	.07	—	.01	7
8	—	—	.01	—	.02	—	.07	—	—	T	—	—	8
9	—	.01	—	—	11	T	.21	.03	—	.28	.03	—	9
10	—	.20	—	—	—	—	.23	—	—	.45	.02	—	10
11	.06	—	—	.02	—	—	.09	.14	T	T	—	—	11
12	—	—	—	.26	.03	.11	.16	.02	.67	—	—	.01	12
13	—	—	—	—	.08	—	.08	.31	—	.13	.02	—	13
14	.05	—	—	—	—	—	.23	.46	—	.11	.23	—	14
15	.49	—	.27	—	—	—	.48	—	—	.03	.19	—	15
16	—	—	1.02	—	—	T	—	T	—	.06	T	—	16
17	.05	.03	.21	—	—	.06	—	.01	.06	—	—	—	17
18	.08	—	.13	—	—	.04	T	—	—	—	.02	—	18
19	.21	—	.30	—	—	.03	—	.04	.06	—	.47	.02	19
20	—	.02	—	—	—	.57	—	—	.05	—	T	—	20
21	—	T	—	—	T	.23	—	.10	.01	.16	T	—	21
22	—	—	—	.10	—	.26	—	.24	.63	.02	—	—	22
23	—	.90	—	.14	—	.14	—	T	.21	.32	—	—	23
24	—	.57	—	.21	—	T	T	—	.38	.04	—	—	24
25	—	.98	—	.30	.01	.14	—	—	.65	—	—	.08	25
26	—	.30	—	.16	.08	—	—	—	—	T	—	—	26
27	—	.02	—	.01	—	—	—	—	T	.34	.02	.45	27
28	—	.10	—	.31	.12	—	.33	—	—	.26	—	.16	28
29	.05	×	—	.09	.05	—	—	—	.06	—	—	.12	29
30	.03	×	.06	06	—	—	.03	—	.05	—	—	.11	30
31	.19	×	.14	×	03	×	—	—	×	.06	×	—	31
TOTAL	2.47	4.10	3.94	1.65	1.66	2.37	2.11	1.35	2.83	2.44	1.03	2.86	YEAR'S TOTAL 28·81
*Days with ·01 in. or more.	14	15	14	11	16	11	12	9	11	17	9	9	148
*Days with ·04 in. or more.	11	9	11	9	10	10	1[illegible]	6	10	13	3.	5	107

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) E. E. Moore MD [P.T.O.

2

1726

1726

TEIGNMOUTH - DEN GARDENS

1931 - 1940

780307

Section **A** for the en…
AIR MIN… …NFALL ORGANIZATION. 1726

FORM 1091. **REG… 931.** 150

1938-45

Kept at Den Garder…
in the County of D…
Diameter of Funnel of Gaug…
Height of top of Gauge above…
,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	Trace	-	22-5	0-8	1-0	0-5	-	6-8	Trace	-	-	1
2	11-7	Trace	Trace	15-5	-	-	Trace	Trace	10-7	Trace	1-6	5-0	2
3	1-7	-	17-3	-	-	-	1-3	Trace	0-8	-	42·8	1-6	3
4	1-1	-	4-0	-	2-2	1-5	6-4	1-7	1-3	Trace	0·2	Trace	4
5	-	7-2	4-7	1-3	Trace	12-7	Trace	Trace	-	Trace	0-5	6-8	5
6	-	1-2	-	0-4	1-3	3-9	11-6	-	-	4-1	2·9	9-8	6
7	-	1-0	-	-	5-9	5-8	2-0	1-4	-	1-8	15-0	3-2	7
8	Trace	2-2	-	2-1	-	10-2	0-4	Trace	-	-	1-4	0-4	8
9	Trace	3-8	Trace	-	-	1-8	0-6	-	-	-	15-2	Trace	9
10	0-5	0·3	-	-	0-8	1-8	Trace	0-3	19-0	-	10-6	Trace	10
11	1-7	10-3	-	Trace	Trace	7-1	1-0	-	1-2	-	6-2	-	11
12	Trace	3·0	-	Trace	Trace	-	3-8	-	1-3	2-0	-	-	12
13	Trace	0·8	0-4	-	1-3	Trace	4·5	2-5	-	0-5	-	-	13
14	Trace	0-9	1-0	-	0-5	3-6	24-2	0-4	1-1	-	9-8	-	14
15	0·2	2-3	-	Trace	2·5	Trace	-	4-5	Trace	-	-	0-1	15
16	-	2-6	-	0-5	2-7	10-4	Trace	1-1	3-1	-	-	0-2	16
17	Trace	1-8	-	1-5	Trace	0-3	1-5	0-1	Trace	-	0·1	-	17
18	Trace	-	Trace	5-0	-	4-2	0-5	40-1	-	-	5-5	-	18
19	Trace	2-2	1-2	0-9	-	5-9	0-9	1-5	1-3	Trace	20-5	-	19
20	0·1	1-1	9-4	Trace	-	-	Trace	3-6	-	Trace	3-6	-	20
21	4-6	Trace	Trace	-	5-5	-	-	-	-	0-7	0-1	-	21
22	10·4	-	Trace	0-5	3-0	-	-	-	-	-	Trace	-	22
23	6-9	0·2	-	4-1	19·0	-	0-7	3-5	-	-	12-3	-	23
24	4-7	Trace	Trace	20·0	2-7	9·3	18-6	12-1	Trace	-	0-8	-	24
25	3-2	Trace	Trace	13-3	1-0	-	3-9	-	-	-	6-5	-	25
26	Trace	Trace	-	1-7	-	-	3-9	-	-	-	14-5	Trace	26
27	3-1	2-9	-	Trace	9-2	-	0-5	-	-	Trace	2-1	-	27
28	3-2	3-1	3-1	0-3	2-6	Trace	0-1	0-5	-	0-5	-	0-8	28
29	1-0	×	4-4	-	1-0	-	0-9	5-6	Trace	Trace	2·6	3-9	29
30	1-6	×	-	-	2-0	-	0-5	0-2	Trace	Trace	-	-	30
31	16-5	×	5-3	×	2-6	×	-	-	×	-	×	5-3	31 841·1
TOTAL	72·2	46·9	50·8	89·6	66·6	79·5	88·3	79·1	46·6	9·6	174·8	37·1	YEAR'S TOTAL ~~[illegible]~~
*Days with 0·2 mm. or more.	16	18	10	15	19	15	21	15	10	6	20	10	175
*Days with 1·0 mm. or more.	14	14	9	10	16	14	12	11	9	3	17	7	136

(144 W)
40-9999 M

(Signed) G.F. Rossiter

[P.T.O.

1726

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 1726

FORM 1091.

REGISTER OF RAINFALL IN 1931 .

150

400

1938-45

Kept at Den Gardens. Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	Trace	-	22-5	0-8	1-0	0-5	-	6-8	Trace	-	-	1
2	11-7	Trace	Trace	15-5	-	-	Trace	Trace	10-7	Trace	1-6	5-0	2
3	1-7	-	17-3	-	-	-	1-3	Trace	0-8	-	42·8	1-6	3
4	1-1	-	4-0	-	2-2	1-5	6-4	1-7	1-3	Trace	0·2	Trace	4
5	-	7-2	4-7	1-3	Trace	12-7	Trace	Trace	-	Trace	0-5	6-8	5
6	-	1-2	-	0-4	1-3	3-9	11-6	-	-	4-1	2·9	9-8	6
7	-	1-0	-	-	5-9	5-8	2-0	1-4	-	1-8	15-0	3-2	7
8	Trace	2-2	-	2-1	-	10-2	0-4	Trace	-	-	1-4	0-4	8
9	Trace	3-8	Trace	-	-	1-8	0-6	-	-	-	15-2	Trace	9
10	0-5	0-3	-	-	0-8	1-8	Trace	0-3	19-0	-	10-6	Trace	10
11	1-7	10-3	-	Trace	Trace	7-1	1-0	-	1-2	-	6-2	-	11
12	Trace	3·0	-	Trace	Trace	-	3-8	-	1-3	2-0	-	-	12
13	Trace	0-8	0-4	-	1-3	Trace	4-5	2-5	-	0-5	-	-	13
14	Trace	0-9	1-0	-	0-5	3-6	24-2	0-4	1-1	-	9-8	-	14
15	0·2	2-3	-	Trace	2·5	Trace	-	4-5	Trace	-	-	0-1	15
16	-	2-6	-	0-5	2-7	10-4	Trace	1-1	3-1	-	-	0-2	16
17	Trace	1-8	-	1-5	Trace	0-3	1-5	0-1	Trace	-	0·1	-	17
18	Trace	-	Trace	5-0	-	4-2	0-5	40-1	-	-	5-5	-	18
19	Trace	2-2	1-2	0-9	-	5-9	0-9	1-5	1-3	Trace	20-5	-	19
20	0·1	1-1	9-4	Trace	-	-	Trace	3-6	-	Trace	3-6	-	20
21	4-6	Trace	Trace	-	5-5	-	-	-	-	0-7	0-1	-	21
22	10-4	-	Trace	0-5	3-0	-	-	-	-	-	Trace	-	22
23	6-9	0·2	-	4-1	19·0	-	0-7	3-5	-	-	12-3	-	23
24	4-7	Trace	Trace	20·0	2-7	9·3	18-6	12-1	Trace	-	0-8	-	24
25	3-2	Trace	Trace	13-3	1-0	-	3-9	-	-	-	6-5	-	25
26	Trace	Trace	-	1-7	-	-	3-9	-	-	-	14-5	Trace	26
27	3-1	2-9	-	Trace	9-2	-	0-5	-	-	Trace	2-1	-	27
28	3-2	3-1	3-1	0-3	2-6	Trace	0-1	0-5	-	0-5	-	0-8	28
29	1-0	×	4-4	-	1-0	-	0-9	5-6	Trace	Trace	2·6	3-9	29
30	1-6	×	-	-	2-0	-	0-5	0-2	Trace	Trace	-	-	30
31	16-5	×	5-3	×	2-6	×	-	-	×	-	×	5-3	31 841·1
TOTAL	72·2	46·9	50·8	89·6	66·6	79·5	88·3	79·1	46·6	9·6	174·8	37·1	YEAR'S TOTAL ~~[illegible]~~
*Days with 0·2 mm. or more.	16	18	10	15	19	15	21	15	10	6	20	10	175
*Days with 1·0 mm. or more.	14	14	9	10	16	14	12	11	9	3	17	7	136

(144W)

40-9999 M

(Signed) G.F. Rossiter [P.T.O.

1726

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1931.

292

150
400
mm

Kept at Teignmouth
in the County of Devon

Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·89									1
2													2
3			·68								1·69		3
4													4
5						·50							5
6										·16		·39	6
7													7
8													8
9													9
10									·75				10
11		·41											11
12													12
13													13
14							·95						14
15													15
16													16
17													17
18								1·58					18
19													19
20													20
21													21
22													22
23					·75								23
24													24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31	·65	✕		✕		✕			✕		✕		31
TOTAL	2·84	1·85	2·00	3·53	2·62	3·13	3·48	3·11	1·83	0·38	6·88	1·46	YEAR'S TOTAL 33·11
*Days with ·01 in. or more.	16	18	10	15	19	15	21	15	10	6	20	10	175
*Days with ·04 in. or more.	14	14	9	10	16	14	12	11	9	3	17	7	136
40-9999	72·2	46·9	50·8	89·6	66·6	79·5	88·3	79·1	46·6	9·6	174·8	37·1	841·1

(Signed)..........

P.T.O.

*See Instruction 2 (*f*) on other side.

1726

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091

REGISTER OF RAINFALL IN 1932.

150 400

Kept at Den Gardens, Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.1	-	-	2.3	-	-	0.5	1.0	Trace	-	Trace	Trace	1
2	Trace	Trace	Trace	8.5	Trace	-	1.1	·8	0.8	-	Trace	3.6	2
3	Trace	-	0.9	-	Trace	27.3	Trace	-	10.7	0.5	0.8	0.8	3
4	0.2	-	-	-	-	2.7	0.3	·1	Trace	-	6.8	-	4
5	7.0	-	1.0	-	-	-	0.5	-	0.7	-	-	-	5
6	11.7	-	Trace	2.5	Trace	-	0.4	-	7.4	-	-	-	6
7	0.4	-	Trace	1.0	4.4	-	Trace	-	21.5	39.3	-	-	7
8	Trace	-	5.6	0.1	2.8	-	-	-	2.3	0.9	Trace	-	8
9	31.8	0.2	-	5.2	1.8	-	-	Trace	-	1.3	-	-	9
10	9.0	-	-	4.6	0.4	1.6	-	Trace	Trace	6.1	Trace	Trace	10
11	0.6	-	Trace	1.7	4.5	-	-	Trace	Trace	0.2	-	4.6	11
12	16.4	Trace	-	-	8.9	-	1.2	-	Trace	2.3	Trace	0.2	12
13	0.7	-	-	4.1	0.9	Trace	3.8	16.0		21.9	Trace	7.5	13
14	8.7	-	-	1.5	12.2	-	-	Trace		0.7	-	Trace	14
15	0.3	-	-	1.6	2.3	-	1.1	-		0.5	-	Trace	15
16	5.8	-	-	2.7	-	-	Trace	-		Trace	-	Trace	16
17	Trace	-	-	Trace	0.4	-	-	-	Trace	Trace	Trace	Trace	17
18	Trace	-	-	-	6.1	-	-	-	1.2	Trace	5.8	Trace	18
19	0.7	-	-	0.5	5.2	-	-	-	1.8	3.1	Trace	Trace	19
20	-	-	-	0.5	28.7	-	Trace	1.0	0.5	24.1	3.3	5.6	20
21	0.5	-	2.0	2.2	Trace	-	Trace	3.8	2.8	10.4	0.8	4.5	21
22	Trace	-	-	Trace	1.1	-	2.8	2.8	46.2	9.7	2.5	0.5	22
23	-	-	-	-	0.3	-	1.7	0.4	Trace	16.8	Trace	4.1	23
24	-	-	-	-	Trace	-	17.8	-	3.0	0.7	1.7	Trace	24
25	-	-	15.5	1.1	Trace	-	2.5	-	1.7	2.6	1.2	Trace	25
26	-	-	2.2	0.6	-	-	0.9	-	-	1.7	2.0	-	26
27	-	-	13.0	7.2	2.1	-	0.6	-	-	6.8	0.6	4.3	27
28	-	-	0.7	0.6	5.7	Trace	0.2	Trace	-	-	-	2.2	28
29	-	-	13.0	2.0	6.7	14.9	Trace	12.3	12.6	12.0	1.1	12.4	29
30	1.0	×	0.8	2.4	0.1	45.0	5.0	-	19.1	3.8	26.1	Trace	30
31	-	×	5.0	×	4.1	×	1.8	-	×	0.2	×	23.0	31
TOTAL	94.9	0.2	59.7	52.9	98.7	91.5	42.2	38.2	132.3	165.6	52.7	73.3	YEAR'S TOTAL 902.2
Days with 0·2 mm. or more.	15	1	11	20	19	5	17	8	15	22	12	13	158
Days with 1·0 mm. or more.	8	-	11	16	15	5	10	6	12	15	9	10	117
	3.74	0.01	2.35 8	2.08	3.89	3.60	1.66	1.50	5.21	6.52	2.07	2.89	35.52 4

(144W)

40-9999

(Signed) G. J. Rossiter

[P.T.O.

1726

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

292

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Teignmouth

in the County of Devon

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

,, Ground ,, Sea Level 20 ft.

150

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				·33									2
3													3
4													4
5													5
6													6
7										1·55			7
8													8
9	1·25	·01											9
10													10
11													11
12													12
13								·63					13
14													14
15													15
16													16
17													17
18													18
19													19
20					1·13								20
21													21
22									1·82				22
23													23
24							·70						24
25													25
26													26
27													27
28													28
29													29
30		×				1·77					1·03		30
31		×		×		×			×		×	·91	31
TOTAL	3·74	0·01	2·35	2·08	3·89	3·60	1·66	1·50	5·21	6·52	2·07	2·89	YEAR'S TOTAL 35·52
*Days with ·01 in. or more.	15	1	11	20	19	5	17	8	15	22	12	13	158
*Days with ·04 in. or more.	8	0	8	16	15	5	10	6	12	15	9	10	114
	94·9	0·2	59·7	52·9	98·7	91·5	42·2	38·2	132·3	165·6	52·7	73·3	

40-9999

(*Signed*) ..... P.T.O.

*See Instruction 2 (*f*) on other side.

√ KJ. 1726

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Den Gardens Teignmouth
in the County of Devon
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 20 ft.

150
400
convert
Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.6	8.2	3.4	–	1.5	6.2	–	–	–	Trace	Trace	46.4	1
2	13.7	Trace	25.0	–	13.7	13.4	–	–	–	–	0.2	2.1	2
3	0.8	1.3	8.3	–	0.3	Trace	–	–	–	–	–	–	3
4	7.5	Trace	0.4	–	3.6	–	–	–	–	–	–	–	4
5	0.7	Trace	8.5	–	2.6	–	–	–	Trace	0.2	–	–	5
6	(fog) Trace	13.8	0.3	–	3.2	–	4.6	–	Trace	1.5	–	–	6
7	Trace	0.2	Trace	–	0.3	–	0.4	–	–	1.8	–	Trace	7
8	Trace	Trace	0.2	–	0.8	–	2.0	–	–	Trace	–	–	8
9	–	0.3	–	–	3.2	0.1	5.7	0.8	–	7.4	0.7	–	9
10	–	4.7	–	–	–	–	6.3	Trace	–	11.8	Trace	–	10
11	1.7	–	–	0.2	–	–	3.0	2.7	Trace	–	–	–	11
12	–	–	–	7.0	1.0	2.8	4.4	0.8	16.1	Trace	–	0.2	12
13	Trace	–	–	–	1.5	Trace	2.2	5.1	–	3.2	0.3	–	13
14	1.7	–	–	–	–	–	6.2	9.7	–	3.1	5.8	–	14
15	12.8	–	7.0	–	–	–	12.5	0.1	–	0.6	4.9	–	15
16	–	Trace [Snow]	30.2	–	–	Trace	Trace	Trace	Trace	1.3	–	–	16
17	0.7	0.7	4.6	–	–	1.8	–	0.2	2.3	–	–	–	17
18	1.8	–	3.1	–	–	0.7	–	Trace	–	–	0.7	–	18
19	5.7	–	6.8	Trace	–	0.8	–	Trace	1.5	–	12.5	0.3	19
20	–	Trace	Trace	Trace	Trace	12.1	–	0.4	0.7	–	Trace	(fog) Trace	20
21	–	Snow 0.2	–	Trace	Trace	5.1	–	2.6	0.6	3.2	Trace	–	21
22	–	–	–	2.7	–	7.1	–	5.4	23.2	Trace	Trace	–	22
23	–	27.8	–	4.0	–	3.5	–	–	2.3	8.1	–	–	23
24	–	14.2	–	5.9	–	Trace	Trace	Trace	7.8	0.3	–	–	24
25	–	29.4	–	6.7	0.2	3.4	–	–	14.3	–	–	2.0	25
26	–	6.4	–	4.3	1.6	–	–	–	–	Trace	–	–	26
27	–	Trace	–	0.3	–	–	Trace	–	Trace	9.1	Trace	12.1	27
28	Trace	2.0	–	10.0	3.0	–	7.7	–	Trace	6.5	–	3.3	28
29	0.9	×	–	2.9	2.0	–	Trace	–	1.5	–	–	2.8	29
30	1.0	×	1.6	1.1	–	–	0.7	–	1.6	–	–	2.7	30
31	4.5	×	3.5	×	0.8	×	–	–	×	0.7	×	–	31
TOTAL	62.1	109.2	102.9	45.1	39.3	57.0	55.7	27.8	71.9	58.8	25.1	71.9	YEAR'S TOTAL 726.8
*Days with 0·2 mm. or more.	14	13	14	11	16	~~12~~ 11	12	9	11	15	7	9	14~~3~~ 2
*Days with 1·0 mm. or more.	10	9	11	9	11	9	10	5	9	11	3	7	104
	2.44	4.30.	4.05	1.78	1.55	2.24	2.19	1.09	2.83.	2.31.	0.99	2.83.	28.60.

(144W)
40-9999

(Signed) G. F. Rossiter

[P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

1726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1933.

292

Kept at Teignmouth (Den Gardens)
in the County of Devon

Diameter of Funnel of Gauge.................in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level 20 ft.

150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1.81	1
2	·54				·54	·53							2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10										·46			10
11													11
12													12
13													13
14								·38					14
15							·49						15
16			1·19										16
17													17
18													18
19											·49		19
20													20
21													21
22									·91				22
23													23
24													24
25		1·16											25
26													26
27													27
28				·39									28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.44	4:30	4·05	1·78	1·55	2·24	2·19	1·09	2·83	2·31	0·96	2·83	YEAR'S TOTAL 28 57
*Days with ·01 in. or more.	14	13	14	11	16	11	12	9	11	15	6	9	141
*Days with ·04 in. or more.	10	9	11	9	11	9	10	5	9	11	3	7	104
40-9999	62·1	109·2	102·9	45·1	39·3	57·0	55·7	27·8	71·9	58·8	24·4	71·9	

(Signed)..............................

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE. W✓ J. ✓

Section **A** for the entry of Daily Observations. Station No. 1726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Den Gardens. Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 20 ft.

Duplicate

150

400

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	0·1	–	Trace	–	–	Trace	–	21·7	0·8	Trace	6·5	15·0		1
2	2·2	–	Trace	–	–	–	–	–	16·6	0·3	4·6	3·9		2
3	1·0	Trace	–	–	–	–	–	6·0	–	11·5	–	8·9		3
4	1·5	–	3·6	0·3	8·2	–	–	0·8	6·4	2·3	–	10·7		4
5	Trace	–	0·6	Trace	5·1	4·1	–	17·1	–	2·3	0·3	10·6		5
6	1·0	–	9·8	3·0	7·9	–	–	–	0·2	4·1	1·0	11·9		6
7	0·5	–	–	–	–	–	–	2·2	–	3·9	Trace	20·7		7
8	–	–	–	–	1·4	Trace	–	–	1·9	–	12·3	11·0		8
9	Trace	–	8·2	Trace	–	–	–	Trace	–	Trace	13·2	3·2		9
10	4·6	0·5	5·5	10·1	–	–	0·3	2·1	–	–	1·0	1·0		10
11	14·2	–	3·3	11·7	–	–	Trace	0·5	–	–	–	13·0		11
12	Trace	Trace (fog)	–	–	–	–	3·5	4·3	–	–	–	4·8		12
13	14·0	–	–	11·6	–	Trace	Trace	–	–	–	6·0	6·0		13
14	10·4	–	11·5	0·8	–	–	–	–	–	2·7	8·3	10·0		14
15	1·1	–	1·3	Trace	1·1	–	Trace	–	Trace	6·6	3·4	4·8		15
16	2·1	–	9·5	–	0·5	–	–	–	4·5	Trace	Trace	11·9		16
17	3·1	–	2·0	3·3	0·2	–	Trace	–	1·6	1·7	–	6·9		17
18	4·2	–	7·5	18·6	Trace	0·2	–	–	1·8	Trace	–	10·2		18
19	0·2	–	3·9	4·9	Trace	Trace	–	Trace	2·5	Trace	–	6·5		19
20	–	–	0·3	1·3	Trace	–	Trace	–	0·6	Trace	–	Trace		20
21	–	–	3·2	0·8	–	0·5	0·8	0·3	Trace	9·2	–	17·7		21
22	0·2	–	1·5	–	–	–	3·8	1·9	5·7	0·2	Trace	22·0		22
23	1·7	Trace	Trace	4·6	–	16·4	Trace	5·8	6·1	0·4	–	3·7		23
24	–	1·5	Trace	Trace	–	5·9	1·9	2·2	Trace	3·7	–	1·0		24
25	8·2	2·6	–	4·8	–	Trace	–	–	Trace	10·6	–	20·6		25
26	2·9	Trace	0·9	0·4	–	4·5	Trace	–	0·3	Trace	Trace	4·0		26
27	–	–	–	1·1	–	0·5	–	0·7	1·1	Trace	0·2	6·0		27
28	–	–	–	4·6	–	Trace	–	11·8	6·6	0·4	Trace	22·3		28
29	–	×	–	–	–	–	Trace	Trace	1·3	1·0	Trace	0·8		29
30	Trace	×	–	–	–	–	0·2	2·0	1·3	0·2	Trace	7·4		30
31	0·2	×	–	×	Trace	×	Trace	4·1	×	0·2	×	0·7		31
TOTAL	73·4	4·6	72·6	81·9	24·4	32·1	10·5	83·5	59·3	61·3	56·8	277·2	Year's Total. 8~~7~~3 7·6	
* Days with 0.2 mm. or more.	19	3	16	16	7	7	6	16	17	18	11	30	166	
* Days with 1.0 mm. or more.	15	2	13	12	5	4	3	12	13	12	9	2~~9~~8	12~~9~~8	

(144 w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999 (Signed) G. F. Rossiter [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Teignmouth [illegible]

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 20 ft.

150

400

292

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·85					1
2									·65				2
3										·45			3
4					·32								4
5													5
6													6
7													7
8													8
9											·52		9
10													10
11	·56												11
12													12
13													13
14			·45										14
15													15
16													16
17													17
18				·73									18
19													19
20													20
21													21
22							·15						22
23						0·65							23
24													24
25		·10											25
26													26
27													27
28												·88	28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·89 ✓	0·18 ✓	2·86 ✓	3·22	0·96 ✓	1·26 ✓	0·41 ✓	3·28 ✓	2·33 ✓	2·41	22·04 2·24 ✓	10·92 ✓	YEAR'S TOTAL 32·96
*Days with ·01 in. or more.	19	3	16	16	7	7	6	16	17	18	11	30	166
*Days with .04 in. or more.	15	2	13	12	5	4	3	12	13	12	9	28	128
40-9999	73·3	4·6	72·6	81·9	24·4	32·1	10·5	83·4	59·3	61·3	56·8	277·2	

*See Instruction 2 (*f*) on other side.

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at Den Gardens Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 20 ft.

150
400
TL Correct

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	Trace	Trace	15·0	—	—	5·8	Trace	—	4·4	1·6	2·6	3·2		1
2	—	Trace	0·8	—	—	2·0	—	—	1·3	8·3	2·0	3·3		2
3	Trace	Trace	3·2	—	11·3	5·4	—	—	0·9	11·0	3·1	Trace		3
4	0·9	1·7	Trace	1·3	0·3	6·7	—	—	2·0	0·6	1·3	7·9		4
5	0·2	3·4	1·5	1·6	—	1·1	—	—	1·8	0·7	0·5	Trace		5
6	—	Trace	Trace	7·1	—	25·4	—	—	—	Trace	0·6	5·3		6
7	—	—	—	7·5	—	3·0	—	—	—	6·1	3·1	0·2		7
8	—	—	—	9·1	—	Trace	Trace	—	4·6	0·5	12·4	0·8		8
9	Trace	—	Trace	10·4	—	4·3	Trace	—	0·6	17·7	6·2	—		9
10	1·9	—	5·8	1·9	—	0·8	Trace	—	—	Trace	Trace	0·3		10
11	4·9	Trace	0·7	Trace	—	9·1	—	—	3·1	0·7	11·5	Trace		11
12	0·3	2·7	—	—	—	9·4	—	1·4	0·9	—	5·5	—		12
13	0·4	2·0	—	8·8	—	2·9	—	—	0·8	Trace	5·3	—		13
14	Trace	0·7	—	3·4	Trace	4·7	—	—	4·5	Trace	25·5	4·5		14
15	—	1·1	Trace	19·6	1·5	4·0	—	Trace	0·8	Trace	7·2	2·2		15
16	—	0·9	4·6	4·1	—	0·9	Trace	Trace	15·3	Trace	24·4	Trace		16
17	—	Trace	—	0·2	24·6	7·5	Trace	2·2	0·3	—	Trace	—		17
18	—	1·7	Trace	4·4	Trace	Trace	0·9	16·5	6·0	—	0·5	3·8		18
19	—	Trace	—	1·6	11·4	Trace	1·6	—	1·5	3·8	12·3	Trace		19
20	—	9·3	—	3·2	8·8	Trace	Trace	—	Trace	—	4·1	—		20
21	Trace	17·4	Trace	2·1	—	Trace	Trace	—	1·2	0·9	Trace	—		21
22	—	1·0	2·2	6·6	—	—	—	—	Trace	0·3	—	—		22
23	Trace	2·8	0·9	—	1·5	—	—	7·6	1·0	7·4	—	11·7		23
24	0·2	17·8	—	—	9·2	—	—	14·9	5·1	0·7	—	5·5		24
25	3·9	9·3	—	Trace	0·3	4·1	—	Trace	—	—	—	2·5		25
26	—	24·5	—	—	—	0·3	—	4·6	3·1	Trace	Trace	18·6		26
27	—	5·3	Trace	—	2·7	—	—	1·2	0·5	Trace	1·4	12·8		27
28	~~Trace~~	1·1	—	—	—	—	Trace	0·5	2·3	Trace	Trace	1·3		28
29	Trace	×	—	—	1·6	Trace	—	Trace	4·1	Trace	Trace	16·0		29
30	Trace	×	Trace	—	0·9	2·9	—	21·1	0·3	8·8	17·5	15·6		30
31	—	×	—	×	Trace	×	—	0·6	×	21·8	×	6·8		31
TOTAL	12·7	102·7	34·7	92·9	74·1	100·3	2·5	70·6	66·4	90·9	147·0	122·3	Year's Total 917·1	
* Days with 0.2 mm. or more.	8	17	9	17	12	19	2	10	24	16	20	19	173	
* Days with 1.0 mm. or more.	3	15	6	16	9	16	1	8	16	9	17	16	132	

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999

(*Signed*) G. F. Rossiter

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

292

Kept at Teignmouth (Den Gardens)

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" Ground " Sea Level 20 ft.

Dup 150 400 TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·59											1
2														2
3														3
4														4
5														5
6						1·00								6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14											1·00			14
15				·77										15
16									·60					16
17					·97									17
18														18
19							·06							19
20														20
21														21
22														22
23														23
24														24
25														25
26		·96										·73		26
27														27
28														28
29														29
30		×						·83						30
31		×		×		×			×	·86	×			31
TOTAL	·50	4·04	1·37	3·66	2·92	3·95	10	2·78	2·61	3·58	5·79	4·82	Year's Total 36·12	
*Days with ·01 in. or more.	8	17	9	17	12	19	2	10	24	16	20	19	173	
*Days with ·04 in. or more.	3	15	6	16	9	16	1	8	16	9	17	16	132	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1726.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

Kept at Den Gardens Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. : in.

„ Ground „ Sea Level 20 ft.

T.L. - 150

Lowest 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	1.5	2.2	Trace	4.8	–	5.6	13.4	0.6	–	–	0.3	0.2		1
2	Trace	Trace	Trace	3.2	–	5.4	27.0	Trace	1.0	–	3.0	Trace		2
3	Trace	Trace	Trace	22.2	–	0.7	4.1	Trace	26.2	–	4.2	Trace		3
4	Trace	–	5.0	Trace	Trace	1.2	Trace	–	3.8	–	2.4	2.5		4
5	14.9	3.4	1.4	–	Trace	–	1.7	Trace	0.4	–	0.1	1.3		5
6	2.0	–	1.0	–	–	0.4	4.8	Trace	7.8	–	7.6	Trace		6
7	3.0	–	8.2	–	–	Trace	0.4	–	Trace	–	10.1	1.1		7
8	12.2	–	17.3	–	–	–	5.2	–	Trace	–	9.2	0.3		8
9	15.9	20.0	2.1	–	–	Trace	10.1	–	1.4	–	0.5	–		9
10	4.6	12.1	–	–	–	–	Trace	–	–	–	3.1	Trace		10
11	17.0	1.1	–	–	Trace	1.9	1.3	Trace	1.4	–	20.9	2.7		11
12	Trace	–	Trace	0.5	Trace	0.9	4.4	Trace	9.4	Trace	0.3	0.3		12
13	2.2	Trace	Trace	–	–	–	0.3	Trace	Trace	Trace	1.5	26.9		13
14	Trace	Trace	–	–	–	Trace	17.2	Trace	3.5	Trace	Trace	14.9		14
15	Trace	0.2	–	–	Trace	–	0.2	–	5.3	–	2.6	10.8		15
16	Trace	4.2	–	1.6	6.8	–	5.6	–	0.5	–	1.2	5.6		16
17	1.0	25.2	–	0.4	0.2	–	8.3	Trace	–	0.2	0.1	19.1		17
18	6.4	4.1	5.0	–	–	12.7	9.2	Trace	–	Trace	–	1.4		18
19	17.1	Trace	9.4	2.3	–	0.7	Trace	0.2	–	Trace	–	–		19
20	1.9	7.2	6.2	0.8	–	Trace	0.5	Trace	6.1	–	–	Trace		20
21	Trace	5.4	3.1	22.5	–	Trace	3.1	–	–	–	–	Trace		21
22	3.5	7.3	0.9	–	–	–	5.3	–	–	Trace	–	0.3		22
23	Trace	Trace	Trace	4.7	6.4	–	3.1	–	–	1.3	Trace	Trace		23
24	8.6	0.8	5.4	Trace	5.8	–	Trace	–	3.9	6.0	–	Trace		24
25	4.4	–	14.5	3.7	–	–	1.7	–	0.3	3.3	–	–		25
26	7.5	1.4	2.5	Trace	Trace	–	0.3	–	1.7	0.3	–	–		26
27	14.1	0.6	0.6	–	–	–	4.1	–	Trace	3.4	–	–		27
28	25.5	0.5	18.2	Trace	–	0.8	1.5	–	–	0.1	–	6.0		28
29	Trace	Trace	0.5	–	–	Trace	7.3	–	–	1.0	2.8	0.8		29
30	4.5	✖	Trace	–	Trace	2.1	Trace	–	–	0.8	–	–		30
31	0.7	✖	16.1	✖	Trace	✖	1.2	–	✖	Trace	✖	11.0		31
TOTAL	168.5	95.7	117.4	66.7	19.2	32.4	141.3	0.8	72.7	16.4	69.9	105.2	Year's Total 906.2	
* Days with 0.2 mm. or more.	21	16	18	11	4	11	26	2	15	8	15	17	164	
* Days with 1.0 mm. or more.	20	12	15	8	3	6	21	0	12	5	12	12	126	

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total.

35.70"

(Signed) G. F. Rossiter

[P.T.O.

1726

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 292

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10.

REGISTER OF RAINFALL IN 1936.

Kept at Teignmouth (Den Gdns)
in the County of Devon
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 20 ft.

TL

mm.

150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								0·02						1
2							1·06							2
3									1·03					3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11											·82			11
12														12
13												1·06		13
14														14
15														15
16					·27									16
17		·99												17
18						·50								18
19														19
20														20
21				·89										21
22														22
23														23
24										·24				24
25	mo													25
26														26
27			·72											27
28	1·00													28
29														29
30		×												30
31		×		×		×			×		×			31
													Year's Total	
TOTAL	6·63	3·77	4·62	2·63	0·76	1·28	5·56	0·03	2·86	0·65	2·75	4·06	35·60	
*Days with ·01 in. or more.	21	16	18	11	4	11	26	2	15	8	15	17	164	
*Days with ·04 in. or more.	20	12	15	8	3	6	21	0	12	5	12	12	126	
40-9999	168·5	95·7	117·4	66·7	19·2	32·4	141·3	0·8	72·6	16·4	69·9	103·2	904·1	

†Spare column, not required.

(Signed) ....

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1937

Kept at Den Gardens Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 20 ft.

Convert. 400

M.W.R. 150.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	1.6	0.3	0.5	14.0	–	–	–	–	0.8	0.9	Trace	17.9		1
2	Trace	14.0	1.0	4.7	Trace	–	–	–	0.2	–	Trace	0.2		2
3	Trace	4.4	0.5	0.8	0.6	–	0.3	–	–	–	–	Trace		3
4	1.6	22.7	Trace	–	Trace	–	–	Trace	–	–	–	10.6		4
5	1.1	–	Trace	1.6	Trace	–	9.0	–	–	–	–	2.6		5
6	0.3	13.2	16.7	5.3	0.2	–	0.3	–	–	Trace	Trace	–		6
7	–	22.8	1.3	0.2	Trace	0.7	–	–	Trace	–	0.6	11.3		7
8	–	0.6	Trace	Trace	20.2	–	1.3	–	–	–	Trace	1.9		8
9	Trace	Trace	5.5	4.6	0.5	–	Trace	Trace	11.1	–	Trace	0.3		9
10	7.4	0.5	16.0	15.1	2.0	5.6	0.3	Trace	–	0.5	–	10.4		10
11	0.7	–	10.2	6.8	17.2	0.7	7.7	Trace	–	–	–	–		11
12	19.2	5.9	1.4	0.6	0.2	7.0	0.4	18.7	4.6	–	–	15.8		12
13	–	Trace	24.7	3.6	–	0.8	–	14.4	0.8	–	–	Trace		13
14	–	0.5	1.2	0.2	–	–	12.1	0.4	0.5	–	–	0.8		14
15	10.1	2.0	9.6	7.6	–	–	0.3	Trace	3.3	–	–	4.9		15
16	2.7	3.0	7.6	Trace	–	–	0.4	1.5	19.0	–	12.0	–		16
17	23.7	1.6	14.0	–	–	–	–	–	0.8	–	16.7	–		17
18	0.7	0.5	17.0	Trace	–	4.5	Trace	–	6.5	–	3.4	3.7		18
19	3.4	0.3	1.8	1.0	2.5	Trace	Trace	–	3.2	–	1.0	0.7		19
20	12.7	1.0	3.3	1.8	0.5	–	–	–	–	–	–	13.9		20
21	23.7	5.7	0.9	Trace	8.6	–	–	–	4.6	0.6	14.8	0.6		21
22	7.3	Trace	0.5	–	7.7	3.5	1.5	–	0.4	13.9	6.4	1.3		22
23	6.5	6.2	–	–	1.5	–	Trace	–	–	2.5	9.8	0.2		23
24	12.8	12.1	0.8	–	Trace	–	Trace	–	0.9	20.0	–	Trace		24
25	Trace	14.8	19.1	Trace	3.4	–	–	–	Trace	9.6	–	Trace		25
26	–	5.8	1.3	–	Trace	–	–	–	Trace	Trace	–	1.0		26
27	1.0	8.4	–	Trace	–	–	–	–	–	8.6	0.2	–		27
28	8.2	3.0	–	–	–	0.5	–	–	–	4.0	Trace	Trace		28
29	1.6	×	–	–	–	0.2	–	–	–	5.7	0.8	Trace		29
30	13.2	×	–	–	–	Trace	–	–	Trace	1.5	3.4	–		30
31	19.6	×	–	×	–	×	–	–	×	29.1	×	Trace		31
TOTAL	179.1	149.3	144.9	67.9	65.1	23.5	33.6	35.0	56.7	96.9	69.1	98.1	Year's Total 1019.2	1019.2
* Days with 0.2 mm. or more.	22	23	22	15	13	9	11	4	14	12	11	18	174	
* Days with 1.0 mm. or more.	19	17	5	11	8	4	5	3	7	9	8	12	120	

(144w) * See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) S.F. Rossiter [P.T.O.

1726 292

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1094.

REGISTER OF RAINFALL IN 1937.

TL 150 400

Kept at Teignmouth, (Den Gardens)

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	~~mm.~~	mm.	~~mm.~~	~~mm.~~	mm.	mm.	mm.	
1												·70	1
2													2
3													3
4													4
5													5
6													6
7		·90											7
8					·82								8
9													9
10				·59									10
11													11
12						·28		·74					12
13			·97										13
14							·48						14
15													15
16									·75		·66		16
17	·93												17
18													18
19													19
20													20
21	·93												21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕	1·15	✕		31
TOTAL	7·00	5·88	5·70	2·67	2·56	·93	1·32	1·38	2·23	3·81	2·72	3·85	YEAR'S TOTAL 40·05
Days with 0·2 mm. or more.	22	23	22	15	13	9	11	4	14	12	11	18	174
Days with 1·0 mm. or more.	19	17	17	11	8	4	5	3	7	9	8	12	120

(144W)

40-9999

(*Signed*)..............................

[P.T.O.

292

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1938.

20360906
0020

Kept at Teignmouth (Den Gardens)
in the County of Devon
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 20 ft.

T.L. 150 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1		06			05	80	26	84		101		08		1
2						02				52	07	12		2
3					17			132		120	36			3
4						08	19	271		28		25		4
5	02					02	05		07	47		02		5
6	25					33	309		03	33		16		6
7	10					08	26		56	03	03	12		7
8	121						03	15		85				8
9	28					32						131		9
10	26					06						103		10
11	20					07	21	04			82	166		11
12	96				46					23	167	08		12
13	69				49					04	53	179		13
14	213				40		137							14
15	56				52					37	28	48		15
16	51							04			38	15		16
17		54	06		51				04	40		04		17
18	45				02	10		17	14	10	44			18
19								16	98		223			19
20								06	02		35			20
21								05	07		49	18		21
22	03			06				102		03	71			22
23				17							15	05		23
24	02		55		07			14	10		96			24
25	13	86	03		33		111			05	444	26		25
26	82	61			139	03	23			37		03		26
27	13				43	30	91	82		10	72			27
28	37	19			06	17		206				01		28
29	15	X			77				43	45	66			29
30	02	✕			03	25	05		75		37	11		30
31	62	✕		✕	25	✕			✕	36	✕	36		31
													Year's Total	
TOTAL	99.1	22.6	6.4	2.3	59.5	26.3	77.6	95.8	31.9	71.9	156.6	82.9	732.9	
* Days with 0.2 mm. or more.	22	5	3	2	16	14	12	14	11	19	19	20	157	✓
* Days with 1.0 mm. or more.	18	4	1	1	11	7	9	10	6	15	17	14	113	✓

(144w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999 3.90 .89 25 .095 2.34 1.04 3.06 (Signed) 3.77 1.26 2.83 6.17 3.26 28.86 [P.T.O.

1.23

~~292~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1726

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Teignmouth (Den Gardens)

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 20 ft.

150

T.L.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	20		17	05	02			27	30		213	10		1
2	51			63			06	76	151		28	07		2
3	124		08	172			12	10			55	135		3
4	03		163	12	73		114	03		101	11	22		4
5			05	16			84	26		117	269	02		5
6	110		29	23			159	10		81	35			6
7	02	96					07	03			140	98		7
8	03	61			08		13	04		342	88	10		8
9			03					16		14	03	12		9
10	98					08		25	30	17		32		10
11		03	13							63		03		11
12	01	03		05		03			03	05	03			12
13	05			23		18	108		23	266	05			13
14	281			02	06	03	127		04	07	65			14
15	127				08	139	40				40	03		15
16	46			30			64				03			16
17	182				04	55	71							17
18		05					150				105	32		18
19	68						77					29		19
20	81					26	25	225				04		20
21	03	60	07		02	67	463	19						21
22	91	108	47			154	46				25			22
23	02		03	93		02	24				223			23
24	257		94			105	05			07				24
25	155	32		12			02	07		43	54			25
26	02	14		05		21		14		29	58			26
27		82				11		05		02	29			27
28		15		28		16	64				29			28
29		✕		30		12	22			72	01			29
30		✕	02	73		08		40		61	03			30
31		✕		✕		✕	18	15	✕	79	✕			31
TOTAL	171.2	47.9	39.1	59.2	10.3	64.8	170.1	52.5	24.1	130.6	148.5	39.9	Year's Total 958.2	
* Days with 0.2 mm. or more.	21	11	12	16	7	16	23	17	6	17	23 2	14	182	
* Days with 1.0 mm. or more.	14	8	6	12	7	11	19	12	4	13	17	9	126	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 6.74 1.89 1.54 2.33 ·41 2.85 6.70 (Signed) .... 37.74 P.T.O.

2.07 ·95 5.14 5.85 1.57

292

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1726 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Teignmouth (Den Gardens)

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 20 ft.

TL.150

1X00

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1		18			10						22			1
2		44		22			02				133	27		2
3	30	188								22	100	46		3
4	02	16		05			02			23	21			4
5	05						05			05	120	39		5
6	51	167					03			58	06	27		6
7	10			02			79					07		7
8		10					15			95	95	52		8
9							148	07	08	42	83	27		9
10							71			04	12	68		10
11			05	15			50				163	05		11
12			42			05			57		18			12
13			87	03						137	332	80		13
14		07	03	04	79				30	66		89		14
15		02		07			29		16	77	108			15
16	10	291	132	10			18		12	65	45			16
17		44	89	19			34				26			17
18	20	48	67	159					04	16	02	04		18
19		25	36	31			32		153	04	48			19
20			02	02						40	08			20
21					35					03	108			21
22		04	20	25		132			06	05	02			22
23			30	02	02		04			07	03			23
24	02				12		70							24
25	32		55	15	97	06	02							25
26	77	126		10	63		15							26
27	72	25	16	37	86						06			27
28	77	33	02	22										28
29	33	23	30	357						05		38		29
30	18	✗		22	05					105		45		30
31	02	✗	04	✗		✗			✗	175	✗	226		31
TOTAL	44·1	107·1	62·0	76·9	38·9	14·3	57·9	0·7	28·6	95·4	146·1	78·0	Year's Total 750·0	
* Days with 0.2 mm. or more.	15	17	16	20	9	3	17	1	8	20	22	15	163	
* Days with 1.0 mm. or more.	11	14	11	13	7	1	11	0	5	13	16	12	114	

(141w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

1·74 4·22 2·44 3·03 /1·53 ·56 2·28 ·03 1·13 3·76 5·75 3·07 29·54

(Signed) .... [P.T.O.

1727

Section **A** for the entry of D

AIR MINISTRY.-

FORM 1090.

REGIST

Kept at Haz

in the County of Devon

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

1727

HAZELDOWN RES. TEIGNMOUTH

1931 — 40

780706

COPY FOR OFFICIAL USE.

L ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·96	·10	·03	·03	-	·19	-	-	-	1
2	·45	-	-	·70	-	-	-	-	·59	-	·12	·17	2
3	·12	-	·83	-	-	-	·06	-	·05	-	1·84	·13	3
4	·06	-	·31	-	·04	·08	·24	·71	·07	-	-	-	4
5	-	·29	·31	·07	-	·58	·04	-	-	-	·07	·47	5
6	-	·08	-	·01	·08	·18	·46	-	-	·18	·12	·48	6
7	-	·04	-	-	·25	·26	·05	·10	-	·05	·63	·12	7
8	-	·09	-	·11	-	·50	-	-	-	-	·09	·03	8
9	-	·18	-	-	-	·14	·06	-	-	-	·51	-	9
10	-	·04	-	-	·05	·10	·03	·03	·18	-	·67	-	10
11	·08	·50	-	-	-	·33	·04	-	·04	-	·30	-	11
12	-	·15	-	-	-	-	·22	-	·08	·08	-	-	12
13	-	·04	·02	-	·09	·01	·11	·11	-	·06	-	-	13
14	-	·06	-	-	·02	·17	1·16	·02	·10	-	·40	-	14
15	·01	·08	-	·02	·15	-	-	·26	-	-	-	·02	15
16	-	·14	-	·03	·20	·53	-	·10	·10	-	-	·10	16
17	-	·08	-	·09	-	·04	·13	-	·01	-	-	-	17
18	-	-	-	·18	-	·34	·05	1·63	-	-	·23	-	18
19	·02	·08	·07	·09	-	·46	·07	·05	·09	-	·53	-	19
20	-	·11	·40	-	-	-	-	·26	-	-	·24	-	20
21	·15	-	-	-	·24	-	-	-	-	·03	-	-	21
22	·42	-	-	·10	·14	-	-	-	-	-	-	-	22
23	·30	·02	-	·20	·76	-	·04	·04	-	-	·47	-	23
24	·12	·01	·03	·66	·13	·23	·71	·94	-	-	·07	-	24
25	·17	-	-	·66	·06	-	·16	-	-	-	·22	-	25
26	-	-	-	·08	-	-	·24	-	-	-	·65	-	26
27	·16	·16	-	-	·35	-	·02	-	-	-	·14	-	27
28	·05	·18	·13	·02	·06	·02	-	·02	-	·02	-	·06	28
29	·06	×	·19	-	·16	-	·02	·24	-	-	·13	·18	29
30	·06	×	-	-	·10	-	·01	·03	·02	-	-	-	30
31	·60	×	·21	×	·19	×	·02	-	×	-	×	·23	31
TOTAL	2·83	2·33	2·50	3·98	3·17	4·00	3·97	4·54	1·52	0·42	7·43	1·99	YEAR'S TOTAL 38·68
*Days with ·01 in. or more.	16	19	10	16	19	17	23	15	12	6	19	11	183
*Days with ·04 in. or more.	14	17	8	12	18	14	17	11	10	4	19	9	153

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G.F. Rossiter

P.T.O.

Section **A** for the entry of D COPY FOR OFFICIAL USE.

1727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hazeltown Reservoir Teignmouth
in the County of Devon
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 425 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·96	·10	·03	·03	–	·19	–	–	–	1
2	·45	–	–	·70	–	–	–	–	·59	–	·12	·17	2
3	·12	–	·83	–	–	–	·06	–	·05	–	1·84	·13	3
4	·06	–	·31	–	·04	·08	·24	·71	·07	–	–	–	4
5	–	·29	·31	·07	–	·58	·04	–	–	–	·07	·47	5
6	–	·08	–	·01	·08	·18	·46	–	–	·18	·12	·48	6
7	–	·04	–	–	·25	·26	·05	·10	–	·05	·63	·12	7
8	–	·09	–	·11	–	·50	–	–	–	–	·09	·03	8
9	–	·18	–	–	–	·14	·06	–	–	–	·51	–	9
10	–	·04	–	–	·05	·10	·03	·03	·18	–	·67	–	10
11	·08	·50	–	–	–	·33	·04	–	·04	–	·30	–	11
12	–	·15	–	–	–	–	·22	–	·08	·08	–	–	12
13	–	·04	·02	–	·09	·01	·11	·11	–	·06	–	–	13
14	–	·06	–	–	·02	·17	1·16	·02	·10	–	·40	–	14
15	·01	·08	–	·02	·15	–	–	·26	–	–	–	·02	15
16	–	·14	–	·03	·20	·53	–	·10	·10	–	–	·10	16
17	–	·08	–	·09	–	·04	·13	–	·01	–	–	–	17
18	–	–	–	·18	–	·34	·05	1·63	–	–	·23	–	18
19	·02	·08	·07	·09	–	·46	·07	·05	·09	–	·53	–	19
20	–	·11	·40	–	–	–	–	·26	–	–	·24	–	20
21	·15	–	–	–	·24	–	–	–	–	·03	–	–	21
22	·42	–	–	·10	·14	–	–	–	–	–	–	–	22
23	·30	·02	–	·20	·76	–	·04	·04	–	–	·47	–	23
24	·12	·01	·03	·66	·13	·23	·71	·94	–	–	·07	–	24
25	·17	–	–	·66	·06	–	·16	–	–	–	·22	–	25
26	–	–	–	·08	–	–	·24	–	–	–	·65	–	26
27	·16	·16	–	–	·35	–	·02	–	–	–	·14	–	27
28	·05	·18	·13	·02	·06	·02	–	·02	–	·02	–	·06	28
29	·06	×	·19	–	·16	–	·02	·24	–	–	·13	·18	29
30	·06	×	–	–	·10	–	·01	·03	·02	–	–	–	30
31	·60	×	·21	×	·19	×	·02	–	×	–	×	·23	31
TOTAL	2·83	2·33	2·50	3·98	3·17	4·00	3·97	4·54	1·52	0·42	7·43	1·99	YEAR'S TOTAL 38·68
*Days with ·01 in. or more.	16	19	10	16	19	17	23	15	12	6	19	11	183
*Days with ·04 in. or more.	14	17	8	12	18	14	17	11	10	4	19	9	153

40-9999

(Signed) Rossiter

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hazledown Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 425 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·09	–	–	·03	·29	–	–	·01	–	1
2	·02	–	·02	·38	–	–	–	·05	·04	–	–	·18	2
3	–	–	·05	–	–	1·09	·04	–	·55	·03	·03	–	3
4	·03	–	–	–	–	·17	·02	·02	–	–	·33	–	4
5	·38	–	·03	–	–	–	–	–	·05	–	–	–	5
6	·64	–	–	·12	–	–	·03	–	·31	–	–	–	6
7	·05	–	–	·08	·14	–	·02	–	·40	1·58	–	–	7
8	–	–	·30	·02	·15	–	–	–	·37	·11	–	–	8
9	1·20	·02	–	·14	·12	–	–	–	–	·06	–	–	9
10	·43	–	–	–	–	·06	–	–	–	·33	–	–	10
11	·02	–	–	·12	·22	–	–	–	·04	·04	–	·38	11
12	·64	–	–	–	·41	–	–	–	–	·14	–	–	12
13	·04	–	–	·16	·04	–	·22	·67	–	·95	–	·25	13
14	·34	–	–	·22	·49	–	–	·02	–	·06	–	·02	14
15	·02	–	–	·07	·10	–	·08	–	–	·01	–	·02	15
16	·21	–	–	·12	–	–	–	–	–	–	–	–	16
17	·02	–	–	–	·02	–	–	–	·03	·03	–	–	17
18	·01	–	–	–	·27	–	–	–	·07	–	·27	–	18
19	·02	–	–	·01	·16	–	–	–	·08	·16	–	–	19
20	–	–	–	·02	1·15	–	·07	·04	·03	1·03	·16	·14	20
21	·03	–	·10	·16	–	–	–	·18	·09	·36	·05	·18	21
22	–	–	–	–	·03	–	·06	·23	1·90	·38	·11	·02	22
23	–	–	–	–	·04	–	·11	·03	–	·62	–	·20	23
24	–	–	–	–	–	–	·69	–	·04	·05	·09	–	24
25	–	–	·68	·02	–	–	·14	–	·11	·13	·11	·03	25
26	–	–	·10	·04	–	–	·03	–	–	·07	·11	–	26
27	–	–	·51	·34	·08	–	·04	–	–	·30	·04	·20	27
28	–	–	·11	·03	·28	– ~~·47~~	·02	–	–	–	–	·10	28
29	–	–	·52	·12	·30	·47 ~~·80~~	–	·45	·62	·47	·04	·47	29
30	·02	×	·05	·12	·03	1·80	·21	–	·75	·16	1·09	–	30
31	–	×	·12	×	·20	×	·13	–	×	·01	×	·81	31
TOTAL	4·12	·02	2·59	2·38	4·23	3·59	1·94	1·98	5·48	7·08	2·44	3·00	YEAR'S TOTAL 38·85
*Days with ·01 in. or more.	18	1	12	20	19	5	17	10	17	23	13	14	169
*Days with .04 in. or more.	9	–	10	15	16	5	11	7	15	19	11	10	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G.F. Rossiter

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hazledown Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 425 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·46	·43	·16	–	–	·34	–	–	–	·03	–	1·85		1
2	·55	–	·90	–	·83	·57	–	–	–	–	·01	·11		2
3	·05	·06	·40	–	·01	–	–	–	–	–	–	–		3
4	·45	·02	·02	–	·16	–	–	–	–	–	–	–		4
5	·03	–	·33	–	·10	–	–	–	–	·02	–	–		5
6	–	·57	·03	–	·11	–	·16	–	–	·10	–	–		6
7	–	·01	–	–	·04	–	·02	–	–	·07	–	·02		7
8	–	–	–	–	–	–	·11	–	–	·02	–	–		8
9	–	–	–	–	·12	·01	·31	·03	–	·34	·04	–		9
10	–	·16	–	–	–	–	·36	–	–	·53	·03	–		10
11	·07	–	–	–	–	–	·16	·14	–	–	–	–		11
12	–	–	–	·28	·03	·16	·15	–	·99	–	·03	–		12
13	–	–	–	–	·10	–	·14	·65	–	·14	–	–		13
14	·09	–	–	–	–	–	·20	·36	–	·12	·25	–		14
15	·47	–	·30	–	–	–	·55	·01	–	·04	·23	–		15
16	–	–	1·02	–	–	·06	–	–	–	·06	–	–		16
17	·04	–	·27	–	–	·05	–	·02	·08	–	–	–		17
18	·10	·04	·14	–	–	·03	–	–	–	–	·03	–		18
19	·22	–	·29	–	–	·03	–	–	·08	–	·54	·03		19
20	–	·02	–	–	–	·64	–	·02	·13	–	·02	–		20
21	–	–	–	–	–	·25	–	·08	–	·19	–	–		21
22	–	–	–	·11	–	·28	–	·31	·64	·02	–	–		22
23	–	·80	–	·17	–	·18	–	–	·25	·36	–	–		23
24	–	·62	–	·30	–	–	–	–	·42	·06	–	–		24
25	–	·97	–	·25	·03	·18	–	–	·68	–	–	·09		25
26	–	·27	–	·22	·10	–	–	–	–	–	–	–		26
27	–	·01	–	·01	–	–	–	–	·01	·31	·02	·46		27
28	–	·12	–	·27	·17	–	·48	–	–	·26	–	·19		28
29	·05	×	–	·28	·03	–	–	–	·07	–	–	·13		29
30	·04	×	·08	·11	–	–	·07	–	·09	–	–	·15		30
31	·25	×	·17	×	·04	×	–	–	×	·07	×	–		31
TOTAL	2·87	4·10	4·11	2·00	1·87	2·78	2·71	1·62	3·44	2·74	1·20	3·03	Year's Total 32·47 ✓	
*Days with ·01 in. or more.	14	14	13	10	14	13	12	9	11	18	10	9	147	
*Days with ·04 in. or more.	13	10	11	9	10	10	11	5	10	14	4	7	114	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G.F. Rossiter

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hazeldown Reservoir, Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 425 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	·02	–	–	·05	–	·91	·17	–	·23	·60		1
2	·10	–	·03	–	–	–	–	–	·85	·02	·29	·19		2
3	·07	–	–	–	–	–	–	·04	–	·44	–	·33		3
4	·08	–	·14	·04	·32	–	–	·02	·24	·31	–	·47		4
5	–	–	·02	–	·21	·18	–	·73	–	–	·02	·50		5
6	·12	–	·42	·18	·31	–	–	–	·02	·25	·04	·50		6
7	·05	–	–	–	–	–	–	·11	–	·20	–	·67		7
8	–	–	–	–	·08	–	–	–	·07	–	·49	·42		8
9	–	–	·31	–	–	–	–	–	–	–	·55	·17		9
10	·19	·02	·35	·60	–	–	·05	·09	–	–	·06	·04		10
11	·59	–	·13	·48	–	–	–	·04	–	–	–	·58		11
12	–	–	–	–	–	–	·13	·21	–	–	–	·23		12
13	·58	–	–	·43	–	–	·01	–	–	–	·33	·32		13
14	·44	–	·42	·03	–	–	–	–	–	·07	·38	·42		14
15	·07	–	·06	–	·05	–	–	–	–	·28	·15	·22		15
16	·13	–	·35	–	–	–	–	–	–	–	–	·45		16
17	·16	–	·07	·08	·02	–	–	–	·24	·07	–	·29		17
18	·10	–	·27	·77	–	·02	–	–	·08	–	–	·45		18
19	·02	–	·17	·26	–	·02	–	·01	·12	·01	–	·25		19
20	–	–	·04	·07	–	–	·02	–	·05	·02	–	·02		20
21	–	–	·14	·03	–	·08	·04	·05	–	·34	–	·79		21
22	·02	–	·10	–	–	·01	·18	·12	·26	–	–	1·05		22
23	·09	–	·02	·10	–	·74	–	·10	·05	·02	–	·20		23
24	–	·07	·02	·09	–	·29	·09	·15	·22	·08	–	·01		24
25	·26	·11	–	·21	–	–	–	–	–	·37	–	·85		25
26	·07	–	·05	·02	–	·19	–	–	·09	–	–	·04		26
27	–	–	–	·04	–	·03	–	·06	·09	·02	·02	·39		27
28	–	–	–	·23	–	·02	–	·41	·28	·04	–	·84		28
29	–	X	–	–	–	–	–	·04	·08	·04	–	·04		29
30	·01	X	–	–	–	–	·02	·09	·09	·01	–	·32		30
31	·01	X	–	X	–	X	–	·14	X	·01	X	·03		31
TOTAL	3·19	0·20	3·13	3·66	0·99	1·63	0·54	3·32 ~~18~~	3·00	2·60	2·56	11·68	Year's Total. 36·50	
* Days with .01 in. or more.	21	3	20	17	6	11	8	18	17	19	11	31	182	
* Days with .04 in. or more.	16	2	15	14	5	6	5	16	16	12	9	28	144	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. F. Roberts

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hazeldown Reservoir, Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 425 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·55	–	–	·25	–	–	·18	·06	·07	·16		1
2	–	–	·03	–	–	·02	–	–	·04	·32	·08	·07		2
3	–	–	·13	–	·42	·34	–	–	·04	·62	·15	·04		3
4	·03	·07	–	·06	·15	·26	–	–	·11	·03	·04	·29		4
5	·04	·13	·09	·04	–	·04	–	–	·10	·04	·03	–		5
6	–	·03	–	·28	–	·93	–	–	–	·01	·04	·24		6
7	–	–	–	·27	–	·12	–	–	–	·24	·09	·02		7
8	–	–	–	·38	–	–	–	–	·20	·05	·42	·05		8
9	–	–	–	·46	–	·10	–	–	·03	·84	·27	–		9
10	·09	–	·09	·04	–	·07	–	–	–	–	–	·04		10
11	·25	–	·11	–	–	·45	–	–	·15	–	·46	–		11
12	·02	·09	–	–	–	·32	–	·18	·08	–	·22	–		12
13	·03	·12	–	·42	–	·10	–	–	·04	–	·27	–		13
14	–	·04	–	·10	·01	·12	–	–	·15	–	1·12	·18		14
15	–	·05	–	·79	·08	·22	–	–	·08	·03	·23	·11		15
16	–	·05	·17	·16	–	·05	–	–	·54	–	·92	–		16
17	–	–	–	·04	·84	·30	–	·14	·02	–	–	–		17
18	–	·08	–	·18	–	–	·18	·37	·34	·05	·01	–		18
19	–	–	–	·04	·30	·03	·14	–	·09	·20	·52	–		19
20	–	·34	–	·15	·46	·02	·06	–	–	·01	·21	–		20
21	–	·60	–	·19	–	·02	·02	–	·09	·04	–	–		21
22	–	·10	·05	36	–	–	–	–	·02	·03	–	–		22
23	–	·17	·03	–	·08	–	–	·35	·04	·33	–	·41		23
24	·02	·65	–	–	·20	–	–	·65	·22	·05	–	·24		24
25	·20	·36	–	·02	·21	·17	–	·03	–	–	–	·13		25
26	–	·79	–	–	–	·04	–	·19	·11	–	–	·80		26
27	–	·29	·01	–	·17	–	–	·01	·05	–	·06	·59		27
28	–	·14	–	–	–	–	–	·05	·14	·04	·01	·05		28
29	–	✕	–	–	·07	–	–	·02	·19	–	·02	·60		29
30	·02	✕	–	–	·03	·14	–	·84	·01	·39	·75	·57		30
31	–	✕	–	✕	·04	✕	–	·02	✕	·89	✕	·28		31
TOTAL	0·72	4·10	1·26	3·98	3·06	4·11	0·40	2·85	3·06	4·27	5·99	4·87	Year's Total 38·67	
* Days with .01 in. or more.	10	18	10	18	14	22	4	12	25	20	22	19	194	
* Days with .04 in. or more.	3	17	7	12	12	18	3	8	21	15	18	18	152	

40-9999.

* See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) S. E. Rossiter

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Hazeldown Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 425 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·17	·02	·20	–	·24	·35	–	–	–	·04	·02		1
2	–	–	–	·17	–	·22	·68	·02	·01	–	·11	–		2
3	–	–	·01	1·21	–	·04	·22	·03	1·16	–	·23	–		3
4	·01	–	·20	–	–	·08	–	·02	·18	–	·10	·14		4
5	·63	·13	·07	–	–	–	·07	–	·04	–	·03	·08		5
6	·05	–	·05	–	–	·03	·22	–	·27	–	·34	–		6
7	·10	–	·37	–	–	–	·02	–	·02	–	·37	·07		7
8	·39	–	·56	–	–	–	·16	–	–	–	·30	·02		8
9	·52	·70	·09	–	–	·02	·58	·02	·11	–	·07	–		9
10	·29	·42	–	–	–	–	·01	–	–	–	·10	–		10
11	·70	·05	–	–	·06	·08	–	·02	·07	–	·90	·10		11
12	·03	–	–	·06	–	·06	·32	–	·43	–	·06	·04		12
13	·19	–	·04	–	–	–	·05	–	–	·02	·13	1·04		13
14	–	·02	–	–	–	·02	·73	–	·18	–	–	·58		14
15	·02	·02	–	–	–	–	·08	–	·29	–	·17	·44		15
16	–	·16	–	·12	·30	–	·32	–	·03	–	·11	·18		16
17	·08	·94	–	–	·03	–	·40	·06	–	·03	·04	1·11		17
18	·26	·18	·20	–	–	·09	·37	–	–	–	–	·12		18
19	·67	·06	·37	–	–	·56	·15	–	–	–	–	–		19
20	·04	·30	·19	·09	–	·02	·04	–	·37	–	–	–		20
21	–	·17	·05	·06	–	·02	·08	–	–	–	–	–		21
22	·14	·25	·13	·92	–	–	·18	–	–	–	–	·03		22
23	·01	·01	·03	·18	·22	–	·10	–	–	·10	–	–		23
24	·35	·03	·22	·02	·37	–	–	–	·21	·27	–	·02		24
25	·20	–	·67	·19	–	–	·08	–	·02	·16	–	–		25
26	·33	·05	·11	–	–	–	–	–	–	·03	–	–		26
27	·55	·05	·07	–	–	–	·17	–	–	·20	–	–		27
28	·99	·02	·73	–	–	·04	·08	–	–	·02	–	·30		28
29	·01	·07	·02	–	–	·04	·31	–	–	·05	·13	·05		29
30	·18	✕	·01	–	–	·15	–	–	–	·08	–	–		30
31	·10	✕	·67	✕	–	✕	·05	–	✕	–	✕	·45		31
TOTAL	6·91	3·80	4·88	3·22	0·98	~~1·77~~ 1·71	5·82	0·17	3·39	0·96	3·23	4·79	Year's Total 39·86	
* Days with .01 in. or more.	26	20	23	11	5	16	26	6	15	10	17	18	193	
* Days with .04 in. or more.	21	15	18	10	4	11	24	1	11	6	16	14	151	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S. F. Rossiter

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1727.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hazeldown Reservoir, Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 425 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·03	·03	·57	–	–	–	–	·02	·04	–	·72		1
2	–	·67	·03	·22	–	–	–	–	·04	–	–	·02		2
3	–	·19	·03	·08	·04	–	·03	–	–	–	–	–		3
4	·07	·84	–	–	–	–	–	–	–	–	–	·52		4
5	·07	–	–	·12	–	–	·24	–	–	–	–	·13		5
6	·02	·68	·70	·20	·03	–	·17	–	–	–	–	–		6
7	–	·93	·10	·05	–	·03	–	–	–	–	–	·13		7
8	–	·04	–	–	·91	–	·08	–	–	–	·05	·38		8
9	·02	–	·18	·18	·04	–	·03	–	·58	·06	–	·03		9
10	·32	·05	·65	·52	–	·31	–	–	–	–	–	·41		10
11	·02	–	·49	·29	·89	·04	·33	–	–	–	–	–		11
12	·73	·23	·08	·11	·02	·35	·04	·76	·22	–	–	·57		12
13	–	·01	·80	·18	–	·11	–	·58	·02	–	–	–		13
14	–	·05	·14	·04	–	–	·44	·04	·06	–	–	·06		14
15	·38	·12	·22	·33	–	–	·12	–	·10	–	–	·24		15
16	·12	·16	·46	–	–	–	·03	·09	·88	–	·56	–		16
17	·88	·08	·59	–	–	–	–	·01	·08	–	1·07	–		17
18	·14	·03	·20	–	–	·17	–	–	·25	–	·16	·19		18
19	·15	·04	·05	·07	·08	–	·01	–	·17	–	–	·06		19
20	·47	·05	·17	·12	·11	–	·01	–	–	–	–	·48		20
21	·67	·27	·06	·03	·30	–	–	–	·16	·04	·52	·04		21
22	·42	–	·10	–	·34	·11	·08	–	·13	·54	·33	·07		22
23	·32	·23	–	–	·08	–	·01	–	–	·19	·48	·02		23
24	·45	·47	·03	–	–	–	–	–	·06	·83	–	–		24
25	–	·61	·70	·01	–	–	–	–	·05	·41	–	–		25
26	–	·33	·06	–	·14	–	–	–	–	–	–	·07		26
27	·08	·11	–	–	–	–	–	–	–	·54	–	–		27
28	·22	·17	–	–	–	–	–	–	–	·14	·02	–		28
29	·09	X	–	–	–	·02	–	–	–	·33	·06	–		29
30	·60	✕	–	–	–	–	–	–	·03	·06	·15	–		30
31	·78	✕	–	✕	–	✕	–	–	✕	1·02	✕	–		31
TOTAL	7·11	6·39	5·87	3·12	2·98	1·14	1·62	1·48	2·85	4·20	3·40	4·14	Year's Total 44·30	✓ ✓
* Days with .01 in. or more.	23	24	22	17	12	8	14	5	16	12	10	18	181	✓ ✓
* Days with .04 in. or more.	20	21	18	15	10	7	8	4	14	12	9	15	153	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. F. Rossiter [P.T.O.

COPY FOR OFFICIAL USE

Station No. 1727

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hazeldown Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 425 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·05	–	–	·05	·44	·03	·35	–	·32	–	·04		1
2	–	–	–	–	–	·01	–	–	–	·23	·03	·05		2
3	–	–	–	–	·12	·01	–	·22	–	·36	·14	–		3
4	–	–	–	–	–	·04	·12	1·64	–	·15	–	·11		4
5	–	–	–	–	–	·02	·02	–	·03	·23	–	·01		5
6	·11	–	–	–	–	·14	1·31	–	·04	·16	·03	·10		6
7	·04	–	–	–	–	·04	·23	–	·39	·07	·02	·06		7
8	·53	–	–	–	–	·02	·01	·06	–	·37	–	–		8
9	·15	–	–	–	–	·29	–	–	–	–	–	·50		9
10	·10	–	–	–	–	·02	–	–	–	–	–	·42		10
11	·11	·03	–	–	–	·03	·08	·03	–	–	·26	·66		11
12	·47	–	–	–	·22	–	·03	–	–	·16	·36	·04		12
13	·28	–	–	–	·21	–	–	–	–	·06	·51	·72		13
14	·75	–	–	–	·16	–	·59	–	–	–	–	–		14
15	·22	–	–	–	·17	–	–	–	–	·20	·12	·23		15
16	·34	–	·03	–	–	–	–	·03	–	·03	·18	–		16
17	–	·24	·03	–	·23	–	–	–	·04	·16	·01	·03		17
18	·17	–	–	–	·03	·06	–	·06	·05	·03	·23	–		18
19	–	–	–	–	–	–	–	·09	·44	–	·80	–		19
20	–	–	–	–	–	–	–	·01	·01	–	·16	–		20
21	–	–	–	–	–	–	–	–	·09	–	·20	–		21
22	·04	–	–	·03	–	·09	–	·64	–	·02	·30	·09		22
23	·01	–	–	·19	–	–	–	·02	–	–	·05	·02		23
24	–	–	·20	·01	–	–	–	·06	·05	–	·42	–		24
25	·07	·29	·02	–	·15	–	·46	–	–	·02	1·54	–		25
26	·28	·17	–	–	·59	·02	·11	–	–	·19	·02	·13		26
27	·08	·02	–	–	·12	·15	·37	·35	–	·04	·31	–		27
28	·18	·10	–	–	·03	·13	–	·83	–	–	–	–		28
29	·12		–	–	·33	–	–	–	·17	·23	·31	·01		29
30	–	✕	–	–	·03	·20	·05	–	·23	–	·11	·06		30
31	·29	✕	–	✕	·17	✕	–	–	✕	·18	✕	·20.		31
TOTAL	4·34	0·90	0·28	0·16	2·61	1·74	3·41	4·42	1·54	3·21	6·11	3·48	Year's Total 32·20	✓
* Days with .01 in. or more.	20	7	4	3	15	17	13	14	11	20	22	19	165	✓
* Days with .04 in. or more.	19	5	1	1	12	10	9	10	9	16	17	15	124	✓

† Spare column, no entries required.

(*Signed*) G. F. Rossiter

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1727

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hazeldown Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 425 ft.

H. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	-	·04	·04	·02	-	·01	·19	·16	-	·90	·07		1
2	·26	-	-	·24	-	-	·06	·40	·61	-	·05	·05		2
3	·42	-	-	·63	-	-	-	·07	·03	-	·22	·59		3
4	·02	-	·81	·05	·34	-	·51	·04	-	·54	·07	·07		4
5	-	-	·04	·10	-	-	·27	·14	-	·50	·93	·02		5
6	·48	-	·16	·12	-	-	·77	·05	-	·36	·17	-		6
7	·02	·45	-	-	-	-	·04	·06	-	-	·47	·40		7
8	·05	·26	-	-	·03	-	·11	·01	-	1·34	·41	·10		8
9	·01	-	·03	-	-	-	-	·04	-	·10	·18	·09		9
10	·45	-	-	-	-	·03	-	·18	·12	·12	·01	·16		10
11	-	·03	·08	-	-	-	-	-	-	·17	-	·01		11
12	·01	·01	-	·02	-	·02	-	-	-	·02	·02	·01		12
13	·01	-	-	·10	-	·08	·33	-	·10	1·10	·04	-		13
14	·96	-	-	·02	·03	·04	·29	-	·03	·03	·28	·02		14
15	·45	-	-	-	·05	·63	·28	-	-	-	·18	·01		15
16	·20	-	-	·14	-	-	·24	-	-	-	·04	-		16
17	·73	-	-	-	·04	·24	·29	-	-	-	-	-		17
18	-	·02	·01	-	-	·01	·71	-	-	-	·47	·08		18
19	·25	-	-	-	-	-	·54	-	-	-	·01	·19		19
20	·25	-	-	-	-	·12	·10	·76	-	-	-	·04		20
21	·05	·27	·04	-	·01	·27	2·46	·14	-	-	-	-		21
22	·37	·36	·20	-	-	·90	·18	-	-	-	·13	-		22
23	·02	-	·03	·29	-	·03	·18	-	-	-	1·07	-		23
24	·81	-	·47	·09	-	·46	·05	-	-	·05	-	-		24
25	·61	·17	-	·04	-	-	·02	·04	-	·17	·21	-		25
26	·02	·02	-	·09	-	·10	-	·09	-	·15	·22	-		26
27	-	·29	-	·01	-	·05	-	·27	-	·01	·11	-		27
28	-	·07	-	·11	-	·12	·28	-	-	-	·14	·01		28
29	-	X	-	·08	-	·08	·14	-	-	·24	·04	-		29
30	-	X	·02	·26	-	·10	-	·15	-	·33	·02	-		30
31	-	X	-	X	-	X	·05	·07	X	·41	X	-		31
TOTAL	6·53	1·95	1·93	2·43	0·52	3·28	7·91	2·65	1·05	5·64	6·19	1·92	Year's Total 42·00	
* Days with .01 in. or more.	23	11	12	18	7	17	23	17	6	17	25	17	193	
* Days with .04 in. or more.	16	7	8	15	3	13	21	15	4	14	21	12	149	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. F. Rossiter

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1727 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

File No/ A200789/40

Kept at Hazeldown Reservoir Teignmouth
in the County of Devon
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level 425 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0·08	—	—	0·05	—	—	—	—	—	0·15	—		1
2	—	0·31	—	0·17	—	—	0·02	—	—	—	0·57	0·12		2
3	0·22	0·84	—	—	—	—	—	—	—	0·12	0·66	0·22		3
4	—	0·10	—	0·04	—	—	—	—	—	0·11	0·09	—		4
5	0·03	—	—	—	—	—	0·01	—	—	0·05	0·52	0·14		5
6	0·19	0·57	—	—	—	—	—	—	—	0·32	0·05	0·20		6
7	0·09	—	—	—	—	—	0·17	—	0·01	—	—	0·04		7
8	0·01	0·07	—	—	—	—	0·17	—	—	0·40	0·22	0·25		8
9	—	—	—	—	—	—	0·60	0·07	0·05	0·20	0·50	0·04		9
10	—	—	—	—	—	—	0·30	—	0·01	0·05	0·06	0·35		10
11	—	—	—	0·07	—	—	0·23	—	—	—	0·78	0·05		11
12	—	—	0·23	—	—	0·07	0·05	—	0·26	—	0·12	—		12
13	—	—	0·33	0·02	0·32	—	0·02	—	—	0·59	1·23	0·27		13
14	—	—	0·18	0·02	—	—	0·01	—	0·13	0·35	—	0·31		14
15	—	0·04	—	0·04	—	—	0·20	—	0·10	0·23	0·47	—		15
16	—	0·86	0·50	0·07	—	—	0·08	—	0·12	0·28	0·22	0·01		16
17	—	0·23	0·52	0·07	—	—	0·13	—	—	—	0·09	—		17
18	0·16	0·28	0·35	0·68	—	—	—	—	0·01	0·14	0·02	0·05		18
19	—	0·11	0·13	0·18	—	—	0·18	—	0·59	—	0·21	—		19
20	—	—	—	0·02	—	—	—	0·02	—	0·17	0·07	—		20
21	—	—	—	—	0·15		—	—	—	0·03	0·47	—		21
22	—	0·03	0·11	0·06	—	0·56	—	—	0·04	0·04	—	—		22
23	0·01	0·02	0·13	0·06	—	—	0·02	—	—	0·12	0·04	—		23
24	0·13	—	—	—	0·07	0·01	0·34	—	—	—	—	—		24
25	0·30	—	0·26	0·06	0·03	0·02	0·01	—	—	—	0·01	—		25
26	0·38	0·45	—	0·11	0·63	0·03	0·10	—	—	—	—	—		26
27	0·49	0·12	0·06	0·29	0·32	—	—	—	—	—	0·01	—		27
28	—	0·14	0·02	0·06	0·02	—	—	—	—	—	—	—		28
29	—	0·11	0·12	1·43	—	—	—	—	—	0·02	—	0·20		29
30	—	✕	—	0·15	0·09	—	—	—	—	0·57	—	0·17		30
31	0·48	✕	0·04	✕	—	✕	—	—	✕	0·70	✕	0·49		31
													Year's Total	
TOTAL	2·44	4·36	2·88	3·60	1·68	0·69	2·64	0·09	1·32	4·29	6·56	2·91	33·46	
* Days with .01 in. or more.	12	17	14	19	9	5	18	2	10	19	22	16	163	
* Days with .04 in. or more.	9	15	13	16	7	2	12	1	7	17	19	15	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Bleaton Bowes
Engineer & Surveyor.

[P.T.O.

THE ENGINEER AND SURVEYOR

1728

Section **A** for the entry

AIR MINIST

FORM 1090.

REGIS

1728

TEIGNMOUTH, SHELDON RES.
1931 —— 40

780306

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

931 .

Kept at Sheldon Reserv

in the County of Dev

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·73	·10	·03	·03	·02	·14	–	–	–	1
2	·35	–	–	·65	–	–	–	–	·58	–	·08	·21	2
3	·20	–	·86	–	–	–	·05	–	·05	–	2·33	·15	3
4	·03	–	·30	–	·05	·03	·33	·03	·07	–	–	–	4
5	–	·31	·26	·08	·03	·50	·03	–	–	–	·08	·40	5
6	–	·08	–	·01	–	·33	·30	–	–	·19	·12	·38	6
7	–	·02	–	–	·25	·15	·07	·06	–	–	·60	·14	7
8	–	·13	–	·09	–	·40	–	–	–	–	·07	·03	8
9	–	·23	–	–	–	·15	·03	–	–	–	·58	–	9
10	–	·04	–	–	·05	·11	·17	–	·56	–	·49	–	10
11	·06	·40	–	–	–	·33	·02	–	·05	–	·19	–	11
12	–	·16	–	–	–	–	·10	–	·08	·08	–	–	12
13	–	·03	·03	–	·09	–	·11	·14	–	·05	–	–	13
14	–	·02	–	–	·04	·19	1·10	·03	·04	–	·46	–	14
15	·02	·05	–	–	·19	–	–	·32	–	–	–	·03	15
16	–	·06	–	–	·16	·54	–	·05	·09	–	–	·10	16
17	–	·06	–	·06	–	·24	12	–	–	–	–	–	17
18	–	–	–	·19	–	·24	·04	1·60	–	–	·27	–	18
19	·02	·05	·08	·08	–	·27	·04	·07	·06	–	·72	–	19
20	–	·08	·40	–	–	–	–	·16	–	–	·23	–	20
21	·20	·02	–	–	·25	–	–	–	–	–	–	–	21
22	·48	–	–	·11	·14	–	–	–	–	–	–	–	22
23	·30	–	–	·18	·89	–	·04	·04	–	–	·64	–	23
24	·15	·02	·02	·69	·10	·23	·81	·77	–	–	·06	–	24
25	·13	–	–	·62	·08	–	·32	–	–	–	·29	–	25
26	–	–	–	·08	–	–	·10	–	–	–	·64	–	26
27	·14	·13	–	–	·28	–	–	–	–	–	–	–	27
28	·08	·12	·18	·02	·06	·02	–	·05	–	–	·09	·05	28
29	·04	×	·10	–	·18	–	·03	·23	–	–	·08	·18	29
30	·04	×	–	–	·13	–	·03	·03	–	–	–	–	30
31	·71	×	·20	×	·08	×	·02	–	×	–	×	·21	31
TOTAL	2·95	201	2·43	3·59	3·15	3·76	3·89	3·60	1·72	0·32	8·02	1·88	YEAR'S TOTAL 37·32
*Days with ·01 in. or more.	16	19	10	14	19	16	22	15	10	3	19	11	174
*Days with ·04 in. or more.	13	14	8	12	18	13	15	11	10	3	19	9	145

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. F. Rossiter

[P.T.O.

1728

Section **A** for the entry [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sheldon Reservoir, Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·73	·10	·03	·03	·02	·14	–	–	–	1
2	·35	–	–	·65	–	–	–	–	·58	–	·08	·21	2
3	·20	–	·86	=	–	–	·05	–	·05	–	2·33	·15	3
4	·03	–	·30	=	·05	·03	·33	·03	·07	–	–	–	4
5	–	·31	·26	·08	·03	·50	·03	–	–	–	·08	·40	5
6	–	·08	–	·01	–	·33	·30	–	–	·19	·12	·38	6
7	–	·02	–	–	·25	·15	·07	·06	–	–	·60	·14	7
8	–	·13	–	·09	–	·40	–	–	–	–	·07	·03	8
9	–	·23	–	=	–	·15	·03	–	–	–	·58	–	9
10	–	·04	–	–	·05	·11	·17	–	·56	–	·49	–	10
11	·06	·40	–	–	–	·33	·02	–	·05	–	·19	–	11
12	–	·16	–	–	–	–	·10	–	·08	·08	–	–	12
13	–	·03	·03	–	·09	–	·11	·14	–	·05	–	–	13
14	–	·02	–	–	·04	·19	1·10	·03	·04	–	·46	–	14
15	·02	·05	–	=	·19	–	–	·32	–	–	–	·03	15
16	–	·06	–	=	·16	·54	–	·05	·09	–	–	·10	16
17	–	·06	–	·06	=	·24	·12	–	–	–	–	–	17
18	–	–	–	·19	–	·24	·04	1·60	–	–	·27	–	18
19	·02	·05	·08	·08	–	·27	·04	·07	·06	–	·72	–	19
20	–	·08	·40	–	–	–	–	·16	–	–	·23	–	20
21	·20	·02	–	–	·25	–	–	–	–	–	–	–	21
22	·48	=	–	·11	·14	–	–	–	–	–	–	–	22
23	·30	=	–	·18	·89	–	·04	·04	–	–	·64	–	23
24	·15	·02	·02	·69	·10	·23	·81	·77	–	–	·06	–	24
25	·13	–	–	·62	·08	–	·32	–	–	–	·29	–	25
26	–	–	–	·08	–	–	·10	–	=	–	·64	–	26
27	·14	·13	–	–	·28	–	–	–	–	–	–	–	27
28	·08	·12	·18	·02	·06	·02	–	·05	–	–	·09	·05	28
29	·04	×	·10	–	·18	–	·03	·23	=	–	·08	·18	29
30	·04	×	–	–	·13	–	·03	·03	–	–	–	–	30
31	·71	×	·20	×	·08	×	·02	–	×	–	×	·21	31
TOTAL	2·95	201	2·43	3·69	3·15	3·76	3·89	3·60	1·72	0·32	8·02	1·88	YEAR'S TOTAL 37·32
*Days with ·01 in. or more.	16	19	10	14	19	16	22	15	10	3	19	11	174
*Days with ·04 in. or more.	13	14	8	12	18	13	15	11	10	3	19	9	145

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. F. Rossiter [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sheldon Reservoir. Teignmouth.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ` in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·09	–	–	·03	·73	–	–	·01	–	1
2	·02	–	·03	·27	–	–	–	·05	·05	–	–	·22	2
3	–	–	–	–	–	1·03	·04	–	·51	·03	·05	–	3
4	·04	–	–	–	–	·17	·02	·02	–	–	·30	·02	4
5	·40	–	·05	–	–	–	–	–	·05	–	–	–	5
6	·66	–	–	·17	–	–	·02	–	·34	–	–	–	6
7	·02	–	–	·05	·17	–	–	–	·61	1·71	–	–	7
8	·02	–	·18	·02	·16	–	–	–	·39	·05	–	–	8
9	1·57	·02	–	–	·05	–	–	–	–	·05	–	–	9
10	·50	–	–	·45	–	·07	–	–	–	·20	–	–	10
11	·05	–	–	–	·18	–	–	–	·04	·02	–	·39	11
12	·92	–	–	·21	·44	–	–	–	–	·15	–	–	12
13	·05	–	–	·07	·06	–	·22	·68	–	·86	–	·31	13
14	·36	–	–	–	·56	–	–	·02	–	·08	–	·02	14
15	·02	–	–	·01	·10	–	·04	–	–	·03	–	·02	15
16	·30	–	–	·12	–	–	–	–	–	–	–	–	16
17	·03	–	–	–	·03	–	–	–	·02	·05	–	–	17
18	·01	–	–	–	·29	–	–	–	·05	–	·21	–	18
19	·02	–	–	·04	·22	–	–	·04	·08	·21	–	–	19
20	–	–	–	·02	1·10	–	·01	·22	·04	1·16	·15	·18	20
21	–	–	–	·16	–	–	–	·22	·11	·38	·06	·16	21
22	–	–	–	–	·03	–	·11	–	1·82	·42	·18	·03	22
23	–	–	–	–	·05	–	·06	·04	–	·70	–	·19	23
24	–	–	–	–	–	–	·16	–	·14	·03	·11	–	24
25	–	–	·67	·05	–	–	·86	–	·11	·14	·12	–	25
26	–	–	·10	·06	–	–	·03	–	–	·08	·10	–	26
27	–	–	·55	·41	·07	–	·04	–	–	–	·07	·23	27
28	–	–	·09	·05	·28	–	·02	–	–	·29	–	·11	28
29	–	–	·57	·13	·32	·53	–	·46	·59	·50	·06	·57	29
30	–	×	·06	·12	·02	2·33	·23	–	·82	·20	1·25	–	30
31	–	×	·15	×	·29	×	·03	–	×	–	×	·90	31
TOTAL	4·99	0·02	2·45	2·50	4·42	4·13	1·87	2·48	5·77	7·34	2·67	3·35	YEAR'S TOTAL 41·99
*Days with ·01 in. or more.	17	1	10	19	19	5	16	10	17	22	13	14	163
*Days with .04 in. or more.	10	–	9	16	16	5	9	8	16	18	12	10	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. F. Rossiter

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Shalden Reservoir Nr Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.47	.44	.16	–	–	.37	–	–	–	.04	–	1.76		1
2	.96	–	1.07	–	.62	.57	–	–	–	–	.02	.12		2
3	.04	.06	.42	–	.03	–	–	–	–	–	–	–		3
4	.45	.05	.02	–	.17	–	–	–	–	–	–	–		4
5	.02	–	.48	–	.12	–	–	–	–	–	–	–		5
6	–	.58	.01	–	.12	–	.18	–	–	.08	–	–		6
7	–	.02	–	–	.06	–	.03	–	–	.07	–	.02		7
8	–	–	–	–	–	–	.12	–	–	.06	–	–		8
9	–	.03	–	–	.11	–	.30	.03	–	.44	–	–		9
10	–	.17	–	–	.04	–	.33	–	–	.61	.04	–		10
11	.08	–	–	–	.04	–	.23	.14	–	–	.03	–		11
12	–	–	–	.26	.11	.10	.16	–	.64	–	–	–		12
13	–	–	–	–	–	–	.22	.14	–	.19	.02	–		13
14	.07	–	–	–	–	–	.20	.53	–	.17	.29	–		14
15	.49	–	.32	–	–	–	.52	.01	–	.03	.21	–		15
16	–	–	1.27	–	–	.07	–	–	–	.07	–	–		16
17	.03	–	.24	–	–	.04	–	.04	.13	–	–	–		17
18	.09	.05	.18	–	–	.07	–	–	–	–	.02	–		18
19	.21	–	.29	–	–	.14	–	–	.08	–	.62	.02		19
20	–	.02	–	–	–	.56	–	.05	.06	–	.01	–		20
21	–	–	–	–	–	.16	–	.08	.07	.18	–	–		21
22	–	~~.62~~ 1.09	–	.14	–	.08	–	.30	.67	.02	–	–		22
23	–	~~.47~~	–	.20	–	.16	–	–	.47	.31	–	–		23
24	–	.65	–	.31	–	–	–	–	.34	.06	–	–		24
25	–	1.02	–	.31	.03	.16	–	–	.98	–	–	.11		25
26	–	.31	–	.21	.12	–	–	–	–	–	–	–		26
27	–	.02	–	.01	–	–	–	–	.01	.28	.04	.54		27
28	–	.10	–	.34	.08	–	.34	–	–	.26	–	.14		28
29	.09	×	–	.38	.02	–	–	–	.08	–	–	.13		29
30	.02	×	.08	.13	–	–	.06	–	.06	–	–	.07		30
31	.32	×	.17	×	.05	×	–	–	×	.03	×	–		31
TOTAL	3.34	4.61	4.71	2.29	1.72	2.48	2.69	1.32	3.59	2.90	1.30	2.91	Year's Total 33.86	
*Days with ·01 in. or more.	14	15	13	10	15	12	12	9	12	17	10	9	148	
*Days with .04 in. or more.	11	11	11	9	12	12	11	7	11	14	5	7	121	

† Spare column, no entries required.

(*Signed*) G. F. Rossiter

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

D

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Shaldon Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	·01	—	—	·01	—	1·04	·04	—	·19	·74		1
2	·08	—	·01	—	—	—	—	—	·72	·04	·17	·21		2
3	·06	—	—	—	—	—	—	·14	—	·36	—	·42		3
4	·08	—	·14	·02	·38	—	—	—	·29	·12	—	·55		4
5	—	—	·03	—	·38	·19	—	·89	—	·11	—	·52		5
6	·11	—	·41	·06	·29	·02	—	—	·03	·26	·07	·53		6
7	·04	—	—	—	—	—	—	·06	—	·23	—	·94		7
8	—	—	—	—	·07	—	—	—	·06	—	·47	·45		8
9	·01	—	·33	·02	—	—	—	—	—	—	·59	·20		9
10	·23	—	·38	·44	—	—	·05	·05	—	—	—	·05		10
11	·63	—	·14	·45	—	—	—	·02	—	—	·05	·69		11
12	—	—	—	—	—	—	·15	·19	—	—	—	·22		12
13	·74	—	—	·47	—	—	·01	—	—	—	·29	·30		13
14	·43	—	·55	—	—	—	—	—	—	·08	·23	·45		14
15	·05	—	·07	·02	·07	—	—	—	—	·27	·15	·20		15
16	·13	—	·37	—	·01	—	—	—	—	—	—	·46		16
17	·23	—	·07	·13	·07	—	—	—	·33	·08	—	·33		17
18	·10	—	·36	·81	—	—	—	—	·07	—	—	·47		18
19	—	—	·12	·12	—	·01	—	·02	·14	—	—	·22		19
20	—	—	·02	·08	—	—	—	—	·08	·02	—	·01		20
21	—	—	·16	·02	—	·05	·04	·03	—	·44	—	·76		21
22	·02	—	·08	—	—	·02	·10	·07	·28	—	—	·82		22
23	·12	—	·01	·10	—	·68	—	·20	·07	·02	—	·13		23
24	—	·07	·01	·08	—	·36	·10	·12	·22	·15	—	—		24
25	·36	·08	—	·24	—	·01	—	—	—	·52	—	·99		25
26	·07	—	·05	·08	—	·17	—	—	·08	—	—	·06		26
27	—	—	—	·04	—	·03	—	·03	·08	—	·02	·37		27
28	—	—	—	·16	—	—	—	·46	·30	·02	—	·97		28
29	—	X	—	—	—	—	—	·01	·07	·03	—	·03		29
30	—	X	—	—	—	—	·02	—	·09	—	—	·43		30
31	·01	X	—	X	—	X	—	·09	X	·02	X	·03		31
TOTAL	3·52	0.15	3·32	3·34	1·27	1·55	0·47	3·42	2·95	2·77	2·23	12·55	Year's Total. 37·54	
* Days with .01 in. or more.	19	2	20	18	7	11	7	16	17	17	10	30	174	
* Days with .04 in. or more.	16	2	14	14	6	5	5	11	16	12	9	27	137	

† Spare column, no entries required.

(*Signed*) G. F. Rossiter [P.T.O.

40-9999

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 1728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Shaldon Reservoir. Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·59	–	–	·26		–	·18	·06	·09	·12		1
2	–	–	·05	–	–	·05		–	·06	·37	·08	·10		2
3	–	–	·61	–	·46	·35		–	·06	·25	·12	–		3
4	·02	·05	–	·05	·11	·30		–	·09	·03	·21	·30		4
5	·02	·15	·04	·06	–	·04		–	·08	·05	·03	–		5
6	–	·03	–	·31	–	1·19		–	–	–	–	·21		6
7	–	–	–	·32	–	·15		–	–	·30	·13	–		7
8	–	–	–	·39	–	–		–	·18	·04	·50	·03		8
9	–	–	–	·53	–	·09		–	–	·91	·28	–		9
10	·06	–	·16	·10	–	·06	·01	–	·01	–	–	·01		10
11	·21	–	·04	–	–	·39	–	–	·16	·03	·51	·01		11
12	–	·13	–	–	–	·33	–	·14	·07	–	·25	–		12
13	·03	·12	–	·45	–	·12	–	–	·04	–	·19	–		13
14	–	·03	–	·17	–	·12	–	–	·14	·02	1·13	·20		14
15	–	·06	–	·92	·04	·32	–	–	·07	·01	·30	·04		15
16	–	·07	–	·22	–	·03	–	–	·71	–	·93	–		16
17	–	–	·24	·01	1·04	·33	–	·09	·01	–	·01	–		17
18	–	·09	–	·21	–	–	·03	·91	·33	·04	·03	·12		18
19	–	·01	–	·04	·49	·02	·11	–	·11	·10	·58	–		19
20	–	·45	–	·14	·33	–	–	–	–	–	·15	–		20
21	–	·79	–	·09	–	·02	·01	–	·06	·04	–	–		21
22	–	·07	·09	·29	–	–	–	–	·03	·02	–	·47		22
23	–	·17	·03	–	·06	–	–	·40	·05	·34	–	·27		23
24	·02	·82	–	–	·21	–	–	·58	·25	·08	–	–		24
25	·12	·41	–	·01	–	·19	–	·01	–	–	–	·17		25
26	–	1·03	–	–	·26	·06	–	·23	·13	–	–	·89		26
27	–	·23	–	–	·12	–	–	·03	·05	–	·04	·52		27
28	–	·06	–	–	·02	–	–	·02	·12	·02	–	·05		28
29	–	✕	–	–	·07	–	–	–	·21	–	·02	·70		29
30	–	✕	–	–	·03	·12	–	·98	·04	·41	·72	·66		30
31	–	✕	–	✕	·03	✕	–	·04	✕	·96	✕	·30	Year's Total	31
TOTAL	0·49	4·77	1·35	4·31	3·27	4·54	0·16	3·43	3·24	4·08	6·30	5·17	41·11	
* Days with .01 in. or more.	8	19	9	18	14	21	4	11	25	20	21	19	189	
* Days with .04 in. or more.	3	16	8	16	12	18	2	8	22	15	18	16	154	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. F. Rossiter ✓ [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Shaldon Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .. in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·06	—	·21	—	·43	·36	—	—	—	·01	—		1
2	—	—	—	·14	—	·19	·47	·02	·05	—	·10	—		2
3	—	—	·02	·91	—	·02	·17	—	1·13	—	·20	—		3
4	·01	—	·25	—	—	·06	—	—	·16	—	·06	·09		4
5	·70	·18	·02	—	—	—	·17	·02	·02	—	·03	·08		5
6	·06	—	·04	—	—	—	·20	·02	·37	—	·41	—		6
7	·07	—	·20	—	—	—	·01	—	—	—	·46	·05		7
8	·56	—	·80	—	—	—	·20	—	—	—	·37	—		8
9	·67	·59	·10	—	—	·02	·40	—	·12	—	·01	—		9
10	·17	·31	—	—	—	—	—	—	—	—	·10	—		10
11	·62	·03	—	—	·04	·06	·05	·01	·06	—	·98	·08		11
12	·03	—	—	·04	—	·05	·25	—	·42	—	·03	·04		12
13	·14	—	·03	—	—	·02	·04	·02	—	·03	·07	1·32		13
14	—	·01	—	—	—	·06	·72	—	·14	—	—	·72		14
15	·01	·01	—	—	—	—	·17	—	·34	—	·10	·58		15
16	—	·15	—	·01	·33	—	·29	—	·01	—	·11	·21		16
17	·04	1·09	—	·04	·03	—	·33	—	—	·03	·01	1·15		17
18	·28	·18	·15	—	—	—	·54	—	—	—	—	·13		18
19	·75	·01	·38	·08	—	·72	·01	·04	—	—	—	—		19
20	·08	·30	·21	·03	—	·01	·02	—	·38	—	—	—		20
21	—	·18	·11	·88	—	·01	·11	—	—	—	—	—		21
22	·16	·24	·08	—	·05	—	·26	—	—	—	—	·04		22
23	·01	—	·02	·21	·12	—	·18	—	—	·08	—	—		23
24	·38	·03	·21	·02	·39	—	—	—	·16	·35	—	—		24
25	·22	—	·54	·21	—	—	·03	—	—	·15	—	—		25
26	·31	·04	·10	—	—	—	·03	—	·04	·02	—	—		26
27	·53	·03	·08	—	—	—	·25	—	—	·14	—	—		27
28	1·05	·01	·77	—	—	·05	·04	—	—	—	—	·33		28
29	—	·04	·05	—	—	·01	·26	—	—	·05	·12	·04		29
30	·20	✕	·01	—	—	·13	—	—	—	·02	—	—		30
31	·07	✕	·65	✕	—	✕	·06	—	✕	—	✕	·51		31
TOTAL	7·17	3·49	4·82	2·78	0·96	1·84	5·62	0·13	3·40	0·87	3·17	5·37	Year's Total 39·62	
* Days with .01 in. or more.	25	19	22	12	6	15	27	6	14	9	17	15	187	
* Days with .04 in. or more.	21	12	17	9	5	9	22	1	12	5	12	15	140	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. J. Rossiter

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Shaldon Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge ~~8~~ 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.02	.06	.48	—	—	—	—	.05	.05	—	.77		1
2	—	.78	.05	.25	—	—	—	—	—	—	—	.01		2
3	.01	.21	.02	.06	.06	—	.03	—	—	—	—	—		3
4	.06	1.03	—	—	—	—	—	—	—	—	—	.33		4
5	.09	—	—	.12	—	—	.19	—	—	—	—	.10		5
6	.01	.64	.62	.23	.04	—	.15	—	—	—	—	.07		6
7	—	.96	.06	.02	.02	.04	—	—	—	—	.04	.29		7
8	—	.03	—	—	.92	—	.04	—	—	—	.02	.11		8
9	.02	—	.15	.19	.04	—	—	—	.51	.06	—	—		9
10	.32	.02	.72	.71	—	.18	—	—	—	—	—	.45		10
11	.02	—	.50	.30	.80	.03	.37	—	—	—	—	—		11
12	.90	.23	.08	.03	.01	.29	.04	.73	.15	—	—	.64		12
13	—	.01	.77	.21	—	.05	—	.53	.09	—	—	—		13
14	—	.04	.04	.01	—	—	.67	.02	.04	—	—	.02		14
15	.45	.14	.30	.38	—	—	.04	—	.09	—	—	.13		15
16	.09	.15	.41	—	—	—	.01	.04	.75	—	.37	—		16
17	.98	.07	.64	—	—	—	—	—	.04	—	1.01	—		17
18	.07	.02	.29	—	—	.17	—	—	.28	—	.14	.11		18
19	.11	.04	.08	.08	.08	—	—	—	.13	—	—	.04		19
20	.56	.03	.11	.07	.10	—	—	—	—	—	—	.63		20
21	1.11	.27	.02	—	.40	—	.04	—	.17	.02	.34	.04		21
22	.38	—	.03	—	.38	.48	.02	—	.13	.50	.38	.11		22
23	.28	.30	—	—	.08	—	—	—	—	.23	.45	.02		23
24	.50	.56	.04	—	—	—	—	—	.06	.92	—	—		24
25	.02	.64	.67	.01	—	—	—	—	—	.44	—	.01		25
26	—	.34	.04	—	.12	—	—	—	.03	.02	—	.06		26
27	.04	.28	—	—	—	—	—	—	—	.31	.02	—		27
28	.28	.08	—	—	—	—	—	—	—	.11	—	—		28
29	.09	×	—	—	—	—	—	—	—	.32	.03	—		29
30	.54	×	—	—	—	—	—	—	.01	.16	.18	—		30
31	.65	×	—	×	—	×	—	—	×	.90	×	—		31
TOTAL	7.62	6.89	5.70	3.15	3.05	0.94	1.60	1.32	2.53	4.04	2.98	3.94	Year's Total 43.76	✓
* Days with .01 in. or more.	25	24	22	16	13	7	10	4	15	13	11	19	179	✓
* Days with .04 in. or more.	20	18	19	12	11	6	7	3	13	11	8	15	143	✓

† Spare column, no entries required.

(*Signed*) G. F. Rossiter [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Shaldon Reservoir, Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·06	–	–	·02	·39	–	·30	–	·23	–	·05		1
2	–	–	–	–	–	–	·28	–	–	·49	·02	·09		2
3	–	–	–	–	·09	–	–	·28	–	·12	·20	–		3
4	–	–	–	–	–	·04	·13	1·23	–	·27	–	·18		4
5	·01	–	·01	–	–	·02	·06	–	·02	·15	–	–		5
6	·15	–	–	–	–	·14	1·22	–	·01	·06	·02	·09		6
7	·05	–	–	–	–	·04	·24	–	·29	·05	·03	·06		7
8	·44	·01	–	–	–	·03	·02	·08	–	·45	–	–		8
9	·13	–	–	–	–	·12	–	–	–	–	–	·60		9
10	·08	–	–	–	–	·01	–	–	–	–	–	·54		10
11	·12	–	–	–	–	–	·08	·02	–	–	·33	·64		11
12	·52	–	–	–	·24	–	·02	–	–	·17	·67	·03		12
13	·29	–	–	–	·23	–	–	–	–	·06	·38	·82		13
14	·94	–	–	–	·16	–	·55	–	–	–	–	–		14
15	·29	–	–	–	·19	–	–	–	–	·16	·14	·25		15
16	·32	–	·01	–	·23	–	–	–	–	·02	–	–		16
17	–	·21	·03	–	–	–	–	–	·07	·20	·24	·14		17
18	·20	–	–	–	·02	–	–	·10	·05	–	·20	–		18
19	–	–	–	–	–	·05	–	·10	·46	–	·91	–		19
20	–	–	–	–	–	–	–	·05	–	–	·12	–		20
21	–	–	–	–	–	–	–	–	·07	–	·26	–		21
22	·01	–	–	·01	–	·03	–	·37	–	·02	·33	·10		22
23	·63	–	–	·09	–	–	–	·03	–	–	·06	–		23
24	·01	–	·25	–	–	–	–	·04	·05	–	·50	–		24
25	·06	·39	–	–	·11	–	·50	–	–	–	1·92	–		25
26	·31	·26	–	–	·64	·03	·08	–	–	–	–	·13		26
27	·05	–	–	–	·09	·13	·48	·44	–	·14	·33	–		27
28	·13	·09	–	–	·08	·08	–	·88	–	–	–	–		28
29	·07		–	–	·40	–	–	–	·14	·17	·31	–		29
30	–		–	–	·02	·03	·07	–	·49	–	·17	·02		30
31	·30		–		·15		–	–		–		·18		31
TOTAL	5.11	1.02	0.30	0.10	2.67	1.14	3.73	3.92	1.65	2.76	7.14	3.92	Year's Total 33.46	✓ ✓
* Days with .01 in. or more.	22	6	4	2	15	14	13	13	10	16	20	16	151	✓ ✓
* Days with .04 in. or more.	19	5	1	1	12	8	11	11	8	14	17	14	121	✓

† Spare column, no entries required.

(Signed) G. F. Rossiter

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Shaldon Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 213 ft.

S.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	-	·07	·02	·01	–	–	·13	·14	–	·92	·09		1
2	·20	-	–	·31	–	–	–	·29	·54	–	·03	·02		2
3	·56	-	·02	·77	–	–	–	·05	·01	–	·25	·39		3
4	·03	-	·85	·05	·37	–	·52	·04	–	·46	·07	·09		4
5	–	-	·02	·07	–	–	·32	–	–	·43	1·13	·02		5
6	·57	-	·10	·09	–	–	·86	·04	–	·35	·28	–		6
7	·02	·43	–	–	–	–	·06	·03	–	–	·64	·47		7
8	·03	·30	–	–	·08	–	·10	·03	–	1·36	·45	·11		8
9	·01	–	·01	–	–	–	–	·05	–	·10	·03	·10		9
10	·54	–	–	–	–	·04	–	·17	·08	·08	·01	·09		10
11	–	·03	·08	–	–	–	–	·03	–	·45	–	–		11
12	–	–	–	·02	–	–	–	–	–	·14	·02	–		12
13	·05	–	–	·13	–	·06	·44	–	·08	1·09	·06	–		13
14	1·16	–	–	–	·04	·03	·44	–	·03	·03	·26	·02		14
15	·52	–	–	–	·08	·64	·36	–	–	–	·12	·01		15
16	·19	–	–	·12	–	–	·47	–	–	–	·05	–		16
17	·86	–	–	–	·04	·28	·43	–	–	–	–	–		17
18	–	–	–	–	–	·02	·90	–	–	–	·42	·08		18
19	·32	·02	–	–	–	·03	·73	–	–	–	·01	·18		19
20	·29	–	–	–	–	·16	·19	1·43	–	–	–	·01		20
21	·04	·29	·04	–	·03	·31	1·79 ~~·29~~	·06	–	–	–	–		21
22	·43	·48	·14	–	–	·58	·24	–	–	–	·17	–		22
23	–	–	–	·30	–	·03	·03	–	–	–	1·06	–		23
24	·85	–	·46	·04	–	·49	·06	–	–	·03	–	–		24
25	·44	·14	–	·03	–	–	–	·04	–	·12	·30	–		25
26	–	·11	–	·03	–	·06	–	·03	–	·15	·31	–		26
27	–	·30	–	–	–	·06	·01	·07	–	·01	·18	–		27
28	–	·07	–	·18	–	·08	–	–	–	–	·17	–		28
29	–	X	–	·11	–	·05	·32	–	–	·25	·03	–		29
30	–	✕	·02	·29	–	·01	·14	·22	–	·25	·04	–		30
31	–	✕	–	✕	–	✕	·06	·09	✕	·44	✕	–		31
TOTAL	7·17	2·17	1·81	2·56	0·65	2·93	8·47 ~~6·97~~	2·80	0·88	5·74	7·01	1·68	Year's Total 43·87	
* Days with .01 in. or more.	20	10	11	16	7	17	21	17	6	17	25	14	181	
* Days with .04 in. or more.	16	8	8	12	5	12	19	13	4	14	19	9	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. F. Roesch

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1728

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Reservoir Sheldon

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

„ Ground „ Sea Level 213 ft.

Jan 18 + 25 } estd from nearby stns
Dec 6, 7 + 9 }

Dap.

Query sent 12/5/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	0·08	—	—	0·04	—	—	—	—	—	0·13	—		1
2	—	0·23	—	0·12	—	—	0·01	—	—	—	0·57	0·08		2
3	0·14	0·92	—	—	—	—	—	—	—	0·12	0·62	0·22		3
4	—	0·08	—	0·02	—	—	—	—	—	0·10	0·06	—		4
5	0·04	—	—	—	—	—	—	—	—	—	0·44	0·09		5
6	0·26	0·71	—	—	—	—	0·02	—	—	0·42	0·02	(·25)		6
7	0·04	0·01	—	—	—	—	0·59	—	—	—	—	—		7
8	—	0·04	—	—	—	—	0·10	—	—	0·44	0·25	0·24		8
9	—	—	—	—	—	—	0·57	—	0·05	0·20	—	(10)		9
10	—	—	—	—	—	—	0·44	—	—	—	0·60	0·21		10
11	—	—	—	0·07	—	—	0·21	—	—	—	0·90	—		11
12	—	—	0·26	—	—	0·03	0·11	—	0·25	—	0·09	—		12
13	—	—	0·31	0·01	—	—	0·02	—	—	0·50	1·34	0·25		13
14	—	—	—	0·04	0·31	—	0·02	—	—	0·37	—	0·54		14
15	—	0·04	—	0·03	—	0·01	0·13	—	0·21	0·45	0·49			15
16	—	1.12	0·77	0·03	—	—	0·05	—	—	0·29	—	0·01		16
17	—	0·20	0·43	0·08	—	—	0·12	—	0·02	—	0·31	0·02		17
18	(·20) —	0·26	0·32	0·67	—	—	—	—	0·67	0·11	—	—		18
19	—	0·11	0·19	0·17	—	—	0·09	—	—	—	0·28	—		19
20	—	—	0·03	—	—	—	—	—	—	0·21	0·06	—		20
21	—	—	—	0·01	0·16	—	—	—	0·03	0·07	0·54	—		21
22	—	0·03	0·09	0·05	—	0·55	—	—	—	0·03	0·01	—		22
23	—	0·01	0·11	0·07	0·04	—	0·02	—	—	0·08	—	—		23
24	—	—	—	—	0·05	—	0·35	—	—	—	0·05	—		24
25	(·15) —	—	0·22	0·08	0·03	0·03	0·01	—	—	—	—	—		25
26	0·34	0·64	—	0·03	0·60	—	0·04	—	—	—	—	—		26
27	0·36	0·16	0·04	0·04	0·31	—	—	—	—	—	—	—		27
28	0·41	0·11	0·02	0·05	0·01	—	—	—	—	—	—	0·19		28
29	—	0·11	0·17	1·48	—	—	—	—	—	0·04	—	0·18		29
30	—	✕	—	0·20	—	—	—	—	—	0·57	—	—		30
31	0·34	✕	0·04	✕	—	✕	—	—	✕	0·86	✕	0·46		31
TOTAL	2·28 ~~1·93~~	4·86	3·00	3·25	1·55	0·62	2·90	—	1·23	4·80	6·76	2·84 ~~2·49~~	Year's Total ~~33·39~~	34·09 ~~34·04~~
* Days with .01 in. or more.	~~8~~10	18	14	19	9	4	18	—	6	17	18	12	143	
* Days with .04 in. or more.	~~8~~10	15	12	13	7	1	12	—	4	16	16	10	114	

† Spare column no entries required.

* See Instruction 3 (f) on other side.

THE ENGINEER AND SURVEYOR

(Signed) H. Clayton Cowe
Engineer & Surveyor

[P.T.O.

1729

Section **A** for the entry of
AIR MINISTR

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090.

REGIS 31.

1729
TEIGNMOUTH, LANDSCORE RES.
1931 — 40

780306

Kept at Landscore Res
in the County of Dev

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·97	·09	·03	·02	—	·22	—	—	—	1
2	·49	—	—	·65	—	—	—	—	·48	—	·10	·20	2
3	·09	—	·80	—	—	—	·06	—	·04	—	1·98	·10	3
4	·06	—	·25	—	·07	·07	·26	·30	·05	—	—	—	4
5	—	·30	·30	·06	—	·53	·03	—	—	—	·07	·31	5
6	—	·05	—	·01	·05	·16	·50	—	—	·18	·12	·41	6
7	—	·03	—	—	·22	·23	—	·08	—	·07	·54	·13	7
8	—	·08	—	·10	—	·43	—	—	—	—	·10	·02	8
9	—	·16	—	—	—	·10	·05	—	—	—	·52	—	9
10	—	·03	—	—	·04	·09	·02	·03	·25	—	·46	—	10
11	·09	·42	—	—	—	·29	·02	—	·05	—	·25	—	11
12	—	·11	—	—	—	—	·20	—	·07	·05	—	—	12
13	—	·04	·03	—	·09	·01	·09	·10	—	·08	—	—	13
14	—	·05	—	—	·03	·15	1·10	·01	·06	—	·40	—	14
15	·01	·08	—	·09	·13	—	—	·20	—	—	—	—	15
16	—	·09	—	·03	·15	·47	—	·10	·10	—	—	·09	16
17	—	—	—	·08	—	·02	·09	—	·01	—	—	—	17
18	—	—	—	·20	—	·24	·04	1·62	—	—	·23	—	18
19	·02	·08	·07	·07	—	·29	·04	·04	·07	—	·56	—	19
20	—	·07	·39	—	—	—	—	·18	—	—	·18	—	20
21	·15	—	—	—	·25	—	—	—	—	·03	—	—	21
22	·45	—	—	·07	·13	—	—	—	—	—	—	—	22
23	·27	·02	—	·16	·74	—	·03	·04	—	—	·48	—	23
24	·15	·01	·03	·68	·11	·30	·72	·94	—	—	·04	—	24
25	·11	—	—	·57	·07	—	·14	—	—	—	·22	—	25
26	—	—	—	·07	—	—	·20	—	—	—	·60	—	26
27	·13	·15	—	—	·35	—	·02	—	—	—	·10	—	27
28	·07	·14	·14	·01	·03	·02	—	·02	—	·03	—	·05	28
29	·04	×	·16	—	·15	—	·01	·23	—	—	·10	·15	29
30	·08	×	—	—	·10	—	·02	·02	—	—	—	—	30
31	·59	×	·21	×	·19	×	·02	—	×	—	×	·21	31
TOTAL	2·80	1·91	2·38	3·82	2·99	3·43	3·68	3·91	1·40	0·44	7·05	1·67	YEAR'S TOTAL 35·48
*Days with ·01 in. or more.	16	18	10	16	19	17	22	15	11	6	19	10	179
*Days with ·04 in. or more.	14	14	8	13	17	13	13	11	10	4	19	9	145

40-9999

(Signed) G.F. Roesler

[P.T.O.

*See Instruction 2 (*f*) on other side.

1729

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTR OROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Landscore Reservoir, Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 133 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·97	·09	·03	·02	–	·22	–	–	–	1
2	·49	–	–	·65	–	–	–	–	·48	–	·10	·20	2
3	·09	–	·80	–	–	–	·06	–	·04	–	1·98	·10	3
4	·06	–	·25	–	·07	·07	·26	·30	·05	–	–	–	4
5	–	·30	·30	·06	–	·53	·03	–	–	–	·07	·31	5
6	–	·05	–	·01	·05	·16	·50	–	–	·18	·12	·41	6
7	–	·03	–	–	·22	·23	–	·08	–	·07	·54	·13	7
8	–	·08	–	·10	–	·43	–	–	–	–	·10	·02	8
9	–	·16	–	–	–	·10	·05	–	–	–	·52	–	9
10	–	·03	–	–	·04	·09	·02	·03	·25	–	·46	–	10
11	·09	·42	–	–	–	·29	·02	–	·05	–	·25	–	11
12	–	·11	–	–	–	–	·20	–	·07	·05	–	–	12
13	–	·04	·03	–	·09	·01	·09	·10	–	·08	–	–	13
14	–	·05	–	–	·03	·15	1·10	·01	·06	–	·40	–	14
15	·01	·08	–	·09	·13	–	–	·20	–	–	–	–	15
16	–	·09	–	·03	·15	·47	–	·10	·10	–	–	·09	16
17	–	–	–	·08	–	·02	·09	–	·01	–	–	–	17
18	–	–	–	·20	–	·24	·04	1·62	–	–	·23	–	18
19	·02	·08	·07	·07	–	·29	·04	·04	·07	–	·56	–	19
20	–	·07	·39	–	–	–	–	·18	–	–	·18	–	20
21	·15	–	–	–	·25	–	–	–	–	·03	–	–	21
22	·45	–	–	·07	·13	–	–	–	–	–	–	–	22
23	·27	·02	–	·16	·74	–	·03	·04	–	–	·48	–	23
24	·15	·01	·03	·68	·11	·30	·72	·94	–	–	·04	–	24
25	·11	–	–	·57	·07	–	·14	–	–	–	·22	–	25
26	–	–	–	·07	–	–	·20	–	–	–	·60	–	26
27	·13	·15	–	–	·35	–	·02	–	–	–	·10	–	27
28	·07	·14	·14	·01	·03	·02	–	·02	–	·03	–	·05	28
29	·04	×	·16	–	·15	–	·01	·23	–	–	·10	·15	29
30	·08	×	–	–	·10	–	·02	·02	–	–	–	–	30
31	·59	×	·21	×	·19	×	·02	–	×	–	×	·21	31
TOTAL	2·80	1·91	2·38	3·82	2·99	3·43	3·68	3·91	1·40	0·44	7·05	1·67	YEAR'S TOTAL 35·48
*Days with ·01 in. or more.	16	18	10	16	19	17	22	15	11	6	19	10	179
*Days with ·04 in. or more.	14	14	8	13	17	13	13	11	10	4	19	9	145

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G F Rossiter

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Landscore Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 133 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·08	-	-	·03	·16	-	-	·01	-	1
2	·02	-	·02	·33	-	-	·01	·05	·03	-	-	·16	2
3	-	-	·04	-	-	1·02	·04	-	·49	·03	·03	·03	3
4	·02	-	-	-	-	·14	·02	·02	-	-	·30	-	4
5	·32	-	·05	-	-	-	-	-	·04	-	-	-	5
6	·54	-	-	·10	-	-	·03	-	·29	-	T	-	6
7	·02	-	-	·06	·17	-	·02	-	·46	1·55	-	-	7
8	-	-	·31	·02	·16	-	-	-	·33	·07	-	-	8
9	1·35	·02	-	·17	·13	-	-	-	-	·07	-	-	9
10	·40	-	-	·23	-	·06	-	-	-	·26	-	-	10
11	·02	-	-	·09	·20	-	-	-	·02	·02	-	·37	11
12	·69	-	-	-	·38	-	-	-	-	·09	-	-	12
13	·04	-	-	·16	·04	-	·21	·65	-	·88	-	·26	13
14	·34	-	-	·20	·47	-	-	·02	-	·05	-	·02	14
15	·02	-	-	·06	·10	-	·06	-	-	·03	-	·02	15
16	·22	-	-	·12	-	-	-	-	-	-	-	-	16
17	·02	-	-	-	·02	-	-	-	·02	·02	-	-	17
18	·01	-	-	-	·26	-	-	-	·05	-	·24	-	18
19	·02	-	-	·01	·14	-	-	-	·08	·14	-	-	19
20	-	-	-	·02	1·17	-	·01	·04	·03	·96	·15	·17	20
21	·03	-	·06	·14	-	-	-	·19	·11	·38	·02	·19	21
22	-	-	-	-	·05	-	·10	·18	1·97	·37	·10	·02	22
23	-	-	-	-	·03	-	·08	·03	-	·58	-	·16	23
24	-	-	-	-	-	-	·70	-	·11	·04	·08	-	24
25	-	-	·65	·03	-	-	·11	-	·06	·11	·10	·02	25
26	-	-	·11	·03	-	-	·04	-	-	·07	·14	-	26
27	-	-	·51	·33	·08	-	·03	-	-	-	·04	·20	27
28	-	-	·05	·03	·28	-	·01	-	-	-	-	·09	28
29	-	-	·58	·13	·30	·44	-	·43	·57	·47	·05	·49	29
30	·02	×	·03	-	·02	1·90	·22	-	·70	·14	1·16	-	30
31	-	×	·10	×	·20	×	·02	-	×	·01	×	·81	31
TOTAL	41·0	0·02	2·51	2·34	4·20	3·56	1·74	1·77	5·36	6·34	2·42	3·01	YEAR'S TOTAL 37·37
*Days with ·01 in. or more.	18	1	12	20	19	5	18	10	17	22	13	15	170
*Days with .04 in. or more.	8	-	10	14	16	5	9	7	13	17	10	10	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G.F. Rossiter

P.T.O.

COPY FOR OFFICIAL USE.

Station No. 1729

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Landscore Reservoir, Teignmouth
in the County of Devon
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 133 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·48	·38	·16	—	—	·31	—	—	—	·02	—	1·91		1
2	·60	—	·92	—	·83	·54	—	—	—	—	·02	·12		2
3	·03	·06	·40	—	·01	—	—	—	—	—	—	—		3
4	·34	·01	·01	—	·16	—	—	—	—	—	—	—		4
5	·02	—	·32	—	·11	—	—	—	—	·02	—	—		5
6	—	·56	·01	—	·16	—	·18	—	—	·09	—	—		6
7	·01	·01	—	—	·02	—	·02	—	—	·06	—	·02		7
8	—	—	—	—	—	—	·12	·03	—	·02	—	—		8
9	—	—	—	—	·13	·02	·24	—	—	·35	·04	—		9
10	—	·21	—	—	—	—	·25	—	—	·53	·03	—		10
11	·06	—	—	—	—	—	·10	·15	—	—	—	—		11
12	—	—	—	·28	·03	·12	·16	·03	·74	—	—	—		12
13	—	—	—	—	·09	—	·11	·38	—	·14	·03	—		13
14	·07	—	—	—	—	—	·23	·48	—	·10	·26	—		14
15	·49	—	·28	—	—	—	·51	·01	—	·04	·20	—		15
16	—	—	1·05	—	—	—	—	—	—	·06	—	—		16
17	·03	—	·23	—	—	·07	—	·02	·08	—	—	—		17
18	·09	·04	·17	—	—	·03	—	—	—	—	·03	—		18
19	·22	—	·30	—	—	·04	—	—	·06	—	·51	·03		19
20	—	·02	—	—	—	·60	—	·03	·06	—	·01	—		20
21	—	—	—	—	—	·23	—	·10	—	·19	—	—		21
22	—	—	—	·10	—	·22	—	·34	·62	·02	—	—		22
23	—	·88	—	·16	—	·14	—	—	·26	·38	—	—		23
24	—	·69	—	·24	—	—	—	—	·40	·04	—	—		24
25	—	1·08	—	·30	·02	·14	—	—	·66	—	—	·08		25
26	—	·30	—	·17	·09	—	—	—	—	—	—	—		26
27	—	·01	—	·01	—	—	—	—	·01	·37	·02	·46		27
28	—	·10	—	·31	·15	—	·34	—	—	·26	—	·16		28
29	·03	×	—	·27	·04	—	—	—	·06	—	—	·12		29
30	·04	×	·08	·13	—	—	·05	—	·06	—	—	·11		30
31	·23	×	·12	×	·04	×	—	—	×	·06	×	—		31
TOTAL	2·74	4·35	4·05	1·97	1·88	2·46	2·31	1·57	3·01	2·75	1·15	3·01	Year's Total 31·25	
*Days with ·01 in. or more.	15	14	13	10	14	12	12	10	11	18	10	9	148	
*Days with ·04 in. or more.	10	10	11	9	10	10	11	5	10	14	4	7	111	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) S. F. Rossiter

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Landscore Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 133 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·01	–	–	·03	–	·93	·14	–	·26	·60		1
2	·08	–	·02	–	–	–	–	–	·76	·02	·21	·15		2
3	·05	–	–	–	–	–	–	·09	–	·47	–	·32		3
4	·07	–	·14	·03	·34	–	–	·01	·26	·20	–	·44		4
5	–	–	·03	–	·24	·18	–	·72	–	–	·02	·42		5
6	·10	–	·40	·18	·33	–	–	–	·02	·22	·05	·48		6
7	·03	–	–	–	–	–	–	·10	–	·16	–	·77		7
8	–	–	–	–	·07	–	–	–	·07	–	·52	·40		8
9	–	–	·36	–	–	–	–	–	–	–	·56	·17		9
10	·20	·02	·34	·58	–	–	·03	·08	–	–	·05	·04		10
11	·58	–	·17	·47	–	–	–	·04	–	–	–	·46		11
12	–	–	–	–	–	–	·13	·14	–	–	–	·20		12
13	·62	–	–	·45	–	–	·02	–	–	–	·33	·28		13
14	·40	–	·44	·02	–	–	–	–	–	·10	·38	·45		14
15	·06	–	·07	–	·05	~~·05~~	–	–	–	·28	·13	·21		15
16	·09	–	·35	–	–	–	–	–	–	–	–	·48		16
17	·14	–	·06	·09	·03	~~·03~~	–	–	·23	·07	–	·28		17
18	·10	–	·30	·74	–	·02	–	–	·08	–	–	·37		18
19	·03	–	·16	·22	–	–	–	·01	·07	·01	–	·24		19
20	–	–	·03	·06	–	–	·01	–	·04	·02	–	·01		20
21	–	–	·14	·02	–	·05	·04	·05	–	·36	–	·70		21
22	·01	–	·08	–	–	–	·14	·12	·22	–	–	·87		22
23	·08	–	·01	·09	–	·67	–	·18	·06	·03	–	·15		23
24	–	·07	·02	·07	–	·29	·08	·14	·19	·04	–	·01		24
25	·30	·11	–	·20	–	–	–	–	–	·42	–	·87		25
26	·10	–	·06	·02	–	·18	–	–	·06	–	–	·04		26
27	–	–	–	·05	–	·04	–	·04	·07	·02	·02	·38		27
28	–	–	–	·20	–	·04	–	·40	·27	·03	–	·87		28
29	–	X	–	–	–	–	–	·02	·07	·05	–	·04		29
30	·01	X	–	–	–	–	·02	·04	·07	·01	–	·29		30
31	·01	X	–	X	–	X	–	·17	X	·02	X	·03		31
TOTAL	3·08	0·20	3·19	3·49	1·06	1·50	0·47	3·28	2·68	2·58	2·53	11·02	Year's Total. 35·08 ✓	
* Days with .01 in. or more.	21	3	20	17	6	9	8	18	17	18	11	31	179	
* Days with .04 in. or more.	15	2	14	13	5	7	4	15	16	10	9	28	138	

40-9999

† Spare column, no entries required.

(*Signed*) G. F. Rossiter

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Landscore Reservoir, Teignmouth
in the County of Devon
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 143 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·61	–	–	·23	–	–	·17	·09	·07	·11		1
2	–	–	·03	–	–	·03	–	–	·04	·31	·08	·13		2
3	–	–	·12	–	·38	·37	–	–	·05	·36	·14	·02		3
4	·02	·07	–	·05	·13	·23	–	–	·09	·02	·14	·34		4
5	·03	·11	·07	·07	–	·03	–	–	·08	·04	·03	–		5
6	–	·02	–	·29	–	·95	–	–	–	·01	·04	·26		6
7	–	–	–	·27	–	·12	–	–	–	·23	·10	·02		7
8	–	–	–	·35	–	–	–	–	·18	·05	·48	·04		8
9	–	–	–	·45	–	·13	–	–	·02	·72	·26	–		9
10	·09	–	·20	·07	–	·05	–	–	·01	–	–	·03		10
11	·20	–	·19	–	–	·42	–	–	·13	–	·48	–		11
12	·02	·12	–	–	–	·32	–	·13	·05	–	·23	–		12
13	·02	·11	–	·40	–	·10	–	–	·04	–	·20	–		13
14	–	·03	–	·12	·01	·15	–	–	·18	–	1·08	·19		14
15	–	·05	–	·81	·10	·21	–	–	·10	·02	·30	·10		15
16	–	·05	·20	·14	–	·05	–	–	·59	–	·94	–		16
17	–	–	–	·02	·97	·31	–	·10	·02	–	·01	–		17
18	–	·05	–	·18	–	–	·05	·50	·31	·03	·01	–		18
19	–	–	–	·04	·41	·01	·05	–	·06	·12	·50	–		19
20	–	·35	–	·14	·43	·01	·02	–	–	·02	·18	–		20
21	–	·65	–	·12	–	·02	·01	–	·07	·04	·01	–		21
22	–	·10	·08	·42	–	–	–	–	·01	03	–	–		22
23	–	·14	·02	–	·07	–	–	·33	·03	·30	–	·43		23
24	·01	·67	–	–	·18	–	–	·62	·21	·05	–	·25		24
25	·15	·41	–	·02	·24	·18	–	·03	–	–	–	·11		25
26	–	·88	–	–	–	·04	–	·19	·11	–	·01	·79		26
27	–	·28	·01	–	·14	–	–	·06	·04	–	·05	·62		27
28	–	·07	–	–	–	–	–	·02	·10	·03	·01	·04		28
29	–	✕	–	–	·07	–	–	·01	·16	–	·02	·62		29
30	·01	✕	–	–	·02	·12	–	·81	·02	·34	·71	·57		30
31	–	✕	–	✕	·04	✕	–	·02	✕	·83	✕	·29	Year's Total	31
TOTAL	0·56	4·16	1·53	3·96	3·19	4·08	0·13	2·82	2·87	3·64	6·08	4·96	37·98	
* Days with .01 in. or more.	10	18	10	18	14	22	4	12	26	20	25	19	198	
* Days with .04 in. or more.	3	16	7	16	12	17	2	8	21	13	18	16	149	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) S.F. Rossiter

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 1729

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at # Landscore Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 143 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·13	·02	·21	–	·23	·39	–	–	–	·04	·01		1
2	–	–	–	·16	–	·20	·78	·02	·01	–	·11	–		2
3	–	–	·01	1·20	–	·04	·21	–	1·11	–	·21	–		3
4	·01	–	·20	–	–	·07	–	–	·18	–	·10	·10		4
5	·66	·14	·06	–	–	–	·06	·02	·04	–	·03	·08		5
6	·06	–	·05	–	–	·02	·22	·02	·29	–	·31	–		6
7	·08	–	·35	–	–	–	·02	–	·01	–	·34	·05		7
8	·45	–	·60	–	–	–	·17	–	–	–	·32	·02		8
9	·47	·81	·07	–	–	·02	·51	–	·09	–	·04	–		9
10	·33	·51	–	–	–	–	·01	–	–	–	·10	–		10
11	·72	·05	–	·05	·05	·07	–	·02	·06	–	·90	·09		11
12	·02	–	–	–	–	·04	·36	–	·41	–	·07	·07		12
13	·16	–	·04	–	–	–	·02	·01	–	·02	·10	1·12		13
14	–	·02	–	–	–	·01	·76	–	·16	–	–	·62		14
15	·01	·02	–	–	–	–	·09	–	·27	–	·12	·47		15
16	–	·16	–	·07	·31	–	·28	–	·04	–	·07	·14		16
17	·06	1·01	–	–	·03	–	·42	–	–	·03	·02	·89		17
18	·26	·14	·19	–	–	·06	·38	–	–	–	–	·10		18
19	·70	·04	·38	·09	–	·56	·06	·05	–	–	–	–		19
20	·05	·30	·20	·04	–	·02	·04	–	·28	–	–	–		20
21	–	·17	·04	·96	–	·01	·09	–	–	–	–	–		21
22	·13	·30	·14	–	–	–	·20	–	–	–	–	·03		22
23	·01	·01	·02	·19	·23	–	·14	–	–	·09	–	–		23
24	·35	·03	·22	·01	·37	–	–	–	·19	·24	–	·02		24
25	·22	–	·63	·17	–	–	·09	–	·02	·15	–	–		25
26	·33	·06	·11	–	–	–	–	–	·08	·02	–	–		26
27	·54	·05	·05	–	–	–	·19	–	–	·18	–	–		27
28	1·01	·02	·74	–	–	·04	·07	–	–	·01	–	·28		28
29	·01	·06	·02	–	–	·03	·29	–	–	·04	·13	·03		29
30	·20	✕	·01	–	–	·12	–	–	–	·05	–	–		30
31	·07	✕	·61	✕	–	✕	·04	–	✕	–	✕	·44		31
TOTAL	6·98	4·03	4·76	3·15	0·99	1·54	5·89	0·14	3·24	0·83	3·01	4·56	Year's Total 39·12	
* Days with .01 in. or more.	26	20	23	11	5	16	26	6	16	10	17	18	194	
* Days with .04 in. or more.	21	15	18	10	4	10	23	1	13	6	15	13	149	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. F. Rossiter

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Landscore Reservoirs, Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 132 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.03	.03	.58	—	—	—	—	—	.04	—	.76		1
2	—	.62	.03	.20	—	—	—	—	.01	—	—	.02		2
3	—	.21	.03	.06	.04	—	.02	—	.04	—	—	—		3
4	.06	.92	—	—	—	—	—	—	—	—	—	.43		4
5	.08	—	—	.10	—	—	.29	—	—	—	—	.16		5
6	.03	.70	.78	.20	.03	—	.07	—	—	—	—	—		6
7	—	.79	.10	.04	—	.03	—	—	—	—	—	.33		7
8	—	.04	—	—	.86	—	.05	—	—	—	.05	.26		8
9	.02	—	.20	.18	.04	—	.02	—	.51	.04	—	.02		9
10	.28	.04	.68	.55	—	.29	—	—	—	—	—	.44		10
11	.02	—	.51	.28	.79	.04	.32	—	—	—	—	—		11
12	.73	.22	.08	.06	.02	.32	.03	.76	.19	—	—	.58		12
13	—	.01	.95	.19	—	.06	—	.65	.03	—	—	—		13
14	—	.03	.20	.02	—	—	.54	.03	.03	—	—	.06		14
15	.40	.11	.22	.30	—	—	.03	—	.14	—	—	.22		15
16	.12	.14	.46	—	—	—	.02	.07	.81	—	.55	—		16
17	.94	.08	.62	—	—	—	—	—	.06	—	.90	—		17
18	.14	.02	.24	—	—	.20	—	—	.25	—	.15	.16		18
19	.16	.04	.08	.06	.06	—	—	—	.12	—	—	.06		19
20	.50	.04	.16	.09	.09	—	—	—	—	—	—	.54		20
21	.67	.25	.05	.01	.33	—	—	—	.17	.04	.57	.03		21
22	.39	—	.04	—	.32	.23	.08	—	.07	.58	.28	.06		22
23	.32	.27	—	—	.07	—	—	—	—	.12	.44	.01		23
24	.44	.49	.04	—	—	—	—	—	.06	.83	—	—		24
25	—	.56	.72	.01	—	—	—	—	.02	.41	—	—		25
26	—	.32	.07	—	.13	—	—	—	—	—	—	.05		26
27	.09	.21	—	—	—	—	—	—	—	.42	—	—		27
28	.45	.29	—	—	—	—	—	—	—	.15	.03	—		28
29	.14	✕	—	—	—	.03	—	—	—	.27	.04	—		29
30	.59	✕	—	—	—	—	—	—	.02	.07	.15	—		30
31	.79	✕	—	✕	—	✕	—	—	✕	1.10	✕	—		31
TOTAL	7.44	6.43	6.29	2.93	2.78	1.20	1.47	1.51	2.53	4.07	3.16	4.19	Year's Total 44.00	✓
* Days with .01 in. or more.	23	24	22	17	12	8	11	4	16	12	10	18	177	✓
* Days with .04 in. or more.	20	20	19	14	10	6	6	3	12	12	9	14	145	✓

† Spare column, no entries required.

(*Signed*) G. F. Rossetto [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Landscore Reservoirs, Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 132 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·06	–	–	·03	·39	·08	·34	–	·24	–	·03		1
2	–	–	–	–	–	·02	–	–	–	·31	·03	·05		2
3	–	–	–	–	·10	·01	–	·16	–	·39	·13	–		3
4	–	–	–	–	–	·04	·08	1·46	–	·09	–	·11		4
5	–	–	–	–	–	·01	·03	–	·02	·25	–	·02		5
6	·10	–	–	–	–	·13	1·26	–	·04	·13	·01	·06		6
7	·04	–	–	–	–	·03	·23	–	·37	·07	·02	·07		7
8	·47	–	–	–	–	·03	·02	·06	–	·33	–	–		8
9	·15	–	–	–	–	·24	–	–	–	–	–	·54		9
10	·11	–	–	–	–	·04	–	–	–	–	–	·43		10
11	·09	·01	–	–	–	·04	·07	·02	–	–	·24	·57		11
12	·42	–	–	–	·19	–	·03	–	–	·11	·38	·05		12
13	·26	–	–	–	·20	–	–	–	–	·04	·62	·73		13
14	·86	–	–	–	·16	–	·54	–	–	–	–	–		14
15	·18	–	–	–	·16	–	–	–	–	·14	·11	·23		15
16	·31	–	·02	–	–	–	–	·02	–	·02	·18	–		16
17	–	·29	·02	–	·22	–	–	–	·02	·15	·01	·08		17
18	·16	–	–	–	·02	·06	–	·03	·07	·04	·18	–		18
19	–	–	–	–	–	–	–	·09	·43	–	·93	–		19
20	–	–	–	–	–	–	–	·02	·01	–	·15	–		20
21	–	–	–	–	–	–	–	–	·06	–	·21	–		21
22	·03	–	–	·02	–	·05	–	·44	–	·02	·30	·19		22
23	·01	–	–	·10	–	–	–	·02	–	–	·08	·02		23
24	–	–	·22	·01	–	–	–	·07	·05	–	·39	–		24
25	·06	·31	·02	–	·15	–	·42	–	–	–	1·54	–		25
26	·31	·20	–	–	·56	·01	·10	–	–	·03	·01	·12		26
27	·07	·01	–	–	·12	·11	·35	·32	–	·16	·26	–		27
28	·12	·08	–	–	·12	·09	–	·85	–	·04	–	–		28
29	·09	X	–	–	·34	–	–	–	·11	·17	·28	·01		29
30	–	✕	–	–	·03	·12	·03	–	·31	–	·12	·05		30
31	·27	✕	–	✕	·12	✕	–	–	✕	·14	✕	·16		31
TOTAL	4·11	0·96	0·28	0·13	2·52	1·42	3·24	3·90	1·49	2·87	6·18	3·52	Year's Total 30·62	✓
* Days with .01 in. or more.	20	7	4	3	15	17	13	14	11	20	22	19	165	✓
* Days with .04 in. or more.	18	5	1	1	12	11	9	9	8	17	17	15	123	✓

† Spare column, no entries required.

(*Signed*) G.F. Rossiter ✓

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1729

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Landscore Reservoir Teignmouth

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 132 ft.

L. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	–	·05	·03	·02	–	·01	·10	·13	–	·95	·05		1
2	·28	–	–	·25	–	–	·02	·32	·59	–	·04	·04		2
3	·49	–	–	·60	–	–	–	·06	·01	–	·22	·67		3
4	·02	–	·78	·06	·35	–	·50	·02	–	·52	·05	·07		4
5	–	–	·03	·07	–	–	·26	·09	–	·50	·97	·01		5
6	·51	–	·15	·11	–	–	·74	·05	–	·34	·22	–		6
7	·01	·40	–	–	–	–	·03	·01	–	–	·55	·38		7
8	·02	·27	–	–	·03	–	·08	·01	–	1·26	·34	·10		8
9	·01	–	·03	–	–	–	–	·02	–	·11	·05	·06		9
10	·48	–	–	–	–	·02	–	·17	·14	·12	·01	·15		10
11	–	·02	·07	–	–	–	–	–	–	·25	–	·01		11
12	·01	·01	–	·01	–	·01	–	–	–	·02	·01	·01		12
13	·02	–	–	·10	–	·07	·34	–	·09	1·16	·04	–		13
14	1·05	–	–	·01	·03	·02	·40	–	·04	·02	·21	·02		14
15	·49	–	–	–	·05	·55	·26	–	–	–	·14	·01		15
16	·17	–	–	·14	–	–	·24	–	–	–	·05	–		16
17	·81	–	–	–	·04	·25	·27	–	–	–	–	–		17
18	–	·02	·01	–	–	·01	·74	–	–	–	·43	·11		18
19	·26	–	–	–	–	–	·32	–	–	–	·01	·18		19
20	·27	–	–	–	–	·13	·18	·94	–	–	–	·03		20
21	·05	·28	·04	–	·01	·25	1·72	·08	–	–	–	–		21
22	·39	·39	·21	–	–	·70	·19	–	–	–	·09	–		22
23	·01	–	·02	·33	–	·03	·12	–	–	–	1·00	–		23
24	·71	–	·41	·03	–	·45	·04	–	–	·04	–	–		24
25	·71	·15	–	·03	–	–	·01	·01	–	·16	·21	–		25
26	·02	·05	–	·05	–	·11	–	·08	–	·16	·24	–		26
27	–	·23	–	·01	–	·04	–	·03	–	·01	·12	–		27
28	–	·14	–	·10	–	·10	·26	–	–	–	·12	·02		28
29	–	×	–	·13	–	·07	·12	–	–	·28	·02	–		29
30	–	×	·02	·32	–	·04	–	·15	–	·36	·01	–		30
31	–	×	–	×	–	×	·02	110	×	·33	×	–		31
													Year's Total	
TOTAL	6·85	1·96	1·82	2·38	0·53	2·85	6·90	2·24	1·00	5·64	6·10	1·92	40·19	
* Days with .01 in. or more.	23	11	12	18	7	17	23	17	6	17	25	17	193	
* Days with .04 in. or more.	15	8	7	12	3	12	18	11	5	14	20	10	135	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. F. Rossiter

[P.T.O.

1729

COPY FOR OFFICIAL USE

~~Station No.~~ File No. 1 2007 89/40.

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

~~Station 2 yr 1727~~

~~[illegible] Reservoir~~ Teignmouth

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level 132 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	0·09	—	—	0·04	—	—	—	—	—	0·11	—		1
2	—	0·29	—	0·12	—	—	0·01	—	—	—	0·43	0·09		2
3	0·21	0·88	—	—	—	—	—	—	—	0·11	0·62	0·24		3
4	—	0·10	—	0·2	—	—	0·01	—	—	0·10	0·05	—		4
5	0·04	—	—	—	—	—	0·01	—	—	0·03	0·53	0·11		5
6	0·21	0·64	—	—	—	—	—	—	—	0·28	0·04	0·15		6
7	0·07	—	—	—	—	—	0·24	—	—	—	—	0·06		7
8	0·01	0·07	—	—	—	—	0·14	—	—	0·36	0·22	0·20		8
9	—	—	—	—	—	—	0·55	0·04	0·04	0·17	0·50	0·10		9
10	—	—	—	—	—	—	0·40	—	—	0·03	0·05	0·29		10
11	—	—	—	0·08	—	—	0·18	—	—	—	0·74	0·05		11
12	—	—	0·19	—	—	0·05	0·03	—	0·23	0·56	0·08	—		12
13	—	—	0·28	0·01	—	—	0·01	—	—	0·38	1·44	0·20		13
14	—	—	0·13	0·02	0·31	—	0·01	—	0·14	—	—	0·45		14
15	—	0·04	—	0·03	—	—	0·14	—	0·08	0·35	0·53	—		15
16	—	1·11	0·57	0·05	—	—	0·08	—	0·09	0·38	0·20	0·01		16
17	—	0·23	0·43	0·08	—	—	0·15	—	—	—	0·09	—		17
18	0·18	0·30	0·33	0·70	—	—	—	—	0·03	0·11	0·01	0·02		18
19	—	0·11	0·14	0·17	—	—	0·20	—	0·63	—	0·20	—		19
20	—	—	—	0·01	—	—	—	0·01	—	0·17	0·05	—		20
21	—	0·01	—	—	0·15	—	—	—	—	0·03	0·45	—		21
22	—	0·02	0·07	0·07	—	0·20	0·02	—	0·04	0·04	—	—		22
23	0·01	—	0·14	0·06	—	—	—	—	—	0·04	0·02	—		23
24	0·01	—	—	—	0·06	0·01	0·29	—	—	—	—	—		24
25	0·14	—	0·25	0·07	0·03	0·01	0·01	—	—	—	0·01	—		25
26	0·29	0·56	—	0·04	0·63	0·02	0·07	—	—	—	—	—		26
27	0·41	0·11	0·05	0·13	0·30	—	0·01	—	—	—	0·02	—		27
28	0·49	0·11	0·04	0·05	0·03	—	—	—	—	—	—	—		28
29	—	0·14	0·12	1·45	—	—	—	—	—	0·01	—	0·18		29
30	—	✕	—	0·17	0·03	—	—	—	—	0·42	—	0·19		30
31	0·43	✕	0·03	✕	—	✕	—	—	✕	0·76	✕	0·57		31
TOTAL	2·49	4·80	2·71	3·33	1·58	0·69	2·56	0·05	1·28	4·33	4·39	2·91	Year's Total 33·12	
* Days with .01 in. or more.	12	17	14	19	9	5	20	2	8	19	22	16	163	
* Days with .04 in. or more.	11	15	13	14	6	2	11	1	7	15	18	14	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. Heaton Cowen. [P.T.O.

X THE ENGINEER AND SURVEYOR X Engineer & Surveyor.

KINGSTEIGNTON (

20/ 28

1730/3
KINGSTEIGNTON, URANIA
1934 — 40

780306

Section **A** for the entry of D
AIR MINISTRY.
L ORGANIZATION.

Station No. 730/3

FORM 1090. REGIST 34. V/S.Devon/ c.1934

Kept at (~~Urania~~), King
in the County of Devo

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·01	—	—	·06	—	·65	·03	—	·20	·66		1
2	·07	Trace	·01	—	Trace	—	—	—	·90	·02	·11	·20		2
3	·06	—	—	—	Trace	—	Trace	Trace	—	·82	—	·44		3
4	·05	—	·13	·02	·33	—	—	·15	·09	·07	Trace	·50		4
5	Trace	—	·10	Trace	·22	·27	—	·75	Trace	·09	·02	·53		5
6	·09	Trace	·37	·15	·30	—	—	—	·03	·19	·06	·51		6
7	·04	—	—	—	—	—	—	·08	—	·15	Trace	·72		7
8	Trace	Trace	—	—	·07	—	—	—	·01	—	·40	·47		8
9	Trace	Trace	·37	·02	—	—	—	—	Trace	—	·42	·31		9
10	·22	Trace	·28	·55	—	—	·01	·03	—	—	·07	·01		10
11	·61	Trace	—	·43	—	—	Trace	Trace	Trace	—	—	·59		11
12	—	—	—	—	Trace	·01	·83	·16	Trace	—	—	·26		12
13	·45	—	—	·43	—	—	·01	—	Trace	—	·38	·44		13
14	·36	Trace	·44	·01	—	—	—	—	Trace	·07	·30	·26		14
15	·05	Trace	·04	Trace	·06	—	—	—	Trace	·25	·17	·17		15
16	·09	—	·40	—	·01	Trace	Trace	—	·16	Trace	—	·45		16
17	·15	Trace	·03	·12	Trace	—	·01	—	·05	·04	—	·32		17
18	·08	—	·41	·61	Trace	·02	Trace	—	·05	—	Trace	·47		18
19	—	·01	·13	·05	Trace	—	—	·05	·04	·01	Trace	·22		19
20	—	—	·02	·02	—	—	·01	—	·01	Trace	—	·02		20
21	—	—	·15	Trace	—	·04	·07	·02	·01	·39	—	·48		21
22	·01	·01	·03	—	Trace	Trace	·20	·25	·23	—	—	·44		22
23	·02	—	Trace	·11	—	·91	Trace	·13	·30	·02	—	·21		23
24	—	·07	·01	·01	—	·27	·11	·85	—	·08	—	·01		24
25	·37	·08	—	·20	—	—	—	—	—	·42	—	·81		25
26	·03	—	·03	·07	—	·20	—	—	·09	—	Trace	·15		26
27	Trace	—	—	Trace	—	Trace	—	Trace	·05	·01	·01	·39		27
28	—	Trace	—	·19	—	—	—	·30	·31	·06	Trace	·75		28
29	Trace	×	—	—	—	—	—	·01	·04	·05	—	·04		29
30	—	×	—	—	—	—	·01	·02	·14	Trace	—	·36		30
31	—	×	Trace	×	·02	×	—	·11	×	Trace	×	·03		31
													Year's Total.	
TOTAL	2·76	·17	2·96	2·99	1·01	1·78	1·26	3·56	2·54	2·74	2·14	11·22	35·13	
* Days with .01 in. or more.	18	4	18	16	7	8	9	15	18	17	11	31	172	
* Days with .04 in. or more.	14	2	11	10	5	6	4	11	13	13	9	27	126	

V.G. Print ✓ Print

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) H. B. B. Heath ESQ

P.T.O.

KINGSTEIGNTON ([redacted] 29/22

Section **A** **for the entry of Daily Observations.** **Station No.** 1730/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

V/S. Devon
c.1934

Kept at ~~Urania~~, Kingsteignton. Formerley at 1841
in the County of Devon.

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 130. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·01	—	—	·06	—	·65	·03	—	·20	·66		1
2	·07	Trace	·01	—	Trace	—	—	—	·90	·02	·11	·20		2
3	·06	—	—	—	Trace	—	Trace	Trace	—	·82	—	·44		3
4	·05	—	·13	·02	·33	—	—	·15	·09	·07	Trace	·50		4
5	Trace	—	·10	Trace	·22	·27	—	·75	Trace	·09	·02	·53		5
6	·09	Trace	·37	·15	·30	—	—	—	·03	·19	·06	·51		6
7	·04	—	—	—	—	—	—	·08	—	·15	Trace	·72		7
8	Trace	Trace	—	—	·07	—	—	—	·01	—	·40	·47		8
9	Trace	Trace	·37	·02	—	—	—	—	Trace	—	·42	·31		9
10	·22	Trace	·28	·55	—	—	·01	·03	—	—	·07	·01		10
11	·61	Trace	—	·43	—	—	Trace	Trace	Trace	—	—	·59		11
12	—	—	—	—	Trace	·01	·83	·16	Trace	—	—	·26		12
13	·45	—	—	·43	—	—	·01	—	Trace	—	·38	·44		13
14	·36	Trace	·44	·01	—	—	—	—	Trace	·07	·30	·26		14
15	·05	Trace	·04	Trace	·06	—	—	—	Trace	·25	·17	·17		15
16	·09	—	·40	—	·01	Trace	Trace	—	·16	Trace	—	·45		16
17	·15	Trace	·03	·12	Trace	—	·01	—	·05	·04	—	·32		17
18	·08	—	·41	·61	Trace	·02	Trace	—	·05	—	Trace	·47		18
19	—	·01	·13	·05	Trace	—	—	·05	·04	·01	Trace	·22		19
20	—	—	·02	·02	—	—	·01	—	·01	Trace	—	·02		20
21	—	—	·15	Trace	—	·04	·07	·02	·01	·39	—	·48		21
22	·01	·01	·03	—	Trace	Trace	·20	·25	·23	—	—	·44		22
23	·02	—	Trace	·11	—	·91	Trace	·13	·30	·02	—	·21		23
24	—	·07	·01	·01	—	·27	·11	·85	—	·08	—	·01		24
25	·37	·08	—	·20	—	—	—	—	—	·42	—	·81		25
26	·03	—	·03	·07	—	·20	—	—	·09	—	Trace	·15		26
27	Trace	—	—	Trace	—	Trace	—	Trace	·05	·01	·01	·39		27
28	—	Trace	—	·19	—	—	—	·30	·31	·06	Trace	·75		28
29	Trace	×	—	—	—	—	—	·01	·04	·05	—	·04		29
30	—	×	—	—	—	—	·01	·02	·14	Trace	—	·36		30
31	—	×	Trace	×	·02	×	—	·11	×	Trace	×	·03		31
TOTAL	2·76	·17	2·96	2·99	1·01	1·78	1·26	3·56	2·54	2·74	2·14	11·22	Year's Total. 35·13	Printed
* Days with .01 in. or more.	18	4	18	16	7	8	9	15	18	17	11	31	172	
* Days with .04 in. or more.	14	2	11	10	5	6	4	11	13	13	9	27	126	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) H. B. B. Heath Esq

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1730/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Urania, Kingsteignton.
in the County of Devon.

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·57	—	—	·17	—	—	·14	·05	·14	·17		1
2	—	—	·01	—	—	·12	—	—	·18	·39	·01	·15		2
3	—	—	·13	—	·61	·08	—	—	·01	·42	·08	·02		3
4	·03	·04	Trace	·04	Trace	·20	—	—	·10	·01	·20	·30		4
5	·03	·20	·03	·03	—	·06	—	—	·09	·09	Trace	·02		5
6	—	Trace	—	·33	—	1·02	—	—	—	—	·02	·17		6
7	Trace	—	—	·26	—	·13	—	—	Trace	·27	·06	·01		7
8	Trace	—	—	·43	—	—	Trace	—	·30	·01	·39	·05		8
9	Trace	—	—	·53	—	·12	—	Trace	—	·84	·24	—		9
10	·09	—	·37	·03	—	·04	—	Trace	Trace	—	Trace	·03		10
11	·24	·01	·01	—	—	·32	Trace	—	·13	Trace	·52	—		11
12	Trace	·19	Trace	—	—	·28	—	·14	·03	Trace	·23	—		12
13	Trace	·07	Trace	·22	—	·10	—	—	·03	—	·25	—		13
14	—	·09	—	·14	—	·21	—	—	·15	Trace	1·33	·18		14
15	—	·02	—	·23	·02	·39	—	—	·02	—	·27	·06		15
16	—	·08	·11	·08	—	Trace	Trace	—	·42	Trace	·77	—		16
17	—	—	Trace	Trace	1·02	·27	—	·16	Trace	—	Trace	Trace		17
18	—	·04	—	·16	—	—	·02	·07	·37	·02	·03	·20		18
19	—	·01	Trace	·12	·32	Trace	·10	Trace	·05	·14	·54	Trace		19
20	—	·48	Trace	·23	·29	—	—	Trace	·01	Trace	·14	Trace		20
21	—	·59	—	·18	—	Trace	Trace	—	·03	·03	—	Trace		21
22	—	·01	·04	·27	—	—	—	Trace	·01	·01	—	Trace		22
23	—	·26	·01	Trace	·05	—	—	·47	·07	·25	—	·55		23
24	·01	·75	—	—	·28	—	—	·54	·24	·13	Trace	·18		24
25	·17	·47	Trace	Trace	·12	·19	—	Trace	Trace	—	—	·16		25
26	·03	·87	—	—	—	·02	—	·22	·12	—	Trace	·85		26
27	—	·21	·01	—	·10	—	—	Trace	·03	·01	·01	·54		27
28	—	·09	Trace	—	—	—	—	·04	·15	—	—	·05		28
29	—	×	—	—	·05	—	—	·02	·22	—	·06	·57		29
30	Trace	×	—	—	·01	·13	Trace	·22	·02	·35	·78	·63		30
31	—	×	—	×	Trace	×	—	·01	×	1·01	×	·31		31
													Year's Total.	
TOTAL	·61	4·48	1·29	3·78	2·87	3·85	·12	2·44	2·97	4·03	6·07	5·20	37·71	
* Days with .01 in. or more.	8	19	10	16	11	18	2	10	24	17	20	21	176	
* Days with .04 in. or more.	3	15	5	14	9	17	1	8	15	11	16	17	131	

40-9999

† Spare column, no entries required.

(Signed) H. B. B. Heath.

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1730/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Urania, Fixleigh Road, Kingsteignton

in the County of Devon

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·05	—	·16	—	·39	·24	·01	—	—	Trace	—		1
2	—	—	Trace	·32	—	·13	·55	Trace	·44	—	·15	—		2
3	Trace	Trace	·02	1·28	—	·02	·03	—	·88	—	·23	Trace		3
4	—	Trace	·19	Trace	—	·05	—	—	·27	Trace	·03	·10		4
5	·53	·19	·02	—	—	—	·20	·01	—	—	·02	·12		5
6	·08	—	·01	—	—	Trace	·19	·02	·22	—	·34	·01		6
7	·18	—	·24	—	—	Trace	—	—	—	Trace	·49	·04		7
8	·36	—	·52	—	—	—	·27	—	—	—	·52	—		8
9	·75	·99	·39	—	—	·03	·35	—	·02	Trace	·02	Trace		9
10	·30	·66	—	—	—	—	—	—	·01	—	·13	Trace		10
11	·62	·05	—	Trace	·05	·08	·08	·01	·15	Trace	·76	·10		11
12	·02	—	—	·10	Trace	—	·18	Trace	·39	·01	·02	Trace		12
13	·99	—	Trace	Trace	—	—	·01	Trace	Trace	·03	·16	1·19		13
14	—	·06	—	—	—	Trace	·62	—	·13	—	—	·57		14
15	—	Trace	Trace	—	·04	—	·07	—	·25	—	·10	·60		15
16	—	·21	Trace	·01	·23	—	·21	—	—	—	·05	·26		16
17	·11	1·14	Trace	·02	·04	Trace	·23	Trace	—	·02	Trace	1·23		17
18	·18	·48	·09	Trace	—	·53	·39	·02	—	Trace	—	·06		18
19	·63	Trace	·31	·11	—	·01	·04	—	Trace	Trace	—	—		19
20	·03	·44	·20	·03	—	Trace	·02	Trace	·41	—	—	—		20
21	—	·30	·07	·65	—	—	·26	Trace	·01	—	—	—		21
22	·14	·17	·15	—	·03	—	·28	—	Trace	—	—	·01		22
23	Trace	Trace	·01	·20	·25	—	·05	—	—	·11	—	Trace		23
24	·32	·01	·17	Trace	·41	—	—	Trace	·16	·27	—	Trace		24
25	·25	—	·55	·13	—	—	·12	—	—	·15	—	—		25
26	·32	·03	·11	—	—	—	—	—	·01	·01	—	—		26
27	·68	·04	·04	—	—	—	·25	Trace	—	·20	Trace	—		27
28	·94	·02	·65	—	—	·05	Trace	—	—	Trace	Trace	·25		28
29	Trace	·06	Trace	—	—	·10	·36	Trace	—	·03	·07	·12		29
30	·20	✕	Trace	—	—	·05	Trace	—	—	·02	—	Trace		30
31	·15	✕	·59	✕	·08	✕	·02	—	✕	Trace	✕	·47		31
													Year's Total	
TOTAL	7·84	4·90	4·33	3·01	1·13	1·44	5·02	·07	3·35	·85	3·09	5·13	40·16	
* Days with .01 in. or more.	22	17	19	11	8	11	24	5	14	10	15	15	171	
* Days with .04 in. or more.	20	14	15	8	7	8	20	0	10	4	11	13	130	

† Spare column, no entries required.

(Signed) H. B. B. Heath [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1730/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Urania, Firleigh Road, Kingsteignton

in the County of Devon

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·02	·01	·91	—	—	—	Trace	·03	·10	Trace	·68		1
2	—	·81	·02	·18	·05	—	—	Trace	·03	Trace	·01	—		2
3	—	·22	·04	·19	·01	—	·01	·01	—	Trace	Trace	—		3
4	·05	·82	—	—	·02	—	—	Trace	Trace	Trace	—	·28		4
5	·13	—	Trace	·11	—	—	·30	Trace	Trace	—	—	·12		5
6	·02	·60	·81	·23	·07	—	—	—	—	—	—	·07		6
7	Trace	·83	·20	·04	—	·03	Trace	—	—	Trace	·03	·47		7
8	—	·02	—	—	·73	Trace	·08	—	Trace	—	Trace	·02		8
9	·03	—	·24	·14	·05	—	—	—	·37	·05	Trace	·01		9
10	·48	Trace	·80	·85	·18	·30	·02	—	—	Trace	—	·44		10
11	·08	Trace	·27	·28	·24	·02	·21	·03	Trace	—	Trace	—		11
12	·79	·24	·05	·08	·21	·40	·02	·69	·08	—	Trace	·56		12
13	—	Trace	1·26	·16	—	·05	—	·85	Trace	—	Trace	·01		13
14	—	—	·05	Trace	—	—	·55	·04	·03	—	Trace	·01		14
15	·43	·12	·43	·37	—	—	—	—	·22	—	—	·16		15
16	·20	·13	·42	—	—	—	·02	·05	·34	Trace	·56	—		16
17	·83	·08	·77	Trace	—	—	Trace	—	·06	Trace	·92	·01		17
18	·10	·03	·18	—	—	·27	Trace	—	·58	—	·12	·10		18
19	·10	·02	·04	·06	·14	—	—	—	·18	—	·02	·02		19
20	·49	·03	·18	·10	·05	—	Trace	—	Trace	·01	·01	·57		20
21	·78	·25	·05	—	·42	—	—	Trace	·15	·10	·17	·07		21
22	·24	—	·04	—	·29	·04	·06	Trace	·08	·70	·74	·08		22
23	·30	·23	Trace	—	·08	—	—	Trace	Trace	·18	·36	·02		23
24	·49	·51	·05	—	—	—	—	Trace	·09	1·24	·01	—		24
25	·04	·84	·67	·02	·10	—	—	Trace	·01	·18	·01	—		25
26	—	·30	·07	—	—	—	—	—	·01	—	—	·01		26
27	·14	·28	—	—	—	—	—	Trace	·01	·44	—	—		27
28	·51	·19	Trace	—	—	—	—	Trace	Trace	·14	Trace	—		28
29	·09	✕	—	—	—	—	—	Trace	—	·25	·05	Trace		29
30	·38	✕	—	—	—	Trace	—	Trace	·01	·01	·14	Trace		30
31	·45	✕	—	✕	—	✕	—	—	✕	·80	✕	—		31
TOTAL	7·19	6·57	6·65	3·72	3·14	1·11	1·27	1·67	2·28	4·20	3·15	3·71	Year's Total 44·66 ✓	
* Days with .01 in. or more.	24	21	22	15	15	7	9	6	17	13	14	20	183 ✓	
* Days with .04 in. or more.	22	16	20	14	13	5	5	4	10	11	8	12	140 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) N. B. B. Heath

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No 1730/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Firleigh Road, Kingsteignton

in the County of Devon

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·03	Trace	—	·02	·39	·06	·32	Trace	·37	—	·08		1
2	—	—	Trace	—	Trace	Trace	—	—	Trace	·27	·01	·07		2
3	—	—	·01	—	·07	·01	—	2·35	—	·48	·14	—		3
4	—	—	·01	—	Trace	·02	·13	·57	—	·20	—	·10		4
5	·01	—	Trace	Trace	—	Trace	·01	—	·01	·29	—	·02		5
6	·08	Trace	Trace	Trace	Trace	·14	1·50	·01	—	·18	·01	·10		6
7	·03	—	Trace	—	—	·01	·14	—	·33	·05	·01	·07		7
8	·49	·01	—	—	—	—	—	·07	Trace	·36	Trace	·02		8
9	·13	—	—	—	—	·20	—	Trace	—	—	·04	·49		9
10	·08	Trace	—	Trace	—	—	—	—	Trace	Trace	—	·48		10
11	·10	·01	—	—	·02	·02	·12	·18	—	Trace	·28	·86		11
12	·51	—	Trace	Trace	·24	Trace	Trace	—	·01	·14	·59	·07		12
13	·16	—	Trace	Trace	·20	—	—	Trace	Trace	·02	·51	·63		13
14	·85	—	Trace	—	·16	—	·43	—	Trace	Trace	—	·02		14
15	·32	—	—	—	·21	—	—	—	Trace	·26	·15	·29		15
16	·29	·01	Trace	—	—	—	Trace	·02	Trace	·01	·34	·06		16
17	Trace	·27	·01	—	·36	—	—	—	·04	·18	·01	·11		17
18	·14	—	—	—	·10	·04	—	·12	·06	·02	·21	—		18
19	—	Trace	—	Trace	—	—	—	·01	·37	Trace	·80	—		19
20	·01	—	—	—	—	—	—	·02	·02	Trace	·14	Trace		20
21	Trace	—	—	Trace	—	—	—	·05	·17	Trace	·24	·08		21
22	—	—	—	Trace	—	·01	—	·27	—	·01	·33	·02		22
23	—	—	—	·07	—	—	Trace	—	—	—	·07	Trace		23
24	Trace	—	·07	Trace	·05	—	Trace	·01	·03	—	·38	—		24
25	·06	·42	Trace	—	·04	—	·37	—	Trace	·03	1·36	·06		25
26	·19	·22	—	—	·57	·12	·05	—	·01	·18	·01	·09		26
27	·06	·01	—	—	·08	·02	·46	·42	—	·09	·32	—		27
28	·20	·07	—	—	·03	·15	—	·70	·02	—	Trace	Trace		28
29	·08	✕	—	—	·37	—	—	Trace	·26	·18	·37	—		29
30	·01	✕	—	—	—	·02	·03	Trace	·12	—	·13	·03		30
31	·38	✕	Trace	✕	·17	✕	—	Trace	✕	·15	✕	·20		31
													Year's Total	
TOTAL	4·18	1·10	·10	·07	2·69	1·15	3·30	5·12	1·45	3·47	6·45	3·95	33·03	✓
* Days with .01 in. or more.	21	9	4	1	16	13	11	15	13	20	23	22	168	✓
* Days with .04 in. or more.	17	4	1	1	13	6	9	10	7	15	18	17	118	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. B. B. Heath

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1730/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Urania, Firleigh Rd, Kingsteignton
in the County of Devon
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	—	·05	·02	·01	—	·02	·32	·02	—	1·33	·08		1
2	·18	—	—	·27	Trace	—	Trace	·31	·51	—	·05	·03		2
3	·43	—	·03	·21	Trace	—	·03	·03	·02	—	·36	·65		3
4	Trace	—	·24	·15	·31	—	·41	·05	Trace	·96	·07	·09		4
5	Trace	Trace	·01	·12	—	—	·72	—	Trace	·23	·94	·01		5
6	·50	Trace	·14	·18	—	—	·81	·05	·01	·21	·17	—		6
7	·01	·35	—	Trace	—	—	·03	·02	Trace	Trace	·41	·43		7
8	·03	·25	·01	Trace	·03	—	·09	·06	Trace	1·19	·33	·10		8
9	—	Trace	·01	Trace	—	—	—	·13	Trace	·10	·21	·10		9
10	·21	—	Trace	—	—	·04	—	·06	·02	·23	Trace	·07		10
11	·01	·02	·07	Trace	—	—	—	—	Trace	·19	·02	Trace		11
12	·01	—	Trace	·02	—	Trace	Trace	Trace	·08	·03	·02	—		12
13	·02	Trace	—	·10	·01	·06	·30	—	Trace	1·35	·03	Trace		13
14	·94	—	—	·01	·06	·03	·58	—	·01	·04	·21	·01		14
15	·35	—	Trace	·01	·04	·65	·20	Trace	—	Trace	·15	·03		15
16	·16	Trace	—	·09	·01	—	·21	Trace	Trace	Trace	Trace	—		16
17	·60	Trace	—	—	·01	·17	·40	—	—	Trace	—	Trace		17
18	—	·02	·01	—	—	·01	1·11	Trace	Trace	—	·54	·19		18
19	·31	Trace	—	—	—	·10	·40	Trace	—	Trace	—	·10		19
20	·33	—	—	—	—	·30	·15	1·19	—	Trace	—	·01		20
21	·04	·25	·05	—	·04	·31	·08	·06	—	Trace	—	Trace		21
22	·60	·35	·17	Trace	—	·22	·28	—	·02	—	·12	—		22
23	·03	Trace	·04	·27	—	Trace	·08	Trace	—	—	1·25	Trace		23
24	1·03	Trace	·40	·04	—	·34	·11	—	Trace	·02	Trace	·01		24
25	·55	·09	—	·16	—	—	—	·15	—	·16	·32	·01		25
26	·02	·04	—	·22	—	·04	Trace	·04	Trace	·09	·28	Trace		26
27	—	·22	—	—	—	·10	—	·11	—	—	·12	Trace		27
28	Trace	·11	Trace	·15	—	·11	·16	Trace	—	—	·17	·01		28
29	·01	X	—	·13	—	·07	·15	Trace	—	·37	·05	Trace		29
30	—	✕	·05	·29	—	—	Trace	·10	—	·50	·02	Trace.		30
31	—	✕	Trace	✕	—	✕	·01	·06	✕	·53	✕	Trace		31
													Year's Total	
TOTAL	6·45	1·70	1·78	2·94	0·52	3·10	6·33	2·74	0·69	6·20	7·17	1·93	41·55	✓
* Days with .01 in. or more.	23	10	14	18	9	15	22	16	8	16	23	17	191	✓
* Days with .04 in. or more.	15	8	9	14	4	13	18	14	2	14	19	9	139	✓

† Spare column, no entries required.

(*Signed*) H. B. B. Heath [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No 1730/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at URANIA, Kingsteignton

in the County of Devon.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·10	—	Trace	·05	Trace	—	—	Trace	—	·13	Trace		1
2	—	·39	—	·10	—	—	Trace	—	—	—	·72	·16		2
3	·17	·93	Trace	—	Trace	—	—	Trace	—	·18	·51	·16		3
4	·01	·14	—	·03	—	—	Trace	·01	Trace	·14	·17	—		4
5	·02	—	—	—	—	—	—	—	Trace	·07	·33	·21		5
6	·30	·74	Trace	—	—	—	·01	—	Trace	·31	·04	·15		6
7	·05	—	Trace	—	—	—	·25	—	—	Trace	Trace	·07		7
8	·01	·09	Trace	—	—	—	·01	—	Trace	·63	·42	·24		8
9	·01	Trace	—	Trace	Trace	—	·55	·05	·03	·18	·27	·16		9
10	Trace	Trace	—	Trace	—	—	·16	Trace	Trace	·04	·05	·28		10
11	—	—	·05	·03	—	—	·14	Trace	—	Trace	·88	Trace		11
12	—	—	·28	—	Trace	·19	·01	—	·27	—	·08	—		12
13	—	Trace	·35	Trace	—	—	·01	—	—	·78	1·69	·37		13
14	Trace	·01	Trace	·02	·17	—	·02	—	·09	·46	·01	·28		14
15	Trace	·01	—	·03	—	—	·32	Trace	·08	·18	·56	—		15
16	·04	1·27	·54	·04	—	—	·07	Trace	·12	·34	·29	—		16
17	—	·14	·47	·19	Trace	—	·06	Trace	—	·01	·04	—		17
18	·25	·23	·41	·55	—	—	Trace	·01	·02	·21	Trace	·02		18
19	—	·10	·15	·15	—	—	·06	Trace	·47	·05	·26	—		19
20	—	Trace	—	·02	—	—	—	—	Trace	·18	·07	—		20
21	—	Trace	·05	—	·21	·10	Trace	—	·01	·08	·56	—		21
22	—	·01	·10	·15	—	·51	—	—	·02	·02	·01	—		22
23	—	·04	·18	·01	·03	—	·02	—	Trace	·15	·01	Trace		23
24	Trace	—	Trace	—	·06	Trace	·38	Trace	Trace	—	Trace	—		24
25	·17	—	·28	·05	·38	·05	·01	—	—	—	—	—		25
26	·39	·48	—	·08	·23	—	·08	—	Trace	Trace	—	Trace		26
27	·35	·13	·06	·48	·36	Trace	—	—	—	—	·01	·01		27
28	·50	·20	—	·08	·01	—	Trace	—	—	Trace	Trace	Trace		28
29	·28	·02	·14	1·97	—	Trace	—	—	—	·03	Trace	·10		29
30	·07	✕	Trace	·05	—	—	—	Trace	—	·53	—	·20		30
31	·01	✕	·04	✕	—	✕	—	Trace	✕	·76	✕	·95		31
													Year's Total	
TOTAL	2·63	5·03	3·10	4·03	1·50	·85	2·16	·07	1·11	5·33	7·11	3·36	36·28	✓
* Days with .01 in. or more.	16	18	14	18	9	4	17	3	9	21	22	15	166	✓
* Days with .04 in. or more.	11	14	14	12	7	4	10	1	5	18	18	13	127	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. B. B. Hea

[P.T.O.